

SKATES

SPRING / SUMMER 2026



K2 Skates builds products to meet the year-round needs of the inline skating enthusiasts worldwide. In 1993 K2 revolutionized the skate industry by introducing the firstever Softboot inline skates. This patented K2 technology pushed the envelope for inline skate innovation and forever changed the performance of the sport.




TABLE OF CONTENTS

01	HARDBOOT	
	SURGE 80	06
	SURGE 84	10
	SURGE 100	14
	GRID 80	18
	GRID 90	22
	GRID 110	26
02	FITNESS	
	F.I.T. 80 PRO / ALEXIS 80 PRO	30
	F.I.T. 80 BOAR / ALEXIS 80 BOAR	31
	F.I.T. 80 ALU / ALEXIS 80 ALU	34
	F.I.T. 84 PRO / ALEXIS 84 PRO	
	F.I.T. 84 BOAR / ALEXIS 84 BOAR	
	F.I.T. 90 ALU / ALEXIS 90 ALU	39
03	LIFESTYLE	
	UPTOWN	40
	TRIO LT 100	42
	TRIO LT BOA®	
	TRIO 110	45
Π4	MARATHON	
0 1	MOD 110	46
0.5		
05	YOUTH	4.0
	EDDIE PRO / LUMI PRO	
	EDDIE BOAR / LUMI BOAR	
	SK8 HERO BOA® ALU / CHARM BOA® ALU	
	SPLASH	51
06	ACCESSORIES	
	HELMETS	
	PADS	
	FRAMES	
	BEARINGS + TOOLS	
	WHEELS	
	CARRIERS	
07	SIZING	
08	TECHNOLOGY	63

002 003







CATALOG SPRING / SUMMER 2026

01

HARDBOOT

SURGE










SURGE 80

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience. TPE Cuff - Polypropylene Composite Shell 6061 Extruded 243mm* Frame Speed + Traditional Lacing - 80mm 82A Wheels ILQ 5 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes *Size 11-13 use 255mm frame

006 HARDBOOT 007











SURGE 84

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience. TPE Cuff - Polypropylene Composite Shell 6061 Extruded 260mm Frame Speed + Traditional Lacing - 84mm 82A Wheels ILQ 5 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes





K2 SKATES CATALOG SPRING / SUMMER 2026















SURGE 100

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience. TPE Cuff - Polypropylene Composite Shell 6061 Extruded 265mm Frame Speed + Traditional Lacing - 100mm 82A Wheels ILQ 7 Bearings - Threaded Hollow Steel Axles Vortech Ventilation Technology

SPRING / SUMMER 2026

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes



CATALOG SPRING / SUMMER 2026








K2 SKATES CATALOG SPRING / SUMMER 2026

HARDBOOT — GRID





GRID 80

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff – Nylon Shell 6061 Extruded 243mm* Rocker Frame Speed + Traditional Lacing – 90mm 85A Wheels ILQ 9 Bearings – Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes *Size 11-13 use 255mm frame









CATALOG SPRING / SUMMER 2026










GRID 90

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.


Nylon Cuff – Nylon Shell 6061 Extruded/Machined 273mm Rocker Frame Speed + Traditional Lacing – 90mm 85A Wheels ILQ 9 Bearings – Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes















SPRING / SUMMER 2026







GRID 110


Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff – Nylon Shell 6061 Extruded/Machined 255mm Rocker Frame Speed + Traditional Lacing – 110mm 85A Wheels ILQ 9 Bearings – Threaded Alumnimum Axles Vortech Ventilation Technology

UNISEX US: M 5-13 EU: 36.5-48 UK: 4-12 Unisex Sizing = US Men's / Only available in full sizes















FITNESS F.I.T + ALEXIS









F.I.T 80 PRO ALEXIS 80 PRO

For newcomers looking for performance and style; high-quality, tried + tested upper ensures that the skate is breathable and comfortable.

Stability Plus Cuff – F.B.I. Frame Speed Lacing – 80mm 80A Wheels ABEC 5 Bearings

M US: 5-13 EU: 36.5-48 UK: 4-12 **W** US: 6-11 EU: 36-42 UK: 3.5-8.5



F.I.T. 80 BOAR ALEXIS 80 BOAR


Combination of K2 Original SoftBoot, easyto-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support. Stability Plus Cuff - F.B.I. Frame BOA® Fit System - 80mm 80A Wheels ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 6-11 EU: 36-42 UK: 3.5-8.5

030 FITNESS 031









SPRING / SUMMER 2026



F.I.T. 80 ALU ALEXIS 80 ALU

Take your full-body workout or cardio session outside.
Our motto: Put your workout on wheels!
An ideal package for anyone who wants to start skating.

Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing - 80mm 80A Wheels ABEC 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12

W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5







F.I.T. 84 PRO ALEXIS 84 PRO

The most versatile skate – whether you're new to skating or an advanced skater; Offering everything you could possibly need in a skate.

Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing - 84mm 80A Wheels ILQ 5 Bearings

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5

UK: 1.5, 2, 3.5-8.5

034 FITNESS 035















F.I.T. 84 BOA® **ALEXIS 84 BOAR**

Legendary K2 Original SoftBoot, the easyto-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - Stamped Aluminum Frame BOA® Fit System - 84mm 80A Wheels ILQ 7 Bearings – Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12 **W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5



F.I.T. 90 BOA® **ALEXIS 90 BOAR**

On sunny days the strenuous workout you planned for the gym can be moved to the outdoors with a focus on strength, endurance and coordination.

Stability Plus Cuff - Dye Cast Aluminum Frame BOA® Fit System - 90mm 83A Wheels ILQ 7 Bearings - Flex Notch

M US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12

W US: 4, 5, 6-11 EU: 34, 35, 36-42.5 UK: 1.5, 2, 3.5-8.5

*84mm wheels on women's sizes 4 and 5


038 039 **FITNESS**

CATALOG SPRING / SUMMER 2026

03

LIFESTYLE

UPTOWN










UPTOWN

A look that strikes the balance of modern aesthetic + timeless style. A versatile, durable skate with style to spare; making itself at home everywhere. Aggressive Cuff Rockerable 243mm Aluminum Frame Traditional Lacing – 80mm 85A Wheels ILQ 7 Bearings – UFS Compatibility

UNISEX US: M 5-14 EU: 36.5-48 UK: 4-13 Unisex Sizing = US Men's *Brake included. Assembly required.

040 LIFESTYLE 041

LIFESTYLE TRIO







TRIO LT 100 M TRIO LT 100 W

A lifestyle skate like no other. It's lighter than our previous TRIO skates for easier cruising, flexibility + mobility while skating. Good fit, more fun! Stability Plus Cuff - Stamped Aluminum Frame Speed Lacing - 100mm 83A Wheels ILQ 7 Bearings


M US: 5, 6-11 EU: 36.5, 38-49 UK: 4, 5-13 **W** US: 6-11 EU: 36-42.5 UK: 3.5-8.5


*90mm 83A Wheels on US W size 4-5
**Max Wheel size 90mm on US W size 4-5





CATALOG SPRING / SUMMER 2026









TRIO LT BOA®

For fitness, commuting and exploration, all in one. Lighter than our previous TRIO skates, making cruising easier + ensuring flexibility + mobility while skating. Stability Plus Cuff - Stamped Aluminum Frame BOA® Fit System - 100mm 83A Wheels ILQ 7 Bearings

UNISEX

US: M 5, 6-14 EU: 36.5, 38-49 UK: 4, 5-13 Unisex Sizing = US Men's



TRIO 110

Unparalleled lifestyle skate and the big brother of the TRIO 100. Providing optimum support to be at the forefront while showing off a fashionable look.

Urban Cuff – Rockerable Trio 110 Frame Traditional Lacing – 110mm 90A Wheels ILQ 9 Bearings – UFS Compatibility

UNISEX US: M 6-13 EU: 38-49 UK: 4-13 Unisex Sizing = US Men's *Brake included. Assembly required.

CATALOG SPRING / SUMMER 2026

04

MARATHON

MOD + REDLINE





MOD 110

We know that when it comes to marathon skating one thing matters above all... speed. A premium endurance skate designed to go fast. Enjoy the ride!

MOD 110 Dual Density Cuff
MOD 110 Extruded 6000 Series Frame
Speed Lacing – 110mm 85A Wheels
ILQ 9 Pro Bearings – Custom Fit Foam
Ventilated Microfiber Upper



046 MARATHON 047

SPRING / SUMMER 2026

05

YOUTH

RAIDER + MARLEE







EDDIE PRO LUMI PRO

The perfect choice for kids who want to get into skating, these skates are great to learn and explore on. Just a single roll, pull and stow!

Stability Plus Cuff – F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8 EU S: 29-34 M: 32-37 L: 35-40 UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm

**70mm 80A wheels on size S

***Max wheel size 72mm on size S



EDDIE BOAR LUMI BOAR

A fantastic skate for your child – they both feature high quality + performance so your child will have even more fun. Size adjustment for more fun than one season! Stability Plus Cuff - F.B.I. Frame BOA® Fit System - 72mm 80A Wheels ABEC 3 Bearings - 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8 EU S: 29-34 M: 32-37 L: 35-40 UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm

**70mm 80A wheels on size S


***Max wheel size 72mm on size S

048 YOUTH 049

CATALOG

YOUTH — SK8 HERO + CHARM

SPLASH







SK8 HERO BOA® ALU CHARM BOA® ALU

For the child that wants to skate like a champ; adjustable skates with the features + performance level to allow them to excel at the sport they love.

Stability Plus Cuff – Stamped Aluminum Frame BOA® Fit System – 76mm 80A Wheels ABEC 5 Bearings – 5 Size Adjustability

US M: 1-5 L: 4-8 EU M: 32-37 L: 35-40 UK M: 13-4 L: 3-7



SPLASH

Perfect for the creative and active kid. High quality coloring book style upper with multi-colored pens + wheels. Let your imagination run wild! Stability Plus Cuff – F.B.I. Frame Speed Lacing – 72mm 80A Wheels ABEC 3 Bearings – 5 Size Adjustability

US S: 11-2 M: 1-5 L: 4-8 EU S: 29-34 M: 32-37 L: 35-40 UK S: 10-1 M: 13-4 L: 3-7

*Max wheel size 76mm

**70mm 80A wheels on size S

***Max wheel size 72mm on size S

050 YOUTH 051

06

ACCESSORIES

HELMETS





VARSITY MIPS®

Our tried + true Varsity helmet now featuring MIPS® Evolve technology. Still with comfortable and safe features.



ABS Shell - EPS Liner Sealed Fit Pads - Micro-Adjust Fit System CPSC + EN1078 Certifications Traditional Strap

COLORS: Black, Gray

S:48-54cm M:55-58cm L:59-61cm



VARSITY

Our Varsity helmet is designed for both kids and adults and is equipped with the features needed for a safe and comfortable skate session.



ABS Shell - EPS Liner Fit Pads - Ratchet Fit System CPSC + EN1078 Certifications Traditional Strap

COLORS: Black, White, Yellow, Seafoam

S:48-54cm M:55-58cm L:59-61cm





VARSITY PRO

Look sharp while staying safe with multiple features to keep you safe when you're rolling on the pavement.

ABS Shell - EPS Liner Sealed Fit Pads - Micro-Adjust Fit System CPSC + EN1078 Certifications Reflective Strap

COLORS: Black, Gray, Dark Teal, Burgundy Orange

S:48-54cm M:55-58cm L:59-61cm







052 **ACCESSORIES** 053

ACCESSORIES PADS





MACH DUAL SUSPENSION PROTECTIVE GEAR

PE protective caps – Shock resistant elastomers
Front side adjustable fasteners
Abrasion resistant contoured mesh – Reflective panels
Cool Max Moisture Control Lining – Impact absorbing gel cushions
UNISEX: S, M, L
EN14120:2003+A1:2007



RAIDER PRO + MARLEE PRO PAD SET

Keep the kids skating scrap-free with a smile Durable plastic caps – Breathable mesh – Elastic straps Secure + comfortable fit

YOUTH: XS, S

EN14120:2003+A1:2007



PERFORMANCE PAD SET

Premium protection within an athletic profile that is not too bulky Elbow pads – Knee pads – Wrist guards

M: S, M, L W: S, M, L EN14120:2003+A1:2007



REDLINE RACE GUARD SET

High speed, low drag protection – Knee guards – Elbow Guards – Gloves UNISEX: S, M, L

O54 ACCESSORIES O55

ACCESSORIES

FRAMES + BEARINGS + TOOLS



TRIO 100 FRAME KIT

Max wheel size 100mm

UFS Mounting Rockerable 2nd wheel 6061 Series Aluminum

S: 250mm | US M size 6-7.5 M: 270 mm | US M size 8-10.5 L: 285mm | US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles



RC100 CNC ALUMINUM FRAME KIT

Max wheel size 100mm

UFS Mounting Rockerable 311mm Wheelbase 6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



TRIO 110 FRAME KIT

Max wheel size 110mm

UFS Mounting Rockerable 2nd wheel 6061 Series Aluminum

S: 255mm | US M size 6-7.5 M: 270 mm | US M size 8-10.5 L: 285mm | US M size 11-13

*Includes 6mm frame spacers, bearing spacers, and axles




RC80 CNC ALUMINUM FRAME KIT

Max wheel size 100mm

UFS Mounting Rockerable 343mm Wheelbase 6061 Series Aluminum

*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)







ILQ 5

Grease Lubricant Steel Retainers Double-Sided Metal Shield Pack of 16



ILQ 7

Grease Lubricant Steel Retainers Double-Sided Metal Shield Pack of 16



ILQ 9

TK Gel 6-Ball Design Nylon Retainers One-Sided Metal Shield Pack of 16



ILQ 9 PRO

TK Gel 6-Ball Design Nylon Retainers Rubber Shield Pack of 16



K2 BREW TOOL

This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Opens beer too!



RUBBER BREAK STOPPER

This classic brake fits most all K2 skates made since 1999.

056 **ACCESSORIES** 057

WHEELS ACCESSORIES







BOOSTER



BOOSTER

BOLT SPEED WHEEL SERIES

High-speed urethane with a race profile for a light + fast rol; High rebound and durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs) ILQ-9 Bearings + spacers incl. Resuable storage bag incl.



72mm/85A | 2 pack



80mm/85A | 2 pack



84mm/85A | 2 pack



STRORE 90mm/85A | 2 pack

STROBE WHEEL SERIES

Illuminate your skates! The new Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers.

72mm/85A - 80mm/85A 84mm/85A - 90mm/85A Available in 2-packs



BOLT SPEED 90mm/85A | 4 or 8 pack *Includes ILQ-9 bearings and ALU Spacers



BOLT SPEED 100mm/85A | 4 pack

BOLT SPEED WHEEL SERIES

High-speed urethane with a race profile for a light + fast roll; High rebound + durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs) ILQ-9 Bearings + spacers incl. Resuable storage bag incl.





80mm/XTRA FIRM | 4 pack 100mm/XTRA FIRM | 2 pack



110mm/XTRA FIRM | 2 pack

BOLT URBAN WHEEL SERIES


Full-wheel profile for speed, stability and versatility in the city + beyond.

80mm/Xtra Firm (4-packs) - 100mm/Xtra Firm (2-packs) - 110mm/Xtra Firm (2-packs) Resuable storage bag incl.









110mm/XTRA FIRM | Single pack 125mm/XTRA FIRM | Single pack

FLASH DISC WHEEL SERIES

Made up of dual urethanes + an aerodynamic disc hub that provides support and speed, while reducing drag.

110mm/88A - 125mm/Xtra Firm Sold Individually – ILQ-9 Pro Bearings included Resuable storage bag included



90mm/85A | 4 pack



110mm/85A | 4 pack


RAIN FLY WHEEL SERIES

Grip it and rip it with dual- injected wheels with high rebound + high grip; designed for skating in wet conditions.

90mm/85A - 110mm/85A Available in 4-packs

ACCESSORIES





060 ACCESSORIES 061



SIZING

MEN'S SIZING CHART

US MEN'S	US WOMEN'S	UK ADULT	EURO ADULT	FOOT LNGTH (CM)
5	6	4	36.5	23
6	7	5	38	24
6.5	7.5	5.5	39	24.5
7	8	6	39.5	25
7.5	8.5	6.5	40	25.5
8	9	7	40.5	26
8.5	9.5	7.5	41.5	26.5
9	10	8	42	27
9.5	10.5	8.5	42.5	27.5
10	11	9	43.5	28
10.5		9.5	44	28.5
11		10	44.5	29
11.5		10.5	45	29.5
12		11	46	30
12.5		11.5	47	30.5
13		12	48	31
14		13	49	32

WOMEN'S SIZING CHART

US WOMEN'S	UK ADULT	EURO ADULT	FOOT LNGTH (CM)
4	1.5	34	21
5	2	35	22
6	3.5	36	23
6.5	4	36.5	23.5
7	4.5	37	24
7.5	5	38	24.5
8	5.5	39	25
8.5	6	39.5	25.5
9	6.5	40	26
9.5	7	40.5	26.5
10	7.5	41.5	27
10.5	8	42	27.5
11	8.5	42.5	28

YOUTH SIZING CHART

US JUNIOR	UK JUNIOR	EURO JUNIOR	FOOT LENGTH (CM)
11 - 2	10 - 1	29 - 34	17 - 20.5
1 - 5	13 - 4	32 - 37	19.5 - 23
4 - 8	3 - 7	35 - 40	22 - 25.5

HELMET SIZING CHART

HELMET SIZE	HEAD CIRCUMFERENCE (IN)	HEAD CIRCUMFERENCE (CM)
S	18.8 - 21.2	48 - 54
М	21.6 - 22.8	55 - 58
L	23.2 - 24	59 - 61

08

TECHNOLOGY

CLOSURE TECHNOLOGY

Traditional Lacing

Customize your lacing and knot the same way you tie your shoes.

Speed Lacing

Secure your skates with one pull. The K2 Speed Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate – that easy.

THE BOA® FIT SYSTEM

Agility and Speed

The BOA Fit System enables faster, more powerful directional changes through a seamless connection between body and equipment.

Power and Precision

Power without compromising precision, the BOA® Fit System delivers more explosive action and unparalleled accuracy,

Endurance and Health

Go further, faster, and stronger. The BOA® Fit System saves energy by improving circulation and efficiency.

Durability and Quality

Engineered with high quality, durable materials, the BOA® Fit System is guaranteed to perform in any environment.

FRAME TECHNOLOGY

F.B.I Frame

Composite recreational frame that establishes a low center of gravity and absorbs road vibtration.

Stamped Aluminum Frame

Responsive, stiff and durable stamped aluminum for acceleration and speed.

D.C Aluminum Frame

Responsive and stiff die cast aluminum for acceleration, speed and control.

VO2 S Frame

Single sided extruded & machine 6061 aluminum frames for bigger wheel XT skates – Responsive, fast and vibration absorbing.

TRIO Frame

Extruded & machine 6061 aluminum; UFS 2 bolt for 3x100 wheels & rockered set up options.

TRIO S Frame

Extruded & machine 6061 aluminum; Single sided UFD 2 bolt frame for 3x100 wheels.

R100/R80 Frames

Extruded & machined 6061 aluminum; UFS 2 bolt frame for 4x100 or 4x80 wheels and rockered set up options.

MOD 110 Frame

Extruded & machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting), for 4x100 wheels.

REDLINE 110/125 Frame

Stiff and responsive, machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting).

CUFF TECHNOLOGY

Stability Plus Cuff

The perfect blend of support, flexibility and comfort for a wide range of skater.

VO2 Cuff

A lightweight supportive cuff for bigger wheels and higher speeds.

Aggressive Cuff

Beefy support for big tricks.

MOD 110 Dual Density Cuff

Anatomical low profile cuff with 2 materials providing both stiffness and flexibility.

REDLINE Removable Carbon Cuff

Anatomically designed with carbon for lightweight low profile suppoer with the option to skate cuff-free.

062 SIZING + TECHNOLOGY 063

