



# SKATES

SPRING / SUMMER 2027



K2 Skates builds products to meet the year-round needs of the inline skating enthusiasts worldwide. In 1993 K2 revolutionized the skate industry by introducing the first-ever Softboot inline skates. This patented K2 technology pushed the envelope for inline skate innovation and forever changed the performance of the sport.



#### OVERVIEW

- 01 HARDBOOT
  - SURGE 80
  - SURGE 84
  - SURGE 100
  - GRID 80
  - GRID 90
  - GRID 110
- 02 FITNESS
  - F.I.T. 80 ALU / ALEXIS 80 ALU
  - F.I.T. 80 BOA® / ALEXIS 80 BOA®
  - F.I.T. 84 BOA® / ALEXIS 84 BOA®
  - F.I.T. 90 BOA® / ALEXIS 90 BOA®
- 03 YOUTH
  - BODHI BOA® ALU / CELENA BOA® ALU
  - EDDIE BOA® / LUMI BOA®
  - EDDIE PRO / LUMI PRO
  - SPLASH
- 04 ACCESSORIES
  - HELMETS
  - PADS
  - BEARINGS + TOOL
  - WHEELS
  - CARRIERS
- 05 SIZING
- 06 TECHNOLOGY
- 07 SKATE OVERVIEW

01



**HARDBOOT**

COMFORT



SUPPORT

CONTROL

PERFORMANCE



DURABILITY

**SURGE**

## 01

## HARDBOOT

## SURGE

**SURGE 80**

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell  
 6061 Extruded 243mm\* Frame  
 Speed + Traditional Lacing - 80mm 82A Wheels  
 ILQ 5 Bearings - Threaded Hollow Steel Axles  
 Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
 Unisex Sizing = US Men's / Only available in full sizes  
 \*Size 11-13 use 255mm frame

HARDBOOT



FEATURING  
POLYPROPYLENE SHELLS  
+ TPE CUFFS FOR  
360-DEGREE SUPPORT



VORTECH AIRFLOW CHANNELS  
FOR COOLING + ADJUSTABLE  
INSTEP RATCHET STRAPS  
ENSURE A PERFECT FIT



**SURGE 84**

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell  
 6061 Extruded 260mm Frame  
 Speed + Traditional Lacing - 84mm 82A Wheels  
 ILQ 5 Bearings - Threaded Hollow Steel Axles  
 Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
 Unisex Sizing = US Men's / Only available in full sizes

**HARDBOOT**



BUILT WITH RIGID 6061  
ALUMINUM FRAMES OPTIMIZED  
FOR MANEUVERABILITY +  
STABILITY



SURGE MODELS COME  
WITH ENERGETIC 82A  
WHEELS + ILQ BEARINGS  
FOR A FAST RIDE



**SURGE 100**

Designed for skaters of all levels, SURGE models offer K2 comfort, hardboot support, and durability. Elevate your skating experience.

TPE Cuff - Polypropylene Composite Shell  
 6061 Extruded 265mm Frame  
 Speed + Traditional Lacing - 100mm 82A Wheels  
 ILQ 7 Bearings - Threaded Hollow Steel Axles  
 Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
 Unisex Sizing = US Men's / Only available in full sizes

**HARDBOOT**



**HARDBOOT**

COMFORT



SUPPORT

CONTROL

PERFORMANCE



DURABILITY

**GRID**



HARDBOOT

GRID



**GRID 80**

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell  
6061 Extruded 243mm\* Rocker Frame  
Speed + Traditional Lacing - 80mm 85A Wheels  
ILQ 9 Bearings - Threaded Aluminum Axles  
Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
Unisex Sizing = US Men's / Only available in full sizes  
\*Size 11-13 use 255mm frame





NYLON SHELLS + CUFFS FOR OPTIMAL  
SUPPORT AND A SMOOTH RIDE /  
BUILT-IN VORTECH AIRFLOW CHANNELS  
KEEP YOU COOL DURING LONG SESSIONS



3-POSITION ALUMINUM MOUNTING BLOCKS  
ENABLE FRAME ADJUSTMENTS AND QUICK  
POWER TRANSFER / ADJUSTABLE INSTEP  
RATCHET STRAPS FINE-TUNE FIT



### GRID 90

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell  
6061 Extruded/Machined 273mm Rocker Frame  
Speed + Traditional Lacing - 90mm 85A Wheels  
ILQ 9 Bearings - Threaded Aluminum Axles  
Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
Unisex Sizing = US Men's / Only available in full sizes





HIGH-ENERGY 85A WHEELS + CNC-MACHINES ALUMINUM FRAMES / FULLY HEAT-MOLDABLE K2/INTUITION GRID LINERS ENSURE LONG-LASTING RESPONSE AND THE PERFECT FIT



**GRID 110**

Unparalleled performance, customization, comfort + control. Flex Lock makes for increased range of motion + extra support all day long.

Nylon Cuff - Nylon Shell  
 6061 Extruded/Machined 255mm Rocker Frame  
 Speed + Traditional Lacing - 110mm 85A Wheels  
 ILQ 9 Bearings - Threaded Aluminum Axles  
 Vortech Ventilation Technology

**UNISEX** US: M 5-13 EU: 36.5-48 UK: 4-12  
 Unisex Sizing = US Men's / Only available in full sizes

**HARDBOOT**

02



# 02

## FITNESS

## F.I.T + ALEXIS



### F.I.T. 80 ALU ALEXIS 80 ALU

For skaters looking for performance and style; high-quality, tried + tested upper ensures that the skate is breathable and comfortable.

Stability Plus Cuff - Stamped Aluminium Frame  
Speed Lacing - 80mm 80A Wheels  
ABEC 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W** US: 6-11 EU: 36-42 UK: 3.5-8.5



### F.I.T. 80 BOA® ALEXIS 80 BOA®

Combination of K2 Original SoftBoot, easy-to-use BOA® Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - F.B.I. Frame  
BOA® Fit System - 80mm 80A Wheels  
ABEC 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W** US: 6-11 EU: 36-42 UK: 3.5-8.5



**F.I.T. 84 PRO  
ALEXIS 84 PRO**

The most versatile skate - whether you're new to skating or an advanced skater; Offering everything you could possibly need in a skate.

Stability Plus Cuff - Stamped Aluminum Frame  
Speed Lacing - 84mm 80A Wheels  
ILQ 5 Bearings

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5



**F.I.T. 84 BOA@  
ALEXIS 84 BOA@**

Legendary K2 Original SoftBoot, the easy-to-use BOA@ Fit System + the vibration-damping Tec Composite frame gives the optimal support.

Stability Plus Cuff - Stamped Aluminum Frame  
BOA@ Fit System - 84mm 80A Wheels  
ILQ 7 Bearings - Flex Notch

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5



**F.I.T. 90 BOA@  
ALEXIS 90 BOA@**

On sunny days the strenuous workout you planned for the gym can be moved to the outdoors with a focus on strength, endurance and coordination.

Stability Plus Cuff - Dye Cast Aluminum Frame  
BOA@ Fit System - 90mm 83A Wheels  
ILQ 7 Bearings - Flex Notch

**M** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5

\*84mm wheels on women's sizes 4 and 5



EMBRACE YOUR FULL POTENTIAL  
AS YOU PUSH THE BOUNDARIES OF  
WHAT YOU THOUGHT POSSIBLE



CHALLENGE YOURSELF TO  
HIT NEW DISTANCES + SET  
NEW GOALS

# 03

## YOUTH



**NEW**

### BODHI BOA® ALU CELENA BOA® ALU

For the child that wants to skate like a champ; adjustable skates with the features + performance level to allow them to excel at the sport they love.

Stability Plus Cuff - Stamped Aluminum Frame  
BOA® Fit System - 76mm 80A Wheels  
ABEC 5 Bearings - 5 Size Adjustability

**US** M: 1-5 L: 4-8  
**EU** M: 32-37 L: 35-40  
**UK** M: 13-4 L: 3-7

\*Max wheel size 76mm



### EDDIE BOA® LUMI BOA®

A fantastic skate for your child - they both feature high quality + performance so your child will have even more fun. Size adjustment for more fun than one season!

Stability Plus Cuff - F.B.I. Frame  
BOA® Fit System - 72mm 80A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8  
**EU** S: 29-34 M: 32-37 L: 35-40  
**UK** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm

\*\*70mm 80A wheels on size S

\*\*\*Max wheel size 72mm on size S



### EDDIE PRO LUMI PRO

The perfect starter kit for kids! High quality + powerful performance.

Stability Plus Cuff - F.B.I. Frame  
Speed Lacing - 72mm 80A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8  
**EU** S: 29-34 M: 32-37 L: 35-40  
**UK** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm

\*\*70mm 80A wheels on size S

\*\*\*Max wheel size 72mm on size S



### SPLASH

Perfect for the creative and active kid. High quality coloring book style upper with multi-colored pens + wheels. Let your imagination run wild!

Stability Plus Cuff - F.B.I. Frame  
Speed Lacing - 72mm 80A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US** S: 11-2 M: 1-5 L: 4-8  
**EU** S: 29-34 M: 32-37 L: 35-40  
**UK** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm

\*\*70mm 80A wheels on size S

\*\*\*Max wheel size 72mm on size S

# 04

## ACCESSORIES

## HELMETS



### Varsity

Our Varsity helmet is designed for both kids and adults and is equipped with the features needed for a safe and comfortable skate session.

ABS Shell - EPS Liner  
Fit Pads - Ratchet Fit System  
CPSC + EN1078 Certifications  
Traditional Strap

COLORS: Black, White

S:48-54cm    M:55-58cm    L:59-61cm



### Varsity Pro

Look sharp while staying safe with multiple features to keep you safe when you're rolling on the pavement.

ABS Shell - EPS Liner  
Sealed Fit Pads - Micro-Adjust Fit System  
CPSC + EN1078 Certifications  
Reflective Strap

COLORS: Black,

S:48-54cm    M:55-58cm    L:59-61cm



### Varsity MIPS®

Our tried + true Varsity helmet now featuring MIPS® Evolve technology. Still with comfortable and safe features.

ABS Shell - EPS Liner  
Sealed Fit Pads - Micro-Adjust Fit System  
CPSC + EN1078 Certifications  
Traditional Strap

COLORS: Black

S:48-54cm    M:55-58cm    L:59-61cm

ACCESSORIES

PADS



**JUNIOR PAD SET**

Knee pads - Elbow pads - Wrist guards - Durable plastic caps  
Protect from impacts + abrasions

YOUTH: XS, S

EN14120:2003+A1:2007



**PRIME MENS PAD SET & PRIME WOMENS PAD SET**

Delivering top-tier protection with a streamlined, athletic fit—balancing high-impact coverage across knees, elbows, and wrists without the bulk. Designed for skaters who want premium safety without compromising mobility or style.

M: S, M, L, XL

BLK/RED

W: S, M, L, XL

BLK/BLUE

EN14120:2003+A1:2007



**PERFORMANCE PAD SET**

Premium protection within an athletic profile that is not too bulky  
Elbow pads - Knee pads - Wrist guards

M: S, M, L

W: S, M, L

EN14120:2003+A1:2007



**MACH DUAL SUSPENSION PROTECTIVE GEAR**

PE protective caps - Shock resistant elastomers  
Front side adjustable fasteners  
Abrasion resistant contoured mesh - Reflective panels  
Cool Max Moisture Control Lining - Impact absorbing gel cushions

UNISEX: S, M, L

EN14120:2003+A1:2007

ACCESSORIES



**RC100 CNC ALUMINUM FRAME KIT**

Max wheel size 100mm

UFS Mounting  
Rockerable 311mm Wheelbase  
6061 Series Aluminum

\*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



**ILQ 9 PRO**

TK Gel 6-Ball Design  
Nylon Retainers  
Rubber Shield  
Pack of 16



**ILQ 9**

TK Gel 6-Ball Design  
Nylon Retainers  
One-Sided Metal Shield  
Pack of 16



**RC80 CNC ALUMINUM FRAME KIT**

Max wheel size 100mm

UFS Mounting  
Rockerable 343mm Wheelbase  
6061 Series Aluminum

\*Includes 6mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker setups)



**ILQ 7**

Grease Lubricant  
Steel Retainers  
Double-Sided Metal Shield  
Pack of 16



**ILQ 5**

Grease Lubricant  
Steel Retainers  
Double-Sided Metal Shield  
Pack of 16



**SKATE CARRIERS**

Our carriers are a convenient way to store and travel with your skating gear. It's designed to fit a pair of skates, helmet and pad set and features three external zippered pockets and ventilation panels.



**K2 BREW TOOL**

This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels. Opens beer too!



**RUBBER BREAK STOPPER**

This classic brake fits most all K2 skates made since 1999.

Single: Black, Grey  
12pk Black

ACCESSORIES



BOOSTER 72mm/80A\* | 4 or 8 pack  
 BOOSTER 76mm/80A\* | 4 or 8 pack  
 BOOSTER 80mm/82A\*\* | 4 or 8 pack  
 BOOSTER 84mm/82A\*\* | 4 or 8 pack



STROBE 72mm/85A | 2 pack  
 STROBE 80mm/85A | 2 pack  
 STROBE 84mm/85A | 2 pack  
 STROBE 90mm/85A | 2 pack



BOLT SPEED 90mm/85A | 4 or 8 pack  
 \*Includes ILQ-9 bearings and ALU Spacers  
 BOLT SPEED 100mm/85A | 4 pack



BOLT URBAN 80mm/XTRA FIRM | 4 pack  
 BOLT URBAN 100mm/XTRA FIRM | 2 pack  
 BOLT URBAN 110mm/XTRA FIRM | 2 pack

**BOOSTER WHEEL SERIES**

High-speed urethane with a race profile for a light + fast roll; High rebound and durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs)  
 ILQ-9 Bearings + spacers incl.  
 Resuable storage bag incl.

**STROBE WHEEL SERIES**

Illuminate your skates! The new Strobe wheels light up the pavement when in motion with red LEDs powered by magnetic strip spacers.

72mm/85A - 80mm/85A  
 84mm/85A - 90mm/85A  
 Available in 2-packs

**BOLT SPEED WHEEL SERIES**

High-speed urethane with a race profile for a light + fast roll; High rebound + durability; the performance choice for X-Trainers.

90mm (4 + 8-packs) - 100mm (only 4-packs)  
 ILQ-9 Bearings + spacers incl.  
 Resuable storage bag incl.

**BOLT URBAN WHEEL SERIES**

Full-wheel profile for speed, stability and versatility in the city + beyond.

80mm/Xtra Firm (4-packs) - 100mm/Xtra Firm (2-packs) - 110mm/Xtra Firm (2-packs)  
 Resuable storage bag incl.



WHEELS



FLASH DISC 110mm/XTRA FIRM | Single pack  
 FLASH DISC 125mm/XTRA FIRM | Single pack

**FLASH DISC WHEEL SERIES**

Made up of dual urethanes + an aerodynamic disc hub that provides support and speed, while reducing drag.

110mm/88A - 125mm/Xtra Firm  
 Sold Individually - ILQ-9 Pro Bearings included  
 Resuable storage bag included



RAINFLY 90mm/85A | 4 pack  
 RAINFLY 110mm/85A | 4 pack

**RAIN FLY WHEEL SERIES**

Grip it and rip it with dual- injected wheels with high rebound + high grip; designed for skating in wet conditions.

90mm/85A - 110mm/85A  
 Available in 4-packs

# 05

## SIZING

### MEN'S SIZING CHART

US MEN'S	US WOMEN'S	UK ADULT	EURO ADULT	FOOT LENGTH (CM)
5	6	4	36.5	23
6	7	5	38	24
6.5	7.5	5.5	39	24.5
7	8	6	39.5	25
7.5	8.5	6.5	40	25.5
8	9	7	40.5	26
8.5	9.5	7.5	41.5	26.5
9	10	8	42	27
9.5	10.5	8.5	42.5	27.5
10	11	9	43.5	28
10.5		9.5	44	28.5
11		10	44.5	29
11.5		10.5	45	29.5
12		11	46	30
12.5		11.5	47	30.5
13		12	48	31
14		13	49	32

### WOMEN'S SIZING CHART

US WOMEN'S	UK ADULT	EURO ADULT	FOOT LENGTH (CM)
4	1.5	34	21
5	2	35	22
6	3.5	36	23
6.5	4	36.5	23.5
7	4.5	37	24
7.5	5	38	24.5
8	5.5	39	25
8.5	6	39.5	25.5
9	6.5	40	26
9.5	7	40.5	26.5
10	7.5	41.5	27
10.5	8	42	27.5
11	8.5	42.5	28

### YOUTH SIZING CHART

US JUNIOR	UK JUNIOR	EURO JUNIOR	FOOT LENGTH (CM)
11 - 2	10 - 1	29 - 34	17 - 20.5
1 - 5	13 - 4	32 - 37	19.5 - 23
4 - 8	3 - 7	35 - 40	22 - 25.5

### HELMET SIZING CHART

HELMET SIZE	HEAD CIRCUMFERENCE (IN)	HEAD CIRCUMFERENCE (CM)
S	18.8 - 21.2	48 - 54
M	21.6 - 22.8	55 - 58
L	23.2 - 24	59 - 61

# 06

## TECHNOLOGY

### CLOSURE TECHNOLOGY

**Traditional Lacing**  
Customize your lacing and knot the same way you tie your shoes.

**Speed Lacing**  
Secure your skates with one pull. The K2 Speed Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate - that easy.

### THE BOA® FIT SYSTEM

**Agility and Speed**  
The BOA Fit System enables faster, more powerful directional changes through a seamless connection between body and equipment.

**Power and Precision**  
Power without compromising precision, the BOA® Fit System delivers more explosive action and unparalleled accuracy.

**Endurance and Health**  
Go further, faster, and stronger. The BOA® Fit System saves energy by improving circulation and efficiency.

**Durability and Quality**  
Engineered with high quality, durable materials, the BOA® Fit System is guaranteed to perform in any environment.

### FRAME TECHNOLOGY

**F.B.I Frame**  
Composite recreational frame that establishes a low center of gravity and absorbs road vibration.

**Stamped Aluminum Frame**  
Responsive, stiff and durable stamped aluminum for acceleration and speed.

**D.C. Aluminum Frame**  
Responsive and stiff die cast aluminum for acceleration, speed and control.

**MOD 110 Frame**  
Extruded & machined 6061 aluminum; 2 bolt mount (180mm or 195mm mounting), for 4x100 wheels.

### CUFF TECHNOLOGY

**Stability Plus Cuff**  
The perfect blend of support, flexibility and comfort for a wide range of skater.

**Aggressive Cuff**  
Beefy support for big tricks.

**MOD 110 Dual Density Cuff**  
Anatomical low profile cuff with 2 materials providing both stiffness and flexibility.

# SKATE OVERVIEW

## HARDBOOT



**SURGE 80  
UNISEX**

TPE Cuff - Polypropylene Composite Shell  
6061 Extruded 243mm\* Frame  
Speed + Traditional Lacing - 80mm B2A Wheels  
ILO 5 Bearings - Threaded Hollow Steel Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes  
\*Size 11-13 use 255mm frame

**SK240242  
30K0010.1.1**



**SURGE 84  
UNISEX**

TPE Cuff - Polypropylene Composite Shell  
6061 Extruded 260mm Frame  
Speed + Traditional Lacing - 84mm B2A Wheels  
ILO 5 Bearings - Threaded Hollow Steel Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes

**SK240244  
30K0210.1.1**



**SURGE 100  
UNISEX**

TPE Cuff - Polypropylene Composite Shell  
6061 Extruded 265mm Frame  
Speed + Traditional Lacing - 100mm B2A Wheels  
ILO 7 Bearings - Threaded Hollow Steel Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes

**SK240245  
30K0211.1.1**



**GRID 80  
UNISEX**

Nylon Cuff - Nylon Shell  
6061 Extruded 243mm\* Rocker Frame  
Speed + Traditional Lacing - 80mm B5A Wheels  
ILO 9 Bearings - Threaded Aluminum Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes  
\*Size 11-13 use 255mm frame

**SK240246  
30K0220.1.1**



**GRID 90  
UNISEX**

Nylon Cuff - Nylon Shell  
6061 Extruded/Machined 273mm Rocker Frame  
Speed + Traditional Lacing - 90mm B5A Wheels  
ILO 9 Bearings - Threaded Aluminum Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes

**SK240247  
30K0221.1.1**



**GRID 110  
UNISEX**

Nylon Cuff - Nylon Shell  
6061 Extruded/Machined 255mm Rocker Frame  
Speed + Traditional Lacing - 110mm B5A Wheels  
ILO 9 Bearings - Threaded Aluminum Axles  
Vortech Ventilation Technology

**UNISEX**  
US: M 5-13 EU: 36.5-48 UK: 4-12

Unisex Sizing - US Men's  
Only available in full sizes

**SK240248  
30K0222.1.1**

## FITNESS



**F.I.T. 80 ALU  
ALEXIS 80 ALU**

Stability Plus Cuff - Stamped Aluminium Frame  
Speed Lacing - 80mm B0A Wheels  
ABEC 5 Bearings

**M:** US: 5-13 EU: 36.5-48 UK: 4-12  
**W:** US: 6-11 EU: 36-42 UK: 3.5-8.5

**M:**  
**I220201501  
30G0415.1.1**  
**W:**  
**I220201601  
30G0417.1.1**



**F.I.T. 80 BOA@  
ALEXIS 80 BOA@**

Stability Plus Cuff - F.B.I. Frame  
BOA@ Fit System - 80mm B0A Wheels  
ABEC 5 Bearings

**M:** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W:** US: 6-11 EU: 36-42 UK: 3.5-8.5

**M:**  
**I230200301  
30H0000.1.1**  
**W:**  
**I230200401  
30H0100.1.1**



**F.I.T. 84 PRO  
ALEXIS 84 PRO**

Stability Plus Cuff - Stamped Aluminum Frame  
BOA@ Fit System - 84mm B0A Wheels  
ILO 5 Bearings

**M:** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W:** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5

**M:**  
**I220201701  
30G0515.1.1**  
**W:**  
**I220201801  
30G0517.1.1**



**F.I.T. 84 BOA@  
ALEXIS 84 BOA@**

Stability Plus Cuff - Stamped Aluminum Frame  
BOA@ Fit System - 84mm B0A Wheels  
ILO 7 Bearings - Flex Notch

**M:** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W:** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5

**M:**  
**I220201901  
30G0615.1.1**  
**W:**  
**I220202001  
30G0617.1.1**



**F.I.T. 90 BOA@  
ALEXIS 90 BOA@**

Stability Plus Cuff - Dye Cast Aluminum Frame  
BOA@ Fit System - 90mm B3A Wheels  
ILO 7 Bearings - Flex Notch

**M:** US: 5, 6-13 EU: 36.5, 38-48 UK: 4, 5-12  
**W:** US: 4, 5, 6-11 EU: 34, 35, 36-42.5  
UK: 1.5, 2, 3.5-8.5

\*84mm wheels on women's sizes 4 and 5  
**M:**  
**I220202101  
30G0815.1.1**  
**W:**  
**I220202201  
30G0817.1.1**

## YOUTH



**EDDIE PRO  
LUMI PRO**

Stability Plus Cuff - F.B.I. Frame  
Speed Lacing - 72mm B0A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US:** S: 11-2 M: 1-5 L: 4-8  
**EU:** S: 29-34 M: 32-37 L: 35-40  
**UK:** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm  
\*\*70mm B0A wheels on size 5  
\*\*\*Max wheel size 72mm on size 5

**SK262188 GRAY BLUE  
30M0700.1.1**

**SK262189 PINK  
30M0720.1.1**



**SPLASH  
UNISEX**

Stability Plus Cuff - F.B.I. Frame  
Speed Lacing - 72mm B0A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US:** S: 11-2 M: 1-5 L: 4-8  
**EU:** S: 29-34 M: 32-37 L: 35-40  
**UK:** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm  
\*\*70mm B0A wheels on size 5  
\*\*\*Max wheel size 72mm on size 5

**SK240234  
30K0401.1.1**



**EDDIE BOA@  
LUMI BOA@**

Stability Plus Cuff - F.B.I. Frame  
BOA@ Fit System - 72mm B0A Wheels  
ABEC 3 Bearings - 5 Size Adjustability

**US:** S: 11-2 M: 1-5 L: 4-8  
**EU:** S: 29-34 M: 32-37 L: 35-40  
**UK:** S: 10-1 M: 13-4 L: 3-7

\*Max wheel size 76mm  
\*\*70mm B0A wheels on size 5  
\*\*\*Max wheel size 72mm on size 5

**SK262190 DARK TEAL  
30M0701.1.1**

**SK262191 WATERMELON  
30M0721.1.1**



**BODHI BOA@ ALU  
CELENA BOA@ ALU**

Stability Plus Cuff - Stamped Aluminum Frame  
BOA@ Fit System - 76mm B0A Wheels  
ABEC 5 Bearings - 5 Size Adjustability

**US:** M: 1-5 L: 4-8  
**EU:** M: 32-37 L: 35-40  
**UK:** M: 13-4 L: 3-7

\*Max wheel size 76mm

**KY003F01B PINE  
30N0118.1.1**

**KY004D01B RED  
30N0120.1.1**



K2SKATES.COM

---