

A woman is riding a black bicycle on a city street at night. She is wearing a tan raincoat, blue jeans, white sneakers, and a grey helmet with a clear visor. The background is a blurred city street with lights and buildings. The image is used as a background for a BBB cycling dealer book cover.


**BBB**  
cycling

**DEALER BOOK 2027**









Dear reader,

Welcome to the BBB Cycling collection for model year 2027! For more than 25 years, we have been proudly 'Part of your Ride'. Once again this year, we have translated cyclist feedback and the latest developments in the cycling world directly into our new products. We are shifting into an even higher gear with our very first Aero helmet and matching FLUX glasses, and exploring the city with our innovative NIO E-bike helmet. The result is a collection centered around smarter and more practical solutions for every ride.

In this dealer book, you will discover our latest and best products, but above all, we are presenting a rock-solid, complete line-up. What can you expect from us in the coming year?

**Innovation driven by cyclists:** In this book, you will find our latest innovations, improved designs, and trusted favorites. Everything is designed so your customers can blindly trust their gear and enjoy their ride without a care.

**Focus on sustainability:** We believe in the benefits of cycling for both health and the planet. The steps we are taking in material selection and design have led to a strong selection of sustainable options. For instance, we are increasingly using recycled and bio-based materials.

**Stronger together:** We have been carbon-neutral since 2018. The success of our sustainable steps motivates us to accelerate even further, together with our suppliers and with you.

We hope you flip through this dealer book with plenty of energy. Do you have any feedback, questions, or comments? Please feel free to contact us through your regular contact person or via [info@bbbcycling.com](mailto:info@bbbcycling.com).

With sporty regards,  
The BBB Cycling team

# CONTENT

## **8 WE ARE BBB CYCLING**

## **10 SUSTAINABILITY**

## **12 ON BODY**

14 **BSG** SPORT GLASSES

30 **BHE** HELMETS

45 **BBW** CLOTHING

58 **BUW** UNDERWEAR

61 **BSO** SOCKS

65 **BBW** SUMMER GLOVES

69 **BWG** WINTER GLOVES

74 **BWS** OVERSHOES

## **80 ON BIKE**

82 **BWS** SADDLES

91 **BSP** SEATPOSTS

100 **BPD** PEDALS

112 **BHS** STEMS

119 **BHB** HANDLEBARS

126 **BHT** HANDLEBAR TAPES

134 **BHG** GRIPS

143 **BBE** BAR ENDS

144 **BKS** KICKSTANDS

146 **BQR** QUICK RELEASES

## **148 ACCESSORIES**

150 **BLS** LIGHTS

172 **BFD** FENDERS

184 **BMP** MINI PUMPS

193 **BFP** FLOOR PUMPS

197 **BWB** WATER BOTTLES

200 **BBC** BOTTLE CAGES

207 **BSB** BAGS

224 **BBL** LOCKS

233 **BBB** BELLS

238 **BSM** PHONE MOUNTS

241 **BCP** COMPUTERS

243 **BBM** BIKE MIRRORS

246 **BBP** PROTECTION

249 **BIC** INDOOR

## **250 WORKSHOP**

252 **BTL** MINI TOOLS

257 **BTL** TOOLS

290 **BBS** DISC BRAKE PADS

321 **BBS** BRAKE PADS

326 **BCB** CABLES

344 **BDP** PULLEYS

349 **BCH** CHAINS

356 **BCR** CHAINRINGS

369 **BHP** HEADSETS

380 **BBO** BOTTOM BRACKETS

389 **BTI** RIMTAPE / INNERTUBES

399 **BBB** LIQUIDS

## **406 MARKETING**

**LOGO VARIATIONS**

**WEBDAM**

**INDEX**





**We are  
BBB Cycling**

## 'Part of your ride' for over 25 years



We are cyclists.

We know what it's like to cycle to work through wind and rain. To tackle that climb once more. Or to just go, further than you've ever been before. And especially then, your gear must simply work. Always. You should be able to trust it blindly.

With a pragmatic Dutch approach and a wealth of cycling experience, we come up with smart solutions that make your ride better. Sometimes more fun. Sometimes safer. Sometimes just a bit faster. Or all at once.

Since 1998, we have grown into a global brand with more than 1500 unique products in over 40 countries.

We design as much as possible ourselves: parts, clothing, accessories, and tools. At our headquarters in The Hague, our designers work every day on new ideas. We listen to feedback from colleagues, customers, dealers, and ambassadors. Because only together do we create the best products.

What we make must work. In the real world. For you, for us. Smart, practical, durable, and fairly priced. No unnecessary fuss, but practical solutions for real cyclists, in the real world. Just good stuff for your bike, whether you're racing, gravel riding, touring, or heading into the mountains.

We love smart details that make a difference. From gear that can take a hit and lasts a long time. That makes us happy. Probably you too.

For more than 25 years, 'Part of your ride'.  
And we will continue to be.  
Every day. Every ride.

**LET'S**

**MAKE**

**IT**

**SMARTER**



# Smart choices for a sustainable future

At BBB Cycling, we are committed to a sustainable future. We believe in the benefit of the bike, for your health and for your planet. That's why we design and develop products that support all types of cyclists in a sustainable way. Products that are accessible, smart and made to last, with the least amount of impact. Not just once, but every day, because it is part of who we are and how we work.

## Sustainable design

We literally make thousands of products. Different products have to meet different needs, like safety, durability, wear or weather resistance. So each product is composed of different materials and this means there is not one solution to regreen all our products in one go. For every single product we research, rethink and redesign to find the best sustainable solution. For some products, this aspect may be the material used or the reparability of the product. For others, we may opt for a long lifespan or reduce the size of the packaging. This reduces the demand for new raw materials.

## Material choice and packaging

With smart material choices, we can make a difference. We strive for products that are as sustainable as possible, without compromising on quality. Examples of this include using recycled materials in a growing part of our fenders, gloves, jerseys and socks, using bio-based materials in the frames of our glasses and in our latest helmet,

and PFAS-free water repellent coatings. To minimize the use of raw materials, we carefully consider our packaging. By redesigning them, we ensure efficient material usage and transportation. We replace plastic with recycled plastic and eliminate it wherever possible. We are working towards extending this across our entire range.

## CO2 neutral operation

BBB Cycling operates carbon neutral since 2018. We register our CO2 footprint and compensate for it by investing in projects that remove CO2 from the air, such as planting trees or restoring landscapes. We do this with our partner Commonland. But being CO2 neutral by offsetting is not enough. We thoroughly examine emissions and practices throughout the supply chain. We do this together with colleagues, customers, manufacturers, and logistics partners who share the same mindset as we do. We aim to further reduce our CO2 emissions, without compromising on quality, safety, or accessibility.

## We're in this together

In addition to the work we do ourselves to become more sustainable, we also collaborate with organizations that care as much about people and the environment as we do. That's why we join forces with BEAT Cycling Club, who strive to become the most sustainable cycling team in the world. We support Team AMANI, a team fighting for diversity and equality in the cycling world. On our journey towards a sustainable future, we believe it's important to be open and transparent. Your feedback is therefore more than welcome. If you have any comments or questions that can help us make the world a better place, please don't hesitate to contact us.







# ON BODY

**BSG SPORT GLASSES**  
**BHE HELMETS**  
**BBW CLOTHING**  
**BUW UNDERWEAR**  
**BSO SOCKS**  
**BBW SUMMER GLOVES**  
**BWG WINTER GLOVES**  
**BWS SHOE COVERS**

**NEW!**

**INFINITY PRO FLUX | BSG-85**

**All in Aero. The  
aerodynamic  
sports glasses  
that make you  
faster**

Specially engineered  
and aero-optimized,  
frameless lens



The Flux lens provides  
high contrast and  
comes with Anti-  
fog and Oleophobic  
coatings

Weighs a mere 30 grams.  
It will almost make you  
forget you're wearing them

**INFINITY PRO FLUX | BSG-85 |**

*Our ultimate flagship cycling glasses with a high contrast FLUX lens*



- » Frameless and aero optimized lens design with an extended shape for an infinite field of view and aggressive look
- » The Flux lens provides high contrast and is equipped with a Anti-fog and Oleophobic coating
- » Weighing just 30grams, you will forget you are wearing sports glasses.
- » Create the ultimate feel and fit with the sturdy engineered lens and two different nosepieces
- » A hardcase and pouch are included for safe storage and transport.



|                              |                                                |
|------------------------------|------------------------------------------------|
| <b>Adjustable nose piece</b> | No                                             |
| <b>Material frame</b>        | Rilsan Bio-Based                               |
| <b>Lens type</b>             | FLUX                                           |
| <b>Lens coating</b>          | Oleophobic, Anti-fog                           |
| <b>Color name</b>            | Matt Black, Iridescent White, Iridescent Black |

**INFINITY PRO PH | BSG-85PH |**

*Our ultimate flagship cycling glasses that adapt to changing conditions*



- » Photochromic lens and temples to adapt to changing conditions
- » Frameless and aero optimized design for an infinite field of view
- » Create the ultimate feel and fit with the sturdy engineered lens and two different nosepieces
- » High-end durable lens with an extended cut and anti-fog and oleophobic coatings
- » A hardcase and pouch are included for safe storage and transport.



|                              |                      |
|------------------------------|----------------------|
| <b>Adjustable nose piece</b> | No                   |
| <b>Material frame</b>        | Rilsan Bio-Based     |
| <b>Lens type</b>             | Photochromic (PH)    |
| <b>Lens category</b>         | 0, 1, 2, 3           |
| <b>Lens coating</b>          | Oleophobic, Anti-fog |
| <b>Color name</b>            | Trans PH             |

**INFINITY FLUX | BSG-84 |**

*Infinite field of view with these frameless and high contrast FLUX cycling glasses*



- » These special engineered lens makes a frame obsolete.
- » The Flux lens provides high contrast and is equipped with a Anti-fog and Oleophobic coating
- » Weighing a mere 27 grams. It makes you almost forget you're wearing them
- » The rubber nosepiece provides a secure fit. A thicker nosepiece is included for when the fit is too loose.
- » A hardcase and pouch are included for safe storage and transport.

|                              |                                                                                     |
|------------------------------|-------------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | No                                                                                  |
| <b>Material frame</b>        | Rilsan Bio-Based                                                                    |
| <b>Lens type</b>             | FLUX                                                                                |
| <b>Lens coating</b>          | Oleophobic, Anti-fog                                                                |
| <b>Color name</b>            | Matt Trans Lila, Matt Cool Grey, Matt Trans Black, Matt Dark Grey, Matt Trans White |

**INFINITY PH | BSG-84PH |**

*Infinite field of view with these frameless and photochromic cycling glasses*



- » The special engineered lens makes a frame obsolete.
- » The Photochromic lens adapts automaticly to the circumstandes is equipped with an Anti-fog and Oleophobic coating
- » Weighing a mere 27 grams. It makes you almost forget you're wearing them
- » The rubber nosepiece provides a secure fit. A thicker nosepiece is included for when the fit is too loose.
- » A hardcase and pouch are included for safe storage and transport.

|                              |                      |
|------------------------------|----------------------|
| <b>Adjustable nose piece</b> | No                   |
| <b>Material frame</b>        | Rilsan Bio-Based     |
| <b>Lens type</b>             | Photochromic (PH)    |
| <b>Lens category</b>         | 1, 2, 3              |
| <b>Lens coating</b>          | Oleophobic, Anti-fog |
| <b>Color name</b>            | Matt Black           |



**VALOR FLUX | BSG-81 |**

*Pro-quality cycling glasses with a large cylindrical FLUX-lens*

- » The FLUX lenses offer world class contrast, clarity, color enhancement and long time wearing comfort
- » The lightweight frame is made of sustainable bio-based material
- » The Anti-fog coating on the inside of the lens keeps your lens clear in all circumstances
- » The Oleophobic coating on the outside repels water and mud from the lens
- » Transparent spare lens (cat. 0) included for cloudy days

|                              |                                                                                                                                                          |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                                                                                                                      |
| <b>Material frame</b>        | Rilsan Bio-Based                                                                                                                                         |
| <b>Lens type</b>             | High contrast, FLUX                                                                                                                                      |
| <b>Lens category</b>         | 0, 3                                                                                                                                                     |
| <b>Lens coating</b>          | Anti-fog, Oleophobic                                                                                                                                     |
| <b>Included spare lenses</b> | Clear                                                                                                                                                    |
| <b>Color name</b>            | Pumice / Blue, Black / De York, Black / Mandy, Olive green / Blush pink, Lunar green / De York, White / Mandy, Dark grey / Blue, Matterhorn / Blush pink |

**VALOR PH | BSG-81PH |**

*Pro-quality photochromic (PH) cycling glasses for cycling in any conditions*

- » Photochromic lenses with a light transmission of 63-16% (cat.1-3)
- » Golden MLC-coating on the lens for an improved brightness and premium look
- » Lightweight and sustainable frame made of bio-based material (Rilsan®), flexible and strong for durable use.
- » The Anti-fog coating on the inside of the lens prevents the lens from fog and keeps your view clear.
- » The Oleophobic coating on the outside repels water and mud from the lens

|                              |                                    |
|------------------------------|------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                |
| <b>Material frame</b>        | Rilsan Bio-Based                   |
| <b>Lens type</b>             | High contrast, Photochromic (PH)   |
| <b>Lens category</b>         | 1, 2, 3                            |
| <b>Lens coating</b>          | Anti-fog, Oleophobic               |
| <b>Color name</b>            | Black / Kournivkova, Black / White |



**ARC FLUX | BSG-82 |**

*High-contrast sports glasses with a more elegant look and feel*

- » The Flux lens with softer angles for a more sophisticated look. Also suits a smaller face
- » Lightweight frame, made from Biobased material
- » New nosepiece with 2 sizes rubber
- » With Anti-fog and Oleophobic coating and additional clear lens
- » Transparent spare lens (cat. 0) included for cloudy days

|                              |                                                                              |
|------------------------------|------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                                          |
| <b>Material frame</b>        | Rilsan Bio-Based                                                             |
| <b>Lens type</b>             | High contrast, FLUX                                                          |
| <b>Lens category</b>         | 0, 3                                                                         |
| <b>Lens coating</b>          | Anti-fog, Oleophobic                                                         |
| <b>Included spare lenses</b> | Clear                                                                        |
| <b>Color name</b>            | Black / Blush pink, Grey / Mandy, Cadet blue / Amethyst smoke, Tan / De York |

**ARC PH | BSG-82PH |**

*Photochromic sports glasses with a more elegant look and feel*

- » Top frame from Biobased material
- » Lightweight design
- » PH lens from category 0 to 3
- » New nosepiece with 2 sizes rubber
- » With Anti-fog and Oleophobic coating

|                              |                      |
|------------------------------|----------------------|
| <b>Adjustable nose piece</b> | Yes                  |
| <b>Material frame</b>        | Rilsan Bio-Based     |
| <b>Lens type</b>             | Photochromic (PH)    |
| <b>Lens category</b>         | 0, 1, 2, 3           |
| <b>Lens coating</b>          | Anti-fog, Oleophobic |
| <b>Color name</b>            | Black / White        |



**CHESTER FLUX | BSG-74 |**

*The security and stability of full frame glasses with the high contrast of our FLUX-lens*



- » The FLUX lenses offer world class contrast, clarity, color enhancement and long time wearing comfort
- » The Anti-fog coating on the inside of the lens keeps your lens clear in all circumstances
- » The Oleophobic coating on the outside of the lens keeps your lens clear of water and mud.
- » Sustainable choice due to its Bio based frame
- » Different FLUX lenses available

|                              |                                            |
|------------------------------|--------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                        |
| <b>Material frame</b>        | Rilsan Bio-Based                           |
| <b>Lens type</b>             | High contrast, FLUX                        |
| <b>Lens category</b>         | 3                                          |
| <b>Lens coating</b>          | Anti-fog, Oleophobic                       |
| <b>Color name</b>            | Black / Mandy, Glossy black / Piction blue |

**RIDGE | BSG-83 |**

*Lightweight cycling glasses with hidden topframe*



- » Toric shaped lens with a modern design and sympathetic look
- » Adjustable rubber nose piece for an adaptive fit
- » Minimized design with a lightweight frame and slimmer temples
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans
- » Cat. 1 spare lens included

|                              |                                                           |
|------------------------------|-----------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                       |
| <b>Material frame</b>        | Rilsan Bio-Based                                          |
| <b>Lens type</b>             | MLC (MultiLayer Coating)                                  |
| <b>Lens category</b>         | 1, 3                                                      |
| <b>Color name</b>            | Matt Black, Matt Warm Gray, Matt Trans Purple, Matt White |



**RIDGE PH | BSG-83PH |**

*Infinite field of view with these frameless and high contrast photochromic cycling glasses*

- » Toric shaped lens with a modern design and sympathetic look
- » The Gold photochromic lens adapts to any light condition
- » Adjustable rubber nose piece for an ideal fit.
- » The temples tips with rubber texture provide a comfortable jet firm fit
- » A hardcase and pouch are included for safe storage and transport.


|                              |                                             |
|------------------------------|---------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                         |
| <b>Material frame</b>        | Rilsan Bio-Based                            |
| <b>Lens type</b>             | MLC (MultiLayer Coating), Photochromic (PH) |
| <b>Lens category</b>         | 1, 2, 3                                     |
| <b>Color name</b>            | Matt Black                                  |

**CHESTER | BSG-69 |**

*The security and stability of full frame glasses with the fast looks of a frameless one!*

- » "Hidden" full frame design with large size Toric lens
- » With MLC coating for an even coloured lens
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans
- » Rubber temple tips for good grip on the head
- » Adjustable rubber nose piece

|                              |                                                                                           |
|------------------------------|-------------------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                                                       |
| <b>Material frame</b>        | Rilsan Bio-Based                                                                          |
| <b>Lens type</b>             | MLC (MultiLayer Coating)                                                                  |
| <b>Lens category</b>         | 3                                                                                         |
| <b>Color name</b>            | Black / Glacier, Blue, Neon yellow, White / Silver, Black / Silver, Black / Yellow orange |



**CHESTER PH | BSG-69PH |**

*The security and stability of full frame glasses with the fast looks of a frameless one!*




- » Photochromic lenses with a light transmission of 82-17% (Cat.0-3) or 63-13% (Cat.1-3) for the PH MLC Gold.
- » "Hidden" full frame design with large size Toric lens
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans
- » Rubber temple tips and adjustable rubber nose piece for good grip on the head
- » Also available in version with color coating (PH MLC)

|                              |                                             |
|------------------------------|---------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                         |
| <b>Material frame</b>        | Rilsan Bio-Based                            |
| <b>Lens type</b>             | MLC (MultiLayer Coating), Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3                                  |
| <b>Color name</b>            | Black / Limed Oak, Black                    |

**CHESTER NARROW | BSG-73 |**

*The same look and feel as the regular Chester but with smaller fit.*



- » Chester with reduced width and height for the smaller faces
- » Hidden full frame design with large size Toric lens
- » With adjustable nose piece and rubber temples for a perfect fit.
- » Biobased frame made from Castor beans
- » With a full MLC coating for an even coloured lens

|                              |                                                                                    |
|------------------------------|------------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                                                |
| <b>Material frame</b>        | Rilsan Bio-Based                                                                   |
| <b>Lens type</b>             | Smoke, MLC (MultiLayer Coating)                                                    |
| <b>Lens category</b>         | 3                                                                                  |
| <b>Color name</b>            | Black / Mountbatten pink, White / Blush pink, Black / Smoke, Wheat / Cape Palliser |



**CHESTER NARROW PH | BSG-73PH |**

*The same look and feel as the regular Chester PH but with smaller fit.*

- » Chester with reduced width and height for the smaller faces
- » Photochromic lenses with a light transmission of 85-17%. (cat.0-3)
- » With adjustable rubber nose piece for a perfect fit
- » Biobased frame made from Castor beans

|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Rilsan Bio-Based  |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3        |
| <b>Color name</b>            | Black             |

**IMPULSE | BSG-62 |**

*Sports glasses with special magnetic lens changing system*

- » Interchangeable polycarbonate lenses
- » Soft touch temple tips for a firm fit and comfortable wear
- » Comes with three lenses; smoke/mlc, yellow and transparent (cat. 3/1/0)
- » Block system prevents the spectacle arms from damaging the lens while folded inwards.
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans

|                              |                                 |
|------------------------------|---------------------------------|
| <b>Adjustable nose piece</b> | Yes                             |
| <b>Material frame</b>        | Rilsan Bio-Based                |
| <b>Lens type</b>             | MLC (MultiLayer Coating), Smoke |
| <b>Lens category</b>         | 0, 1, 3                         |
| <b>Included spare lenses</b> | Clear, Yellow                   |
| <b>Color name</b>            | Black / Silver, White / Silver  |





### IMPULSE PH | BSG-62PH |

*Sports glasses with special magnetic lens changing system*

- » Photochromic lenses with a light transmission of 85-17% (Cat.0-3)
- » Soft touch temple tips for a firm fit and comfortable wear
- » A "Quick-snap" system to easily change the lenses
- » Block system prevents the spectacle arms from damaging the lens while folded inwards.
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans

|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Rilsan Bio-Based  |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3        |
| <b>Lens coating</b>          | Anti-fog          |
| <b>Color name</b>            | Black             |



### COMET | BSG-75 |

*Quality sports glasses for a friendly price*

- » Sustainable choice due to its Bio based frame
- » With adjustable rubber nose piece for a perfect fit
- » Soft touch temple tips for a firm fit and comfortable wear
- » The block and lock system in the temples prevents damaging the lens while folded inwards.
- » Transparent spare lens (cat. 0) included for cloudy days

|                              |                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Adjustable nose piece</b> | Yes                                                                                           |
| <b>Material frame</b>        | Bio-based                                                                                     |
| <b>Lens type</b>             | Smoke, MLC (MultiLayer Coating)                                                               |
| <b>Lens category</b>         | 3                                                                                             |
| <b>Included spare lenses</b> | Clear                                                                                         |
| <b>Color name</b>            | Olive green / Twine, Black / Red, Black / Blue, Black / Smoke, Nobel / Silver, White / Silver |



**COMET PH | BSG-75PH |**

*Quality photochromic sports glasses for a friendly price*

- » Photochromic lenses with a light transmission of 82-17% (cat.0-3)
- » Sustainable choice due to its Bio based frame
- » With adjustable rubber nose piece for a perfect fit
- » Soft touch temple tips for a firm fit and comfortable wear
- » The block and lock system in the temples prevents damaging the lens while folded inwards.

|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Bio-based         |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3        |
| <b>Color name</b>            | Black             |

**TOWN R | BSG-56RE |**

*Sportive casual sunglasses with recycled polycarbonate frame*

- » This frame is made of recycled material which comes from used and collected glasses
- » Polarized lenses reduce glare on surfaces like flat roads

|                              |                                     |
|------------------------------|-------------------------------------|
| <b>Adjustable nose piece</b> | No                                  |
| <b>Material frame</b>        | Recycled Polycarbonate (PC)         |
| <b>Lens type</b>             | MLC (MultiLayer Coating), Polarized |
| <b>Lens category</b>         | 3                                   |
| <b>Color name</b>            | Black                               |



**KIDS | BSG-54 |***Sunglasses specially designed for children*

» Durable frame with one piece polycarbonate lens



|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| <b>Adjustable nose piece</b> | No                                                  |
| <b>Material frame</b>        | Polycarbonate (PC)                                  |
| <b>Lens type</b>             | Smoke                                               |
| <b>Lens category</b>         | 3                                                   |
| <b>Color name</b>            | Black / Smoke, Glossy red /<br>Smoke, White / Smoke |

**IMPULSE READER PH | BSG-64PH |***For cyclists who want to read with focus and ride in style.*

- » Lenses with reading area for people with far-sighted vision
- » Available in +1.5, +2.0, +2.5
- » Photochromic lenses with a light transmission of 85-17%. (Cat.0-3)
- » Sports glasses with special magnetic lens changing system
- » Soft touch temple tips for a firm fit and comfortable wear



|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Rilsan Bio-Based  |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Color name</b>            | Black             |

**COMET READER | BSG-76 |**

*Bi-focal cycling glasses for far-sighted cyclists.*

- » Lenses with reading area for people with far-sighted vision
- » Sustainable choice due to its Bio based frame
- » With transparent spare lens (cat. 0) for cloudy days
- » With adjustable rubber nose piece for a perfect fit
- » Available in +1.5, +2.0, +2.5

|                              |                                 |
|------------------------------|---------------------------------|
| <b>Adjustable nose piece</b> | Yes                             |
| <b>Material frame</b>        | Bio-based                       |
| <b>Lens type</b>             | Smoke, MLC (MultiLayer Coating) |
| <b>Lens category</b>         | 0, 3                            |
| <b>Included spare lenses</b> | Clear                           |
| <b>Color name</b>            | Black                           |

**COMET READER PH | BSG-76PH |**

*Bi-focal and photochromic cycling glasses for far-sighted cyclists.*

- » Lenses with reading area for people with far-sighted vision
- » Sustainable choice due to its Bio based frame
- » One lens provides you with category 0 to 3 of eye protection
- » With adjustable rubber nose piece for a perfect fit
- » Available in +1.5, +2.0, +2.5

|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Bio-based         |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3        |
| <b>Color name</b>            | Black             |



**IMPULSE OPTIC | BSG-71 |**

*Sports glasses for cyclists who need prescription lenses*



- » With insert frame for prescription lenses, suited for lenses with a dioptré from -6 to +6
- » Comes with three interchangeable lenses; smoke/mlc, yellow and clear (cat. 3/1/0)
- » Soft touch temple tips and adjustable nose piece for a firm fit and comfortable wear
- » Outer lenses are easy to switch by the magnetic lens exchange system
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans

|                              |                  |
|------------------------------|------------------|
| <b>Adjustable nose piece</b> | Yes              |
| <b>Material frame</b>        | Rilsan Bio-Based |
| <b>Lens type</b>             | Smoke            |
| <b>Lens category</b>         | 0, 1, 3          |
| <b>Included spare lenses</b> | Clear, Yellow    |
| <b>Color name</b>            | Black / Silver   |

**IMPULSE OPTIC PH | BSG-71PH |**

*Sports glasses for cyclists who need prescription lenses*



- » With insert frame for prescription lenses, suited for lenses with a dioptré from -6 to +6
- » Photochromic lenses with a light transmission of 85-17% (cat. 0-3)
- » Soft touch temple tips and adjustable nose piece for a firm fit and comfortable wear
- » Outer lenses are easy to switch by the magnetic lens exchange system
- » Frame made of Rilsan, a sustainable bio-based and virtually unbreakable material that consists for 45% of Castor beans

|                              |                   |
|------------------------------|-------------------|
| <b>Adjustable nose piece</b> | Yes               |
| <b>Material frame</b>        | Rilsan Bio-Based  |
| <b>Lens type</b>             | Photochromic (PH) |
| <b>Lens category</b>         | 0, 1, 2, 3        |
| <b>Lens coating</b>          | Anti-fog          |
| <b>Color name</b>            | Black             |

**OPTIC SET | BSG-72 |**

*Complete set of an optic lens frame and a nosepiece*

- » With insert frame for prescription lenses, suited for lenses with a dioptré from -6 to +6
- » Nosepiece with 4mm extra offset
- » Fits into several of our sports glasses frames: BSG-61/62/64/69/71/73

|                              |             |
|------------------------------|-------------|
| <b>Adjustable nose piece</b> | No          |
| <b>Color name</b>            | Transparent |

**NOFOG | BSG-100 |**

*100% plant based lens cleaner with anti-fog properties*

- » Comes as a spray can with pump
- » 100% biodegradable within 28 days
- » Produced in a 100% CO2 neutral facility
- » 100% recycled PET packaging
- » 100% free of microplastics

|                              |             |
|------------------------------|-------------|
| <b>Adjustable nose piece</b> | No          |
| <b>Volume (ml)</b>           | 100         |
| <b>Color name</b>            | Transparent |

## FEATURES SPORT GLASSES



Lenses with 100% UV protection.



Sport glasses with interchangeable lenses. Yellow and Clear lenses included.



Sport glasses with interchangeable lenses. Clear lenses included.



Special Hydrophobic coating. In rain, the water will slide off the lenses while riding.



Including carrying case.



### PH LENSES – PHOTOCHROMIC

Automatically adapt to changing light conditions. They turn dark when it's bright and become virtually clear in low light conditions. Especially the range of light transmittance is unique. BBB's lenses can adapt from allowing 85% - 17% of the available light to pass through.



### PC LENSES

All our lenses are made of high quality polycarbonate material irrespective of its finish. A very strong material that due to its properties offers a lot of safety because it has high resistance to fracturing from for example stone-chips from the road.



### PZ LENSES – POLARIZED

The ideal choice on bright sunny days. Polarized lenses provide a clear view while effectively eliminating glare. PZ lenses allow only direct light to pass through, resulting in a more relaxed and improved view. This prevents distractions from reflection from flat roads, tree leaves or water.



### MULTI LAYER COATING (MLC)

A 9-layer coating gives MLC lenses their renowned brightness and contrast for the sharpest view under any circumstances. Also the MLC coating lends itself very well in circumstances to reduce glare from road surfaces or snow.

## FLUX

### FLUX LENSES

Our high-quality, multi-coated FLUX lens with high contrast selectively filters out excess light in specific wavelengths. This results in sharper and clearer vision on the road or trail, with less distraction, improved detail perception, and reduced eye fatigue. The lens reduces glare and provides optimal visual comfort during your rides. Multiple FLUX lenses are available, each optimized for different light conditions and applications.

## RILSAN®

### RILSAN® CLEAR G850 RNEW®

Rilsan® Clear Rnew® G850 is a high-quality plastic derived from plant-based materials, produced by manufacturer Arkema. The G850 variant consists of 45% bio-based carbon made from castor beans. These beans are harvested from plants and processed into oil, which serves as the foundation for bio-based fiber polyamide. This material is particularly well-suited for high-end eyewear frames, making the glasses not only more sustainable but also lightweight, flexible, and virtually unbreakable.

**NEW!**

**AETHON MIPS** | BHE-16

## **Aerodynamic and lightweight aero helmet for maximum performance**

Proper ventilation  
no matter your  
riding position

Unique ventilation  
system keeps you cool  
while maintaining the  
aerodynamics

Gain and maintain  
your speed with the  
uncompromised  
aerodynamic shape



**AETHON MIPS® AIR NODE | BHE-16 |**

*Aerodynamic and lightweight aero helmet for maximum performance*

NEW

Mips

- » Uncompromised aerodynamic shape
- » Ventilation system designed for uncompromised aerodynamics
- » Keeps you safe. Integrated Mips® Air Node for sleek rotational impact protection.
- » Lightweight and fast
- » Perfect fit due to its multi adjustable Omega fit system

|                           |                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------|
| <b>Air vents</b>          | 7                                                                                      |
| <b>Shell construction</b> | InMold (multi-shell)                                                                   |
| <b>Retention system</b>   | Omega                                                                                  |
| <b>Dividers</b>           | Fixed                                                                                  |
| <b>MIPS</b>               | Air Node                                                                               |
| <b>Complies with</b>      | EN-1078                                                                                |
| <b>Sizes</b>              | S, M, L                                                                                |
| <b>Color name</b>         | Full Matt White, Matt Almond, Metallic Red Purple, Matt Lila, Matt Black, Gloss Silver |

**KARMA MIPS® AIR NODE | BHE-14 |**

*Lightweight performance helmet with maximum ventilation*

Mips



UP DATE

- » Keeps you cool. 25 air vents and for optimal ventilation
- » Stay cool with the open design and deep air channels for maximized air flow
- » Keeps you safe. Integrated Mips® Air Node for sleek rotational impact protection.
- » Keeps you comfortable. Newly designed Omega fit retention system
- » Born to climb, approximately 260gr.

|                           |                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------|
| <b>Air vents</b>          | 25                                                                                             |
| <b>Shell construction</b> | InMold (multi-shell)                                                                           |
| <b>Retention system</b>   | Omega                                                                                          |
| <b>Dividers</b>           | Fixed                                                                                          |
| <b>MIPS</b>               | Air Node                                                                                       |
| <b>Complies with</b>      | EN-1078                                                                                        |
| <b>Weight (g)</b>         | 260                                                                                            |
| <b>Sizes</b>              | S, M, L                                                                                        |
| <b>Color name</b>         | Full Matt White, Metallic Green, Matt Black, Matt White, Satin Nardo Grey, Metallic Red/Purple |



**KARMA FIDLOCK | BHE-15 |**

NEW

*Lightweight performance helmet with maximum ventilation and FIDLOCK buckle*



- » Keeps you cool. 25 air vents and for optimal ventilation
- » Stay cool with the open design and deep air channels for maximized air flow
- » Keeps you comfortable. Newly designed Omega fit retention system
- » Quickly put it on or off with the magnetic FIDLOCK buckle
- » Born to climb, approximately 260gr.

|                           |                                      |
|---------------------------|--------------------------------------|
| <b>Air vents</b>          | 25                                   |
| <b>Shell construction</b> | InMold (multi-shell)                 |
| <b>Retention system</b>   | Omega                                |
| <b>Dividers</b>           | Fixed                                |
| <b>Buckle system</b>      | FidLock                              |
| <b>Complies with</b>      | EN-1078                              |
| <b>Sizes</b>              | S, M, L                              |
| <b>Color name</b>         | Matt Almond, Gloss White, Matt Black |

**MAESTRO MIPS | BHE-10 |**

Mips

*The helmet for winners! Choose the Maestro when you go for extra safety at every fall angle due to Mips® and optimal ventilation during all your rides.*



- » With Mips® layer for extra safety
- » Large vents optimize air flow and ventilation on all rides
- » The HaloGuard construction gives strength and safety
- » A very aerodynamic helmet due to its compact profile
- » The Omega fit system is integrated with the Mips® layer for optimal safety and comfort

|                           |                      |
|---------------------------|----------------------|
| <b>Air vents</b>          | 17                   |
| <b>Internal structure</b> | HaloGuard            |
| <b>Shell construction</b> | InMold (multi-shell) |
| <b>Retention system</b>   | Omega                |
| <b>Dividers</b>           | Sliding system       |
| <b>MIPS</b>               | B1                   |
| <b>Complies with</b>      | EN-1078              |
| <b>Weight (g)</b>         | 235, 345, 355        |
| <b>Sizes</b>              | S, M, L              |
| <b>Color name</b>         | Black                |



**MAESTRO | BHE-09 |**

*The helmet for winners! When you go for safety and optimal ventilation during all your rides.*

- » Helmet with the perfect balance between aerodynamics and ventilation
- » HaloGuard inner cage for optimal ventilation and safety
- » Omega Fit System, adjust height and circumference easily for maximum comfort
- » Lightweight multi angle strap dividers
- » Lightweight adjustable straps for a perfect and comfortable fit



|                           |                      |
|---------------------------|----------------------|
| <b>Air vents</b>          | 17                   |
| <b>Internal structure</b> | HaloGuard            |
| <b>Shell construction</b> | InMold (multi-shell) |
| <b>Retention system</b>   | Omega                |
| <b>Dividers</b>           | Sliding system       |
| <b>Complies with</b>      | EN-1078              |
| <b>Weight (g)</b>         | 295, 305, 315        |
| <b>Sizes</b>              | S, M, L              |
| <b>Color name</b>         | Black, Grey, White   |

**HAWK MIPS | BHE-153 |**

*Lightweight helmet due to its compact design*

- » With 21 air vents for great ventilation
- » With Mips® layer for extra safety
- » SpiderWeb inner reinforcement structure for extra safety
- » The fit system can easily be adjusted with one hand
- » Reflective elements on the rear provide extra visibility on the road



|                           |                          |
|---------------------------|--------------------------|
| <b>Air vents</b>          | 21                       |
| <b>Internal structure</b> | Spiderweb                |
| <b>Shell construction</b> | InMold (single shell)    |
| <b>Retention system</b>   | Omega                    |
| <b>Dividers</b>           | Sliding system           |
| <b>MIPS</b>               | C2                       |
| <b>Complies with</b>      | EN-1078                  |
| <b>Weight (g)</b>         | 295, 320                 |
| <b>Sizes</b>              | M, L                     |
| <b>Color name</b>         | Black, White, Smalt blue |

**HAWK | BHE-151 |**

*Road helmet with 21 air vents for great ventilation*

- » Lightweight helmet due to its compact design
- » SpiderWeb inner reinforcement structure for extra safety
- » The fit system can easily be adjusted with one hand
- » Reflective elements on the rear provide extra visibility



|                           |                           |
|---------------------------|---------------------------|
| <b>Air vents</b>          | 21                        |
| <b>Internal structure</b> | Spiderweb                 |
| <b>Shell construction</b> | InMold (single shell)     |
| <b>Retention system</b>   | Omega                     |
| <b>Dividers</b>           | Sliding system            |
| <b>Complies with</b>      | EN-1078                   |
| <b>Weight (g)</b>         | 265, 290                  |
| <b>Sizes</b>              | M, L                      |
| <b>Color name</b>         | Black, Olive green, White |

**DUNE MIPS 3.0 FIDLOCK | BHE-23 |**

*Upgraded 3.0 version of the Dune helmet.*

- » Fidlock magnetic buckle for ease of use and a secure fit
- » New side divider. No more sliding down and more ear clearance
- » Insect mesh for extra protection against our smallest flying friends
- » Comes with a rear light bracket for better visibility
- » MIPS® for extra safety

Mips



|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| <b>Air vents</b>          | 14                                                                                |
| <b>Shell construction</b> | InMold (single shell)                                                             |
| <b>Retention system</b>   | Omicron                                                                           |
| <b>Dividers</b>           | Sliding system                                                                    |
| <b>MIPS</b>               | C2                                                                                |
| <b>Complies with</b>      | EN-1078                                                                           |
| <b>Sizes</b>              | S, M, L                                                                           |
| <b>Color name</b>         | Dark grey, Grey / White, Brown, Neon orange, Tosca (matt dark red), Matte Caramel |



**KITE 3.0 FIDLOCK | BHE-30 |***3.0 version with smart upgrades*

- » Fidlock magnetic buckle
- » New Side Divider. No sliding down and more ear clearance
- » Insect mesh for extra protection against our smallest flying friends
- » Rear light bracket
- » Multi adjustable fit system

|                           |                        |
|---------------------------|------------------------|
| <b>Air vents</b>          | 14                     |
| <b>Shell construction</b> | InMold (single shell)  |
| <b>Retention system</b>   | Omicron                |
| <b>Dividers</b>           | Sliding system         |
| <b>Complies with</b>      | EN-1078                |
| <b>Sizes</b>              | S, M, L                |
| <b>Color name</b>         | Black, Dark grey, Sand |

**CONDOR 2.0 MIPS | BHE-174 |***Hybrid helmet with Mips® technology for extra protection*

- » The Omicron fit system is adjustable in height and circumference for optimal comfort and safety
- » With stylish and easy to remove visor
- » The insectnet on the most frontal air wholes keeps insect out of your helmet
- » With integrated bracket for our Spot(BLS-147) or Slide(BLS-236) rear light
- » Certified according to the CE, CPSC and AS standards

|                           |                       |
|---------------------------|-----------------------|
| <b>Air vents</b>          | 13                    |
| <b>Shell construction</b> | InMold (single shell) |
| <b>Retention system</b>   | Omicron               |
| <b>Dividers</b>           | Sliding system        |
| <b>MIPS</b>               | B1                    |
| <b>Complies with</b>      | EN-1078               |
| <b>Weight (g)</b>         | 330, 355              |
| <b>Sizes</b>              | M, L                  |
| <b>Color name</b>         | White, Black          |



**CONDOR 2.0 | BHE-173 |**

*Hybrid helmet with replaceable visor*

- » Equipped with thick padding for a comfortable fit
- » The Omicron fit system is adjustable in height and circumference for optimal comfort and safety
- » With integrated bracket for our Spot(BLS-147) or Slide(BLS-236) rear light
- » Certified according to the CE, CPSC and AS standards



|                           |                            |
|---------------------------|----------------------------|
| <b>Air vents</b>          | 13                         |
| <b>Shell construction</b> | InMold (single shell)      |
| <b>Retention system</b>   | Omicron                    |
| <b>Dividers</b>           | Sliding system             |
| <b>Complies with</b>      | EN-1078                    |
| <b>Weight (g)</b>         | 315, 340                   |
| <b>Sizes</b>              | M, L                       |
| <b>Color name</b>         | Black, Glossy black, White |

**NANGA | BHE-54 |**

*Mountain bike helmet with lower rear and temples for extra protection*

- » With a large visor to protect your eyes against the sun
- » ABS shell for more durability than conventional helmets
- » Including camera mount to fit a camera or BBB headlight on the helmet
- » Easy TwistClose adjustment system, can be adjusted with one hand



|                           |                           |
|---------------------------|---------------------------|
| <b>Air vents</b>          | 15                        |
| <b>Shell construction</b> | Hard Shell (ABS)          |
| <b>Dividers</b>           | Sliding system            |
| <b>Complies with</b>      | EN-1078                   |
| <b>Weight (g)</b>         | 391, 404                  |
| <b>Sizes</b>              | M, L                      |
| <b>Color name</b>         | Black, Tapa, Grey / White |



SHORE | BHE-59 |

Robust mountain bike helmet with adjustable visor



- » Extra coverage at rear and temple area
- » The Omicron fit system is in height and circumference adjustable for maximum comfort and safety
- » Highly ventilated helmet
- » Lightweight multi angle strap dividers
- » Quick drying padding for extra comfort

|                    |                                      |
|--------------------|--------------------------------------|
| Shell construction | InMold (multi-shell)                 |
| Retention system   | Omicron                              |
| Dividers           | Sliding system                       |
| Complies with      | AS/NZS-2063, EN-1078                 |
| Weight (g)         | 355, 385                             |
| Sizes              | M, L                                 |
| Color name         | Black, Ice blue, Manatee (matt grey) |



**NEW!**

**NIO LED MIPS FACESHIELD | BHE-189**

**Comfortable, safe  
and lightweight  
E-bike helmet  
with FaceShield  
and earpads**

This helmet is E-bike  
certified(NTA-8776) and  
offers more coverage  
and protection against  
impacts

Fitted with MIPS low  
friction layer. Providing  
additional safety against  
brain injuries





### NIO LED MIPS FACESHIELD | BHE-189 |

*Comfortable, safe and lightweight E-bike helmet with FaceShield and earpads*

- » E-bike certified(NTA-8776) offering more coverage and impact protection
- » Magnetically mounted, rechargeable rear light
- » This version comes with modular FaceShield and earpads
- » MIPS® low friction layer for additional safety against brain injuries.
- » Multi adjustable fit system and magnetic FIDLOCK buckle

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Air vents</b>          | 6                               |
| <b>Shell construction</b> | InMold (multi-shell)            |
| <b>Retention system</b>   | Omicron                         |
| <b>Dividers</b>           | Fixed                           |
| <b>MIPS</b>               | C2                              |
| <b>Buckle system</b>      | FidLock                         |
| <b>Integrated Lights</b>  | Rear light (USB rechargeable)   |
| <b>Complies with</b>      | EN-1078, NTA-8776               |
| <b>Sizes</b>              | M, L                            |
| <b>Color name</b>         | Matt Black, Matt Twilight Green |

NEW

Mips



### NIO LED MIPS | BHE-188 |

*Comfortable, safe and lightweight E-bike helmet built for your daily rides.*

- » E-bike certified(NTA-8776) offering more coverage and impact protection
- » Magnetically mounted, rechargeable rear light
- » MIPS® low friction layer for additional safety against brain injuries.
- » Multi adjustable fit system and magnetic FIDLOCK buckle
- » Optional FaceShield and earpads can be purchased separately

|                           |                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Air vents</b>          | 6                                                                                                                    |
| <b>Shell construction</b> | InMold (multi-shell)                                                                                                 |
| <b>Retention system</b>   | Omicron                                                                                                              |
| <b>Dividers</b>           | Fixed                                                                                                                |
| <b>MIPS</b>               | C2                                                                                                                   |
| <b>Buckle system</b>      | FidLock                                                                                                              |
| <b>Integrated Lights</b>  | Rear light (USB rechargeable)                                                                                        |
| <b>Complies with</b>      | EN-1078, NTA-8776                                                                                                    |
| <b>Sizes</b>              | M, L                                                                                                                 |
| <b>Color name</b>         | Gloss Soft Pink, Gloss Warm Grey, Matt Twilight Green, Matt Midnight Blue, Matt black, Matt Black, Gloss Neon Yellow |

NEW



Mips





### SIDESTREET MIPS | BHE-166 |

*Urban helmet with extra safety features like Mips®. Ready to hit the urban streets! Safe and in Style*



- » Urban specific. The perfect helmet for your commute or urban rides
- » Inmold Construction. Safe, stylish and multi shell construction
- » Multi adjustable fit system. BBB's proven Omega retention
- » 14 Vents strategically placed vents for active and passive ventilation
- » Fidlock magnetic closing system

|                           |                                    |
|---------------------------|------------------------------------|
| <b>Air vents</b>          | 14                                 |
| <b>Shell construction</b> | InMold (multi-shell)               |
| <b>Retention system</b>   | Omega                              |
| <b>Dividers</b>           | Fixed                              |
| <b>MIPS</b>               | C2                                 |
| <b>Complies with</b>      | EN-1078                            |
| <b>Sizes</b>              | S, M, L                            |
| <b>Color name</b>         | Black, Grey / Light grey, Ice blue |



### DISTRICT LED FACESHIELD | BHE-163 |

*E-bike helmet with faceshield and integrated lights*



- » Durable hardshell for a longer product lifetime
- » 12 front and 10 rear USB rechargeable LED lights
- » Flash mode activates when battery is low, extending runtime with over 4 hours
- » Adjustable transparent (cat. 0) faceshield fits over regular glasses
- » Sustainable choice by the partial recycled EPS construction

|                           |                                                                  |
|---------------------------|------------------------------------------------------------------|
| <b>Shell construction</b> | Hard Shell (ABS)                                                 |
| <b>Dividers</b>           | Sliding system                                                   |
| <b>Integrated Lights</b>  | Front light (USB rechargeable),<br>Rear light (USB rechargeable) |
| <b>Complies with</b>      | AS/NZS-2063, EN-1078                                             |
| <b>Sizes</b>              | M/L                                                              |
| <b>Color name</b>         | Black                                                            |

**DISTRICT LED | BHE-162 |***E-bike helmet with integrated lights*

- » Durable hardshell for a longer product lifetime
- » 12 front and 10 rear USB rechargeable LED lights
- » Flash mode activates when battery is low, extending runtime with over 4 hours
- » Sustainable choice by the partial recycled EPS construction



|                           |                                                                  |
|---------------------------|------------------------------------------------------------------|
| <b>Air vents</b>          | 14                                                               |
| <b>Shell construction</b> | Hard Shell (ABS)                                                 |
| <b>Dividers</b>           | Sliding system                                                   |
| <b>Integrated Lights</b>  | Front light (USB rechargeable),<br>Rear light (USB rechargeable) |
| <b>Complies with</b>      | AS/NZS-2063, EN-1078                                             |
| <b>Sizes</b>              | M/L                                                              |
| <b>Color name</b>         | Black                                                            |

**GRID LED | BHE-186 |***Stylish and lightweight e-bike helmet with rechargeable rear light*

- » Comfortable and 'barely there' when wearing
- » Magnetic buckle helps taking helmet on or off easily
- » USB-C rechargeable rear light for a extra visibility
- » Insect mesh in the frontal vents
- » One-hand adjustable fit



|                           |                                                                                                     |
|---------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Air vents</b>          | 10                                                                                                  |
| <b>Shell construction</b> | InMold (single shell)                                                                               |
| <b>Dividers</b>           | Fixed                                                                                               |
| <b>Buckle system</b>      | FidLock                                                                                             |
| <b>Integrated Lights</b>  | Rear light (USB rechargeable)                                                                       |
| <b>Complies with</b>      | EN-1078                                                                                             |
| <b>Sizes</b>              | M, L                                                                                                |
| <b>Color name</b>         | Matt Caramel, Matt Clay, Matt<br>Metallic Burgundy, Matt Steel<br>Blue, Matt Black, Matt Soft Green |





**BACKSTREET LED ERT | BHE-185 |**

*Circular E-bike helmet with rear light*



- » With magnetic Fidlock buckle and removable and rechargeable rear light
- » ERT(Energy Reduction Technology) system for added impact protection
- » Made out of recycled EPS, ABS, PET bottles and bamboo fiber
- » Can be completely dismantled and recycled
- » Winner of: Red Dot Design Award(2024), ISPO Award(2025) & European Outdoor Award (2026)

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Air vents          | 8                                                  |
| Shell construction | Hard Shell (ABS)                                   |
| Dividers           | Fixed                                              |
| Buckle system      | FidLock                                            |
| Integrated Lights  | Rear light (USB rechargeable)                      |
| Complies with      | EN-1078                                            |
| Sizes              | M, L                                               |
| Color name         | Matt Camel, Matt Off White, Matt Green, Matt Black |



**DICE | BHE-180 |**

*Circular E-bike helmet made for your urban adventures*



- » This sustainable helmet is made out of recycled EPS, ABS, PET bottles and bamboo fiber for the lowest possible carbon footprint
- » Putting the helmet On or Off is a piece of cake with the magnetic Fidlock buckle
- » Each part and material can be completely dismantled and recycled at the end of the helmets product life.
- » The helmet is provided with a thick and comfortable padding
- » Durable hardshell for a longer product lifetime

|                    |                  |
|--------------------|------------------|
| Air vents          | 15               |
| Shell construction | Hard Shell (ABS) |
| Dividers           | Fixed            |
| Buckle system      | FidLock          |
| Complies with      | EN-1078          |
| Sizes              | M, L             |
| Color name         | Black            |

**WAVE | BHE-150 |**

*Comfortable fitting youth helmet that improves your appearance*



- » ABS shell for more durability than conventional helmets
- » Added safety due to the reflective straps and decals
- » Simple to operate fit system, can be adjusted with one hand



|                           |                  |
|---------------------------|------------------|
| <b>Air vents</b>          | 10               |
| <b>Shell construction</b> | Hard Shell (ABS) |
| <b>Dividers</b>           | Sliding system   |
| <b>Complies with</b>      | EN-1078          |
| <b>Weight (g)</b>         | 380, 420         |
| <b>Sizes</b>              | S, M             |
| <b>Color name</b>         | Gumbo, Black     |

**HERO | BHE-172 |**

*Allround helmet specifically designed for small children*



- » Comes with chin pad for extra comfort
- » Fit system can be easily adjusted
- » Reflective elements on the rear for extra visibility
- » The insect net in the padding keeps the bugs out of the helmet
- » The in-mold construction provides superior safety



|                           |                                                                                      |
|---------------------------|--------------------------------------------------------------------------------------|
| <b>Air vents</b>          | 11                                                                                   |
| <b>Shell construction</b> | Infusion                                                                             |
| <b>Dividers</b>           | Sliding system                                                                       |
| <b>Complies with</b>      | EN-1078                                                                              |
| <b>Weight (g)</b>         | 229, 249                                                                             |
| <b>Sizes</b>              | S, M                                                                                 |
| <b>Color name</b>         | Green / Olive green, Shuttle grey, Dark orange, Guardsman red, Navy blue, Blush pink |



FEATURES HELMETS



When you are cycling intensively, you produce a lot of heat. Overheating your body will reduce your performance. Because of the large surface of your head, up to 40% of the bodies heat can be dissapated by your head. Wearing a helmet redusses the ability for the body to accomodate that. That's why we have invented the Airflow Cooling System (ACS) helmet. Due to the special design of the shape of the foam and padding, the air is drawn in and channelled to pass around and over your head. This guarantees optimum balance between safety and wearer comfort.



Anti insect net inside the helmet.



Reflective accents.



Lenses with 100% UV protection.



Complies with NTA-8776 the Dutch Speed Pedelec helmet standard.




Washable pads. Replacement pads are available for all helmets.

SIZE GUIDE

It is a fact that a bicycle helmet provides safety. Wearing a helmet during a bike ride prevents permanent damage to your head. The risk of head and brain injuries is reduced from 63 to 88%. However, a helmet can only provide safety when it fits your head properly. Avoid wearing a helmet that is too big and sits too loosely. Conversely, a helmet that is too small will sit too high on your head. Please note! Your head size in centimeters may fall within the range of two helmet sizes. In this case, you can choose a slightly smaller or larger bicycle helmet. This choice depends on your personal preferences. We recommend selecting the larger helmet size if you regularly wear a cap or hat under your helmet.

| HELMET SIZE           | CENTIMETERS |         |         |
|-----------------------|-------------|---------|---------|
|                       | S           | M       | L       |
| 1. HEAD CIRCUMFERENCE | 52 - 55     | 55 - 58 | 58 - 62 |

1



**NEW!****STRATOSFIT | BBW-435**

## The cycling bib short without compromise

Extremely soft back panel with a clean finish and UPF50 protection

Premium one-piece padding. For a great fit and optimal freedom of movement



Designed with Italian high-compression techno-fabric offering strong muscle support, reduced fatigue, and enhanced performance

No bottom elastics; clean-cut finish with internal silicone gripper

**ESSENCE | BBW-408 |**

*The essential cycling jersey for every cyclist*

- » Designed of a very comfortable dyed stretch fabric
- » Allround male fit, close to the body and pre-curved in cycling position
- » High quality zipper garage to prevent damage to your skin or bib
- » With additional durabel reflective prints around the sleeves and non-stretch back pockets
- » Silicone gripper on the inside to keep your jersey in place

|                    |                                                                        |
|--------------------|------------------------------------------------------------------------|
| <b>Composition</b> | 86% Polyester, 14% Elasthane                                           |
| <b>Windproof</b>   | No                                                                     |
| <b>Thermo</b>      | No                                                                     |
| <b>Sizes</b>       | S, M, L, XL, XXL, XXXL                                                 |
| <b>Color name</b>  | Muted Pink, Bali Hai, Black, Olive Green, Brown, Dark Blue, Light Grey |

**DONNAESSENCE | BBW-409 |**

*The essential cycling jersey for every cyclist*

- » Designed of a very comfortable dyed stretch fabric
- » Allround female fit, close to the body and pre-curved in cycling position
- » High quality zipper garage to prevent damage to your skin or bib
- » Reflective prints around the arm and non-stretch back pockets
- » Silicone gripper on the inside to keep your jersey in place

|                    |                                          |
|--------------------|------------------------------------------|
| <b>Composition</b> | 86% Polyester, 14% Elasthane             |
| <b>Windproof</b>   | No                                       |
| <b>Thermo</b>      | No                                       |
| <b>Sizes</b>       | S, M, L, XL, XXL                         |
| <b>Color name</b>  | Peach Fuzz, Black, Muted Pink, Dark Blue |

**COMFORTFIT R | BBW-415 |**

*Sustainable and comfortable cycling jersey*

- » Jersey made with of approximatly 70% recycled PET bottles
- » Enhanced fit and comfort with high-stretch fabric on sleeves and side panels
- » Reflective prints provide extra visibility
- » Equipped with a full YKK zipper
- » Convenient storage with 3 spacious back pockets

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| <b>Composition</b>    | 100% Polyester                                          |
| <b>Waterproofness</b> | Not waterproof                                          |
| <b>Windproof</b>      | No                                                      |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                                  |
| <b>Color name</b>     | Ice blue, Red, Black, Blue, Dark red, Grey / Light grey |



**DONNAFIT R | BBW-413 |**

*Sustainable and comfortable female cycling jersey*

- » Sustainable polyester jersey made with 70% recycled PET bottles
- » Enhanced fit and comfort with high-stretch fabric on sleeves and side panels
- » Subtle elastic-silicone combination to keep the jersey in place
- » Equipped with a full YKK zipper
- » Convenient storage with 3 spacious back pockets

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| <b>Composition</b>    | 100% Polyester                                      |
| <b>Waterproofness</b> | Not waterproof                                      |
| <b>Thermo</b>         | No                                                  |
| <b>Sizes</b>          | S, M, L, XL, XXL                                    |
| <b>Color name</b>     | Lemon Grass, Gold, East side / Blush pink, Ice blue |

**STRATOSFIT | BBW-435 |**

*High-performance bib-short for men*

- » Italian high-compression techno-fabric
- » Premium padding with high-density foam and carbon top layer
- » Clean-cut finish with internal silicone gripper
- » Extremely soft UPF-50 back panel
- » Elastic bib straps at the front for a secure fit

|                     |                        |
|---------------------|------------------------|
| <b>Padding type</b> | Premium padding        |
| <b>Windproof</b>    | No                     |
| <b>Thermo</b>       | No                     |
| <b>Sizes</b>        | S, M, L, XL, XXL, XXXL |
| <b>Color name</b>   | Dark Blue, Dark Grey   |

**OMNIUM EASY BREAK | BBW-430 |**

*Bib-Shorts with tailored comfort with Easy Break- Design for female cyclists*

- » Made of Italian fabric with UPF50+ uv-protection which offers muscular compression and decreases muscular vibrations
- » Female specific performance padding made of a high density foam
- » Specially designed upper without mesh. So, a toilet break with your bibs on will never be a problem
- » Soft hems with a subtle silicone gripper on the inside to keep the shorts in place
- » Additional durable reflective

|                     |                              |
|---------------------|------------------------------|
| <b>Composition</b>  | 80% Polyamide, 20% Elasthane |
| <b>Padding type</b> | Performance padding          |
| <b>Windproof</b>    | No                           |
| <b>Thermo</b>       | No                           |
| <b>Sizes</b>        | S, M, L, XL, XXL             |
| <b>Color name</b>   | Black                        |





### OMNIUM WOMEN 2.0 | BBW-429 |

*V-shaped shorts for female cyclists*

- » Soft elastic v-shaped waistband for a comfortable fit
- » High-density foam performance padding with high density designed for female cyclists
- » No "sausage-look" with an extra comfortable fabric hem
- » Shorts stay in place with the subtle silicone print on the inside
- » Stretchy fabric for freedom of movement during rides

|                       |                              |
|-----------------------|------------------------------|
| <b>Composition</b>    | 80% Polyamide, 20% Elasthane |
| <b>Padding type</b>   | Performance padding          |
| <b>Waterproofness</b> | Not waterproof               |
| <b>Windproof</b>      | No                           |
| <b>Thermo</b>         | No                           |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL         |
| <b>Color name</b>     | Black                        |



### POWERFIT 2.0 | BBW-428 |

*Affordable and comfortable bib-shorts*

- » Modernized cycling shorts featuring breathable mesh bibs
- » Enhanced protection with male-specific originals padding for sensitive areas
- » Secure fit with a modern power band at the bottom hem
- » Added safety with durable reflective elements

|                       |                                             |
|-----------------------|---------------------------------------------|
| <b>Composition</b>    | 52% Polyamide, 31% Polyester, 17% Elasthane |
| <b>Padding type</b>   | Originals padding                           |
| <b>Waterproofness</b> | Not waterproof                              |
| <b>Windproof</b>      | No                                          |
| <b>Thermo</b>         | No                                          |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                      |
| <b>Color name</b>     | Black                                       |



### POWERFIT 2.0 | BBW-427 |

*Smart, affordable, and comfortable cycling shorts*

- » Modernized cycling shorts with a smart-waist design to keep your padding in place
- » Enhanced protection with male-specific originals padding for sensitive areas
- » Secure fit with a modern power band at the bottom hem
- » Added safety with durable reflective elements

|                     |                              |
|---------------------|------------------------------|
| <b>Composition</b>  | 70% Polyamide, 30% Elasthane |
| <b>Padding type</b> | Originals padding            |
| <b>Windproof</b>    | No                           |
| <b>Thermo</b>       | No                           |
| <b>Sizes</b>        | S, M, L, XL, XXL, XXXL       |
| <b>Color name</b>   | Black                        |



**ESSENCE LS | BBW-420 |***Essential long-sleeve jersey for spring, summer, and autumn*

- » Lightweight, quick-drying fabric for a comfortable long sleeve jersey
- » Three big back pockets and an extra zippered pocket
- » Enhanced visibility with durable reflective details
- » With zipper garage to avoid irritation to the skin



|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>Composition</b>    | 74% Polyamide, 26% Spandex                 |
| <b>Waterproofness</b> | Not waterproof                             |
| <b>Windproof</b>      | No                                         |
| <b>Thermo</b>         | No                                         |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                     |
| <b>Color name</b>     | Ice blue, Tosca (matt dark red), Dark grey |

**DONNA ESSENCE LS | BBW-421 |***Essential long-sleeve jersey for spring, summer, and autumn*

- » Lightweight, quick-drying fabric for a comfortable long sleeve jersey
- » Three big back pockets and an extra zippered pocket
- » Enhanced visibility with durable reflective details
- » With zipper garage to avoid irritation to the skin



|                       |                               |
|-----------------------|-------------------------------|
| <b>Composition</b>    | 74% Polyamide, 26% Spandex    |
| <b>Waterproofness</b> | Not waterproof                |
| <b>Windproof</b>      | No                            |
| <b>Thermo</b>         | No                            |
| <b>Sizes</b>          | S, M, L, XL, XXL              |
| <b>Color name</b>     | Lemon Grass, Wild Blue Yonder |

**WINDSHIELD | BBW-485 |***Your Lightweight, compact defense against the wind*

- » A sublime lightweight, soft wind- and waterproof fabric with plenty of stretch to create an optimal fit
- » Back panel with perforated wholes for optimal ventilation
- » With a elastic-silicone combination at the bottom hem, which will keep the vest in place
- » Zipper with double puller for easy access to the back pockets of your jersey



|                    |                                                  |
|--------------------|--------------------------------------------------|
| <b>Composition</b> | 100% Polyester                                   |
| <b>Windproof</b>   | Yes                                              |
| <b>Thermo</b>      | No                                               |
| <b>Sizes</b>       | XS, S, M, L, XL, XXL, XXXL                       |
| <b>Color name</b>  | Sand, Black, Olive Green, Dark Blue, Neon Orange |



**STORMSHIELD 3.0 | BBW-482 |**

*The Ultimate packable, weatherproof companion for unpredictable Rides*

- » A sublime soft wind and water proof fabric with a lot of stretch to create an optimal fit
- » With taped seams to prevent leaking
- » With a elastic-silicone combination at the bottom hem, which will keep the jacket in place
- » Additional air-vent at the back of the jacket for improved ventilation. Covered with a soft mesh on the inside
- » Full waterproof zipper with double zipper puller

|                       |                          |
|-----------------------|--------------------------|
| <b>Composition</b>    | 100% Polyester           |
| <b>Waterproofness</b> | Waterproof               |
| <b>Windproof</b>      | Yes                      |
| <b>Thermo</b>         | No                       |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL   |
| <b>Color name</b>     | Neon Orange, Black, Sand |

**RAINSHIELD PARKA | BBW-471 |**

*The on and off bike rainparka*

- » taped seams to prevent leaking
- » Regular fit and adjustable at the waist with pullers and enough pockets.
- » Adjustable hoodie that you can wear with or without a helmet without limiting your sight
- » Additional air-vents underneath the arms for improved ventilation
- » Double-sided waterproof zipper that gives you more freedom of movement while riding

|                       |                        |
|-----------------------|------------------------|
| <b>Composition</b>    | 100% Polyester         |
| <b>Waterproofness</b> | Waterproof             |
| <b>Windproof</b>      | Yes                    |
| <b>Thermo</b>         | No                     |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Tan, Dark blue         |

**RAINSHIELD EXPLORER | BBW-450 |**

*The on and off bike rainjacket*

- » With taped seams to prevent leaking
- » Regular fit and adjustable at different areas with pullers and enough pockets
- » Adjustable hoodie that you can wear with or without a helmet without limiting your sight
- » Additional air-vents underneath the arms for improved ventilation
- » Double-sided waterproof zipper that gives you more freedom of movement while riding

|                       |                                    |
|-----------------------|------------------------------------|
| <b>Composition</b>    | 100% polyester                     |
| <b>Waterproofness</b> | Waterproof                         |
| <b>Windproof</b>      | Yes                                |
| <b>Thermo</b>         | No                                 |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL             |
| <b>Color name</b>     | Warm Grey, Dark Blue, Kokoda, Grey |





### RAINSHIELD | BBW-449 |

*Rain trousers for your commutes*

- » Taped seams offer wind and waterproof protection
- » Breathable fabric with a waterproof membrane (10,000 mm water column)
- » Conveniently foldable rain trousers fit in their own pocket
- » Waterproof side zippers at both legs for easy entry
- » Adjustable velcro straps ensure a snug fit on the legs

|                       |                   |
|-----------------------|-------------------|
| <b>Composition</b>    | 100% Polyamide    |
| <b>Waterproofness</b> | Waterproof        |
| <b>Windproof</b>      | Yes               |
| <b>Thermo</b>         | No                |
| <b>Sizes</b>          | XS/S, M/L, XL/XXL |
| <b>Color name</b>     | Black             |



### MULTISHIELD | BBW-475 |

*Multi purpose rain jacket*

- » Designed for both sportive rides as commutes
- » Water column of 10.000 mm and taped seams
- » Regular fit and layer friendly, easy wearable over your regular jacket and adjustable at the bottom for perfect wind closure
- » Adjustable hoodie that you can wear with or without a helmet without limiting your sight

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| <b>Waterproofness</b> | Waterproof                                         |
| <b>Windproof</b>      | Yes                                                |
| <b>Thermo</b>         | No                                                 |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                             |
| <b>Color name</b>     | Olive green, Neon yellow, Orange, Red, Blue, Black |



### MULTISHIELD TROUSERS | BBW-474 |

*The rain trousers to wear over your daily attire*

- » The trouser is made with a 10.000 mm waterrating
- » Fully taped seams to prevent leaking water
- » Calf high zippers for easy access with your regular shoes
- » Hip adjustability
- » Adjustable velcro straps ensure a snug fit on the legs

|                       |                                         |
|-----------------------|-----------------------------------------|
| <b>Waterproofness</b> | Waterproof                              |
| <b>Windproof</b>      | Yes                                     |
| <b>Thermo</b>         | No                                      |
| <b>Sizes</b>          | XS/S, M/L, XL/XXL                       |
| <b>Color name</b>     | Dark Red, Neon Yellow, Black, Dark Blue |



**BASESHIELD | BBW-148 |**

*Lightweight windproof and water-repellent cycling jacket*

- » Full-length 3 mm YKK-zipper
- » Elastic gripper in the hem and sleeve ends
- » Anatomic panel shape for a comfortable fit
- » Reflective artworks for extra visibility

|                       |                                 |
|-----------------------|---------------------------------|
| <b>Composition</b>    | 100% polyamide                  |
| <b>Waterproofness</b> | Water resistant                 |
| <b>Windproof</b>      | Yes                             |
| <b>Thermo</b>         | No                              |
| <b>Sizes</b>          | XXS, XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Neon yellow, Black              |

**COLDGUARD 27 | BBW-457 |**

*Blend of Triox and Trilite performance fabrics for winter*

- » Pre-curved cycling fit for optimal comfort; unisex design
- » Soft, thermo-regulating fabric with moisture-wicking performance
- » Silicone gripper for a secure fit while riding
- » Adjustable at the bottom for wind closure
- » Three rear pockets for easy storage + one secure pocket on the side.

|                   |                        |
|-------------------|------------------------|
| <b>Windproof</b>  | Yes                    |
| <b>Thermo</b>     | Yes                    |
| <b>Sizes</b>      | S, M, L, XL, XXL, XXXL |
| <b>Color name</b> | Black, Dark Red        |

**TRANSITION LS | BBW-501 |**

*Long-sleeve cycling jersey designed for changeable seasons*

- » Pre-curved cycling fit for optimal comfort; unisex design
- » Soft, thermo-regulating fabric with moisture-wicking performance
- » Silicone gripper for a secure fit while riding
- » Three rear pockets for easy storage + one secure pocket on the side.

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| <b>Waterproofness</b> | Not waterproof                                          |
| <b>Windproof</b>      | No                                                      |
| <b>Thermo</b>         | Yes                                                     |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL                              |
| <b>Color name</b>     | Fog Grey, Rose Pink, Sage Green, Red Purple, Steel Blue |





### WINDVEST TRIGUARD | BBW-282 |

*Technical high-end windvest for cold days*

- » Made of Trilite material which is wind-resistant and water-repellent (20.000mm/H2O) and allows sweat to pass right through (20.000g/m2/24H)
- » An allround male fit, close to the body but never restricting and pre-curved in cycling position.
- » The vest has a stormflap on the inside and a zipper garage at the top to prevent irritation at the neck.
- » Full YKK zipper, 3 big back pockets and a power-band at the bottom hem.

|                       |                                   |
|-----------------------|-----------------------------------|
| <b>Composition</b>    | Front 86% polyester, 14% elastane |
| <b>Waterproofness</b> | Water resistant                   |
| <b>Windproof</b>      | Yes                               |
| <b>Thermo</b>         | No                                |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL            |
| <b>Color name</b>     | Black                             |



### WINDBLOCK 2.0 BIB-TIGHTS | BBW-445 |

*Bib-Tights with ultimate features that will block the wind*

- » With strategically placed windblocker panels
- » Combined with Italian fabric offers compression and thermal insulation
- » Premium padding features 3D shaping and highest density (120) with a carbon top layer
- » Laser-cut bib constructed from one-piece fabric with perforations for enhanced breathability
- » Additional durable reflective elements for enhanced visibility

|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>Composition</b>    | 49% Polyamide, 29% Polyester, 22% Elastane |
| <b>Padding type</b>   | Premium padding                            |
| <b>Waterproofness</b> | Water resistant                            |
| <b>Windproof</b>      | Yes                                        |
| <b>Thermo</b>         | Yes                                        |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                     |
| <b>Color name</b>     | Black                                      |



### COLDSHIELD 2.0 BIB-TIGHTS | BBW-444 |

*Winter tights to conquer the cold weather conditions*

- » Made almost entirely out of Carvico Vuelta fabric, which is technical fabric with great thermal insulation
- » The Carvico Vuelta fabric is treated with a fluor free Durable water repellent coating, which makes the rain slide off the tight
- » Premium padding with 3D shape, highest density (120), carbon top layer
- » Lasercut bib out of one piece fabric. With perforation for improved breathability
- » High on details like durable reflective, pre-shaped in cycling position, and bonded at the ankle for and even better fit

|                       |                             |
|-----------------------|-----------------------------|
| <b>Composition</b>    | 81% Polyamide, 19% Elastane |
| <b>Padding type</b>   | Premium padding             |
| <b>Waterproofness</b> | Water repellent             |
| <b>Windproof</b>      | No                          |
| <b>Thermo</b>         | Yes                         |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL      |
| <b>Color name</b>     | Black                       |





### COLDSHIELD TIGHTS | BBW-355R |

*Insulated womens cycling tights for uncompromised warmth and comfort*

- » With women's specific padding, with a density of 90. Made out of one piece foam, for a great fit and freedom of movement
- » With water repellent coating on the outside, to keep you dry
- » The brushed fabric on the inside increases its thermal insulation power.
- » With added reflection for extra visibility, silicone elastic hems at the bottom to keep the tights in place nicely and made with flatlock stitching to prevent irritation.

|                       |                             |
|-----------------------|-----------------------------|
| <b>Composition</b>    | 86% polyamide, 14% elastane |
| <b>Padding type</b>   | Performance padding         |
| <b>Waterproofness</b> | Water repellent             |
| <b>Windproof</b>      | No                          |
| <b>Thermo</b>         | Yes                         |
| <b>Sizes</b>          | S, M, L, XL, XXL            |
| <b>Color name</b>     | Black                       |



### THERMAL ESSENCE BIB-TIGHTS | BBW-441 |

*Modern cycling bib-tights for ultimate comfort*

- » With thermal insulation for warmth and comfort
- » Performance padding tailored to fit the body seamlessly
- » Breathable bibs made of soft, quality mesh combined with high-quality elastic
- » Durable reflective elements for enhanced visibility in low-light conditions
- » Additional silicone gripper on the inside for a secure fit

|                     |                                            |
|---------------------|--------------------------------------------|
| <b>Composition</b>  | 48% Polyamide, 31% Polyester, 21% Elastane |
| <b>Padding type</b> | Performance padding                        |
| <b>Windproof</b>    | No                                         |
| <b>Thermo</b>       | Yes                                        |
| <b>Sizes</b>        | S, M, L, XL, XXL, XXXL                     |
| <b>Color name</b>   | Black                                      |



### THERMAL TIGHTS | BBW-440 |

*A smart thermal tight*

- » Made from thermal fabric, which is brushed on the inside for great thermal insulation
- » Smart-waist design keeps padding in place while cycling
- » Male Originals padding shaved out of one-piece foam to offer protection at the sensitive areas
- » Pre-shaped in cycling position
- » Soft hems at the bottom with subtle silicone print to keep everything in place

|                       |                             |
|-----------------------|-----------------------------|
| <b>Composition</b>    | 73% Polyamide, 27% Elastane |
| <b>Padding type</b>   | Originals padding           |
| <b>Waterproofness</b> | Not waterproof              |
| <b>Windproof</b>      | No                          |
| <b>Thermo</b>         | Yes                         |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL      |
| <b>Color name</b>     | Black                       |





### FIRHAT | BBW-494 |

*Winter underhelmet hat made of Far Infrared which reflects your own heat to keep you warm*

- » Great moisture wicking and fast drying fabric to give you a comfortable feeling
- » Comfortable to wear thanks to the seamless construction
- » Comfortable to wear thanks to the seamless construction

|                    |                                                |
|--------------------|------------------------------------------------|
| <b>Composition</b> | 34% FIR Polyester, 60% Polyester, 6% Elasthane |
| <b>Windproof</b>   | No                                             |
| <b>Thermo</b>      | Yes                                            |
| <b>Sizes</b>       | M, L                                           |
| <b>Color name</b>  | Black                                          |



### UNDERHELMET CAP WINDBREAK | BBW-298 |

*Underhelmet cycling cap with windblock to keep forehead and ears warm*

- » Thermo material on top with extra breathability
- » Longer back end with small insert for ponytail
- » Flat lock stitched seams for extra comfort
- » Fits comfortably under your helmet
- » One size fits all

|                    |                             |
|--------------------|-----------------------------|
| <b>Composition</b> | 94% polyester, 6% elasthane |
| <b>Windproof</b>   | Yes                         |
| <b>Thermo</b>      | Yes                         |
| <b>Sizes</b>       | M, L                        |
| <b>Color name</b>  | Black                       |



### THERMAL CAP | BBW-299 |

*Underhelmet cycling cap made of Thermo fabric*

- » Thermo material on top with extra breathability
- » Flat lock stitched seams for maximum comfort
- » Longer back end with small insert for ponytail
- » Flat lock stitched seams for maximum comfort
- » Fits comfortably under your helmet

|                    |                             |
|--------------------|-----------------------------|
| <b>Composition</b> | 94% polyester, 6% elasthane |
| <b>Windproof</b>   | No                          |
| <b>Thermo</b>      | Yes                         |
| <b>Sizes</b>       | Universal                   |
| <b>Color name</b>  | Black                       |

**FULLHEAD | BBW-100 |**

*Balaclava for cyclists made of Thermo material*

- » Flat lock stitched seams for maximum comfort
- » One size fits all

|                    |                             |
|--------------------|-----------------------------|
| <b>Composition</b> | 94% polyester, 6% elasthane |
| <b>Windproof</b>   | No                          |
| <b>Thermo</b>      | Yes                         |
| <b>Sizes</b>       | Universal                   |
| <b>Color name</b>  | Black                       |

**THERMAL HEADBAND | BBW-300 |**

*Underhelmet headband made of Thermo fabric*

- » Longer back end with small insert for ponytail
- » Flat lock stitched seams for maximum comfort
- » Longer back end with small insert for ponytail
- » One size fits all

|                    |                             |
|--------------------|-----------------------------|
| <b>Composition</b> | 94% polyester, 6% elasthane |
| <b>Windproof</b>   | No                          |
| <b>Thermo</b>      | Yes                         |
| <b>Sizes</b>       | Universal                   |
| <b>Color name</b>  | Black                       |

**MERINO TUBE | BBW-496 |**

*Added coverage to your ride*

- » Can be worn as a neck warmer, headband, face cover, or under-helmet liner depending on conditions
- » Soft merino wool blend offers natural comfort and breathability during rides
- » Blended with synthetic fibers to enhance longevity and maintain shape over time
- » Cyclist-Friendly Design: Slim and lightweight, fits easily under helmets or jackets without bulk

|                    |                                |
|--------------------|--------------------------------|
| <b>Composition</b> | 70% Merino wool, 30% Polyester |
| <b>Windproof</b>   | No                             |
| <b>Thermo</b>      | Yes                            |
| <b>Sizes</b>       | Universal                      |
| <b>Color name</b>  | Black                          |

**FIRNECK | BBW-492 |**

*Sportive scarf with FIR technology to keep your neck warm during your rides*

- » Far Infrared basically reflects your own body heat to keep you warm
- » Great moisture wicking and fast drying fabric to give you a comfortable feeling
- » Comfortable to wear thanks to the seamless construction

|                    |                                                |
|--------------------|------------------------------------------------|
| <b>Composition</b> | 34% FIR polyester, 6% elasthane, 60% polyamide |
| <b>Windproof</b>   | No                                             |
| <b>Thermo</b>      | Yes                                            |
| <b>Sizes</b>       | Universal                                      |
| <b>Color name</b>  | Black / Red                                    |

**COMFORTLEGS | BBW-91 |**

*Comfortable leg warmers to keep you legs nice and warm in uncertain weather conditions*

- » Flat lock stitched seams for maximum comfort
- » Anatomic panel shape for a comfortable fit
- » Silicone anti-slip strip on top.

|                    |                              |
|--------------------|------------------------------|
| <b>Composition</b> | 85% polyamide, 15% elasthane |
| <b>Windproof</b>   | No                           |
| <b>Thermo</b>      | Yes                          |
| <b>Sizes</b>       | S, M, L, XL                  |
| <b>Color name</b>  | Black                        |

**COMFORTARMS | BBW-92 |**

*Comfortable arm warmers to keep your arms nice and warm in uncertain weather conditions*

- » Flat lock stitched seams for maximum comfort
- » Anatomic panel shape for a comfortable fit
- » Silicone anti-slip strip on top.

|                    |                              |
|--------------------|------------------------------|
| <b>Composition</b> | 85% polyamide, 15% elasthane |
| <b>Windproof</b>   | No                           |
| <b>Thermo</b>      | Yes                          |
| <b>Sizes</b>       | S, M, L, XL                  |
| <b>Color name</b>  | Black                        |



**INNERSHORTS PRO | BUW-61 |**

*The performance innershort with added comfort*

- » Made of quick drying Polyester and spandex material
- » With extra comfortable multi stretch padding
- » Perfect for mountain biking

|                   |                            |
|-------------------|----------------------------|
| <b>Sizes</b>      | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b> | Black                      |

**INNERSHORTS | BUW-65 |**

*Versatile cycling innershorts for added comfort*

- » Made of quick drying Polyester and spandex material
- » Elastic, anti-bacterial padding
- » Perfect for commuting or hybrid biking

|                   |                         |
|-------------------|-------------------------|
| <b>Sizes</b>      | XS/S, M/L, XL/XXL, XXXL |
| <b>Color name</b> | Black                   |

**COMFORTSHORT | BUW-67 |**

*Cycling underwear designed to be worn under your everyday attire*

- » The nearly seamless design provides comfort during your ride
- » With its quick-drying, stretchable, and ultra-thin fabric, you'll hardly notice you wear it
- » Enhanced comfort is provided by the male-specific cycling padding

|                     |                     |
|---------------------|---------------------|
| <b>Padding type</b> | Underwear padding   |
| <b>Sizes</b>        | S/M, L/XL, XXL/XXXL |
| <b>Color name</b>   | Black               |



**COMFORTBRIEF | BUW-66 |**

*Cycling underwear designed to be worn under your everyday attire*

- » The nearly seamless design provides comfort during your ride
- » With its quick-drying, stretchable, and ultra-thin fabric, you'll hardly notice you wear it
- » Enhanced comfort is provided by the female-specific cycling padding

|                     |                            |
|---------------------|----------------------------|
| <b>Composition</b>  | 87% Polyamide 13% Elastane |
| <b>Padding type</b> | Underwear padding          |
| <b>Sizes</b>        | XS/S, M/L, XL/XXL          |
| <b>Color name</b>   | Black, Tan                 |

**MERINOLAYER | BUW-21 |**

*Our ultimate merino-blend long sleeve baselayer*

- » Anatomically shaped for the on-bike position to reduce bulk and improve comfort while riding.
- » Advanced merino-blend balances comfort, performance and durability
- » Moisture wicking and quick drying.
- » Unisex fit

|                   |                   |
|-------------------|-------------------|
| <b>Thermo</b>     | Yes               |
| <b>Sizes</b>      | XS/S, M/L, XL/XXL |
| <b>Color name</b> | Grey Blue         |

**FIRLAYER | BUW-20 |**

*Technical long sleeve base layer with FarInfraRed (FIR) technology for cold weather conditions*

- » Far InfraRed technology keeps your body warm and exceptionally comfortable by improving body's metabolism and microcirculation
- » The innovative seamless body construction incorporates rib zones for enhanced body support and increased thermal efficiency
- » 3D mesh zones provides improved perspiration control

|                    |                                           |
|--------------------|-------------------------------------------|
| <b>Composition</b> | 65% polyester, 27% polyamide, 8% elastane |
| <b>Materials</b>   | Far Infrared                              |
| <b>Thermo</b>      | Yes                                       |
| <b>Sizes</b>       | XS/S, M/L, XL/XXL                         |
| <b>Color name</b>  | Black                                     |



**COOLLAYER | BUW-07 |**

*Allround knitted base layer jersey with seamless design*



- » Coolskin is an ultralight and open polypropylene fiber that keeps you cool and dry in warm conditions
- » The open mesh structure promotes airflow between the fabric and the skin
- » The push-pull effect sucks sweat away from your skin and pushes it to the outer layer
- » Flat lock stitched seams for extra comfort

|                    |                                  |
|--------------------|----------------------------------|
| <b>Composition</b> | 63% polypropylene, 37% polyamide |
| <b>Materials</b>   | Coolskin                         |
| <b>Sizes</b>       | XS/S, M/L, XL/XXL                |
| <b>Color name</b>  | Black                            |

**CORELAYER | BUW-25 |**

*Sleeveless, lightweight mesh layer for optimal ventilation*



- » Sleeveless design for maximum freedom of movement and less bulk.
- » 4-way stretch fabric adapts to your body for a comfortable, flexible fit
- » Highly breathable construction helps regulate body temperature
- » Soft, skin-friendly fabric minimizes irritation on long rides
- » Unisex fit suitable for all cyclists

|                   |                   |
|-------------------|-------------------|
| <b>Thermo</b>     | No                |
| <b>Sizes</b>      | XS/S, M/L, XL/XXL |
| <b>Color name</b> | White, Blue       |



**MERINO WINTERFEET | BSO-18 |***The Merino wintersock which last longer*

- » Made with high-quality fibers, both natural and artificial, for enhanced durability
- » Cushioned toes and heels for extra comfort
- » Antibacterial
- » Cuff height of 180 mm

|                         |                                                                       |
|-------------------------|-----------------------------------------------------------------------|
| <b>Composition</b>      | 44% Merinowool, 40% Polyamide, 14% Polyester (graphene), 2% Elasthane |
| <b>Thermo</b>           | Yes                                                                   |
| <b>Sock height (cm)</b> | 18                                                                    |
| <b>Sizes</b>            | 35/38, 39/43, 44/47                                                   |
| <b>Color name</b>       | Black                                                                 |

**ECOFEET 18CM | BSO-21 |***Sustainable summer cycling sock*

- » Made with COOLMAX® EcoMade fibers, from 97% recycled resources
- » Combination of open structure and COOLMAX® EcoMade for enhanced airflow
- » Moisture-wicking technology keeps feet dry and comfortable
- » Smart design keeps the sock in place during activities
- » Cuff height of 18cm

|                         |                                                                 |
|-------------------------|-----------------------------------------------------------------|
| <b>Composition</b>      | 45% Coolmax Ecomade, 28% Polyamide, 20% Polyester, 8% Elasthane |
| <b>Thermo</b>           | No                                                              |
| <b>Sock height (cm)</b> | 18                                                              |
| <b>Sizes</b>            | 35/38, 39/43, 44/47                                             |
| <b>Color name</b>       | White, Black                                                    |

**ECOFEET 3 PACK, 18CM | BSO-22 |***Multipack with three pairs of sustainable summer cycling socks*

- » Made with COOLMAX® EcoMade fibers, from 97% recycled resources
- » Combination of open structure and COOLMAX® EcoMade for enhanced airflow
- » Moisture-wicking technology keeps feet dry and comfortable
- » Smart design keeps the sock in place during activities
- » Cuff height of 18cm

|                         |                                                                 |
|-------------------------|-----------------------------------------------------------------|
| <b>Composition</b>      | 45% Coolmax Ecomade, 28% Polyamide, 20% Polyester, 8% Elasthane |
| <b>Thermo</b>           | No                                                              |
| <b>Sock height (cm)</b> | 18                                                              |
| <b>Sizes</b>            | 35/38, 39/43, 44/47                                             |
| <b>Color name</b>       | White, Black                                                    |



COMBIFEET 3 PACK, 13CM | BSO-20 |

Multipack with three pairs of durable summer cycling socks



- » Made of Coolplus fibers, which offers faster evaporation
- » Elastic middle part for the perfect fit around the foot
- » Keeps your skin dry and cool for longer periods
- » Open structure knitting for breathability
- » Cuff height of 13cm

|                  |                                                                    |
|------------------|--------------------------------------------------------------------|
| Composition      | 49% CoolPlus polyester, 24% polyester, 22% polyamide, 5% elasthane |
| Materials        | Coolplus                                                           |
| Thermo           | No                                                                 |
| Sock height (cm) | 13                                                                 |
| Sizes            | 35/38, 39/43, 44/47                                                |
| Color name       | Black, White                                                       |



FEATURES CLOTHING / SHOE COVERS / GLOVES / SOCKS



Designed for men.



Designed for women.



Unisex design.



3 back pockets.



Water repellent.



Water resistant.



Memory foam inserts.



Gel inserts.



Reflective accents.



Touch screen compatible thumb and index finger.



Reinforced.



Terry towel sweat wipe thumb.



Finger straps provide easier glove removal.



Anti-slip palm.




Highly breathable mesh with quick dry function thanks to reduced contact area.

GLOVES SIZING CHART

Just like a jersey, the size of your glove depends on your physical structure. To assist you finding the right size of gloves we have made a glove sizing chart. To determine your glove size you can measure the length and diameter of your hand as illustrated below and by using the corresponding explanation

- 1) Measure from the tip of your longest finger to the base of your palm at the wrist to determine the length of your hand. This is your hand length measurement
- 2) Wrap the tape measure around your hand at the widest part of the palm and make a fist before taking the measurement.


Use these measurements of your hand to determine your glove size in the gloves sizing chart. Remember the gloves size chart is a reference, based on our average glove. Since we offer a wide range of gloves in different styles and materials, you should always try the gloves at your local BBB Cycling bikeshop. Then we can ensure the best fit and comfort.




| GLOVES SIZE | INCHES      |            | CENTIMETERS |            |
|-------------|-------------|------------|-------------|------------|
|             | (A) WIDTH   | (B) LENGTH | (A) WIDTH   | (B) LENGTH |
| XS          | 7"          | 6.2"       | 17,8        | 15,7       |
| S           | 7.5"        | 6.7"       | 19,1        | 17         |
| M           | 8"          | 7.2"       | 20,3        | 18,3       |
| L           | 8.5" - 9"   | 7.8"       | 21,6 - 22,9 | 19,7       |
| XL          | 9.5" - 10"  | 8.3"       | 24,0 - 25,4 | 21,1       |
| XXL         | 10.5" - 11" | 8.9"       | 26,7 - 27,9 | 22,5       |
| XXXL        | 11.5" - 12" | 9.4"       | 29,2 - 30,5 | 23,9       |

## CLOTHING SIZING CHART

The size of any individual person depends on his or her physical structure. To assist you finding the right size of garment we refer you to the european sizing chart. Our jerseys are designed to fit both competitive use as well as recreational use. Apply measurements A & B for jersey's and jacket's. They correspond to the measurement of your chest circumference. Use measurements C & D for shorts, bib-shorts, tights, bib-tights. They correspond to the measurement of your waist circumference for men and hips circumference for women.



| EU SIZING | S                  | M                | L                  | XL               | XXL              |
|-----------|--------------------|------------------|--------------------|------------------|------------------|
| <b>A</b>  | 64.5"<br>160 – 164 | 66"<br>166 – 170 | 68.5"<br>172 – 176 | 71"<br>178 – 182 | 73"<br>184 – 188 |
| <b>B</b>  | 31.5"<br>80        | 33.5"<br>95      | 35.5"<br>90        | 37.5"<br>95      | 39"<br>99        |
| <b>C</b>  | 30"<br>76          | 32"<br>81        | 34"<br>86          | 36"<br>91,5      | 38"<br>95,5      |
| <b>D</b>  | 28.5"<br>72        | 30"<br>76        | 31.5"<br>80        | 33"<br>84        | 34.5"<br>87,5    |



| EU SIZING | S                | M                  | L                | XL               | XXL                | XXXL             |
|-----------|------------------|--------------------|------------------|------------------|--------------------|------------------|
| <b>A</b>  | 66"<br>166 – 170 | 68.5"<br>172 – 176 | 71"<br>178 – 182 | 73"<br>184 – 188 | 75.5"<br>190 – 194 | 78"<br>196 – 200 |
| <b>B</b>  | 36"<br>91,5      | 38"<br>96,5        | 40"<br>101,5     | 42"<br>107       | 44"<br>112         | 46"<br>117       |
| <b>C</b>  | 29"<br>73,5      | 31.5"<br>80        | 34"<br>86        | 36"<br>91,5      | 37.5"<br>95        | 39"<br>99        |
| <b>D</b>  | 30"<br>76        | 31.5"<br>80        | 33"<br>84        | 34.5"<br>87,5    | 36"<br>91,5        | 37.5"<br>95      |

**COMFORTSUPPORT | BBW-75 |**

NEW

*Designed for everyday comfort.*

- » GripShift-compatible gripper
- » Regular handlebar padding made of 2mm Poron XrD
- » Reduce hand numbness
- » AXX Suede Palm for a soft, durable feel with excellent grip
- » Minimalist construction added comfort.



|                   |                        |
|-------------------|------------------------|
| <b>Padding</b>    | Medium padding         |
| <b>Antislip</b>   | Yes                    |
| <b>Sizes</b>      | S, M, L, XL, XXL, XXXL |
| <b>Color name</b> | Cool Grey, Black       |

**HIGHSUPPORT | BBW-73 |***Cycling gloves designed for cycling adventures with no compromises on comfort*

- » Palm crafted from recycled AXX suede with Memory foam padding for added comfort
- » Limited stitching from palm to side of the gloves
- » Upper made of sustainable, stretchable, breathable Lycra for a second skin fit
- » Soft and small velcro on the inside of the wrist, which gives great freedom of movement
- » Easy to use finger pullers on the inside of the glove



|                       |                                                   |
|-----------------------|---------------------------------------------------|
| <b>Composition</b>    | 55%polyester, 38% polyamide recycled, 7% Elastane |
| <b>Padding</b>        | Full padding                                      |
| <b>Closure system</b> | Velcro                                            |
| <b>Antislip</b>       | Yes                                               |
| <b>Sizes</b>          | S, M, L, XL, XXL                                  |
| <b>Color name</b>     | White, Dark red, Dark blue, Black                 |



**PAVE 2.0 | BBW-74 |***Technical summer cycling glove*

- » Seamless heat-pressed padding for enhanced comfort
- » Padding crafted from natural latex
- » Highly comfortable and breathable upper material
- » Folded Lycra cuff for easy access, preventing irritation at pressure points
- » Easy to use finger pullers on the inside of the glove

|                    |                                                           |
|--------------------|-----------------------------------------------------------|
| <b>Composition</b> | 44% Polyamid, 38% Polyester, 16% Elasthan, 2% Polyurethan |
| <b>Padding</b>     | Medium padding                                            |
| <b>Antislip</b>    | Yes                                                       |
| <b>Sizes</b>       | XS, S, M, L, XL, XXL                                      |
| <b>Color name</b>  | Olive green, Ice blue, Black                              |

**COOLSUPPORT | BBW-72 |***Economical comfortable, breathable cycling glove*

- » Breathable palm with foam padding for extra comfort
- » Stretchable palm and sweat wipe thumb
- » Soft and flexible Velcro closure
- » Easy to use finger pullers

|                       |                                           |
|-----------------------|-------------------------------------------|
| <b>Composition</b>    | 50% Polyester, 43% Polyamide, 7% Elastane |
| <b>Padding</b>        | Medium padding                            |
| <b>Closure system</b> | Velcro                                    |
| <b>Sizes</b>          | S, M, L, XL, XXL                          |
| <b>Color name</b>     | Red, White, Black                         |



**ESPOIRS | BBW-71 |**

*Technical youth glove designed for aspiring cyclists*



- » Features medium gel foam padding for extra comfort
- » Stretchable and breathable palm for enhanced performance
- » Easy access provided by stretchable cuff



|                    |                           |
|--------------------|---------------------------|
| <b>Composition</b> | 93% Polyamide 7% Elastane |
| <b>Padding</b>     | Medium padding            |
| <b>Sizes</b>       | 128, 140, 152, 164        |
| <b>Color name</b>  | White, Black              |

**TERRASHIELD | BBW-76 |**

*Long finger summer glove for extra comfort and protection*

- » Designed for your offroad adventures
- » Innovative palm wrap construction over the brake and shifting fingers
- » AXX Suede palm with premium grip
- » Breathable Italian upper fabric for superior airflow and moisture management
- » stretchable materials for a Flexible, second-skin fit.



|                       |             |
|-----------------------|-------------|
| <b>Padding</b>        | No padding  |
| <b>Closure system</b> | Cuff        |
| <b>Antislip</b>       | Yes         |
| <b>Color name</b>     | Sand, Black |



EXPLORER CONNECTION | BBW-63 |

Technically designed glove with reinforcements for shifters and brakes



- » Soft artificial suede palm with sticky gripper for optimal connection with your handlebar
- » Palm comes all the way to the top at your shifting fingers, to avoid limitation in movement
- » Easy access by the folded cuff, which prevents irritation at pressure points
- » Light weight upper for optimal ventilation

|                |                                           |
|----------------|-------------------------------------------|
| Composition    | 38% Polyamide, 55% Polyester, 7% Elastane |
| Padding        | No padding                                |
| Closure system | Cuff                                      |
| Antislip       | Yes                                       |
| Sizes          | S, M, L, XL, XXL                          |
| Color name     | Black                                     |

**THERMODEX | BWG-47 |**

NEW

*High performance winter cycling glove*

- » Escape® technology membrane delivers exceptional breathability
- » PrimaLoft® insulation for lightweight warmth
- » Excellent thermal regulation to prevent overheating
- » Innovative palm wraps on shift and braking fingers
- » Ergonomically padded palms for comfort and control

|                       |                            |
|-----------------------|----------------------------|
| <b>Waterproofness</b> | Weatherproof               |
| <b>Windproof</b>      | Yes                        |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Black                      |

**STORMDEX | BWG-48 |**

NEW

*High performance glove in cold and wet conditions*

- » Escape® technology membrane delivers exceptional breathability
- » Excellent thermal regulation to prevent overheating
- » Innovative palm wraps on shift and braking fingers
- » Ergonomically padded palms for comfort and control

|                       |                            |
|-----------------------|----------------------------|
| <b>Waterproofness</b> | Water repellent            |
| <b>Windproof</b>      | No                         |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Black                      |



AQUADEX NEOPRENE | BWG-52 |

NEW

*The ultimate 'ready to ride in the rain' glove*

- » For long hours of riding in heavy rain.
- » True cycling-glove fit with high dexterity; flexible neoprene allows natural hand movement
- » 2 mm neoprene: maintains warmth and insulation even when fully saturated.
- » Innovative palm wraps on the shift and braking fingers
- » AXX Suede palm with grip enhancement in wet conditions

|            |                            |
|------------|----------------------------|
| Windproof  | No                         |
| Sizes      | XS, S, M, L, XL, XXL, XXXL |
| Color name | Black                      |



TRANSIT POLARTEC | BWG-51 |

NEW

*Transition into the seasons with this glove*

- » PolarTec Stretch® fabric
- » Durable reflectives
- » Regular handlebar padding made of 2 mm Poron XrD
- » Gripshift grippers
- » Touchscreen ready

|            |                            |
|------------|----------------------------|
| Windproof  | No                         |
| Sizes      | XS, S, M, L, XL, XXL, XXXL |
| Color name | Dark Brown                 |



### PUFFERSHIELD WATERPROOF | BWG-41 |

*Winter glove with waterproof puffer design ideal for cycling in all weather conditions*

- » The long cuffs provide wrist protection against the elements
- » Abundant durable reflective accents enhance visibility for safer rides
- » High-quality recycled Primaloft insulation ensures warmth and sustainability
- » Palm crafted from sturdy recycled microfiber for durability and eco-friendliness
- » Natural latex padding for superior comfort and support during long rides

|                       |                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------|
| <b>Composition</b>    | 73% Polyamide, 14% Polyester 6% Polyurethane, 6% Elastodien, 1% Elastane; Lining: 100% Polyester |
| <b>Materials</b>      | Primaloft                                                                                        |
| <b>Waterproofness</b> | Waterproof                                                                                       |
| <b>Windproof</b>      | Yes                                                                                              |
| <b>Sizes</b>          | S, M, L, XL, XXL, XXXL                                                                           |
| <b>Color name</b>     | Olive green, Black                                                                               |



### COLDSHIELD | BWG-37 |

*Windproof and water-repellent winter glove, with a subtle reflection*

- » Made with Halucin isolation that is specifically used for its great dexterity
- » Strategically placed Poron XRD foam. For shock absorption and maximum support
- » With big and soft velcro to wear this glove over your jacket
- » Reflective elements on the sides of the glove for extra visibility

|                       |                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------|
| <b>Composition</b>    | 32% Polyester, 23% Polyurethane, 18% Polyamide, 17% Polyethylene, 6% Elastodiene, 4% Elasthane |
| <b>Waterproofness</b> | Water repellent                                                                                |
| <b>Windproof</b>      | Yes                                                                                            |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL                                                                     |
| <b>Color name</b>     | Black                                                                                          |



**AIRSHIELD WINDPROOF | BWG-45 |**

*Cycling gloves that protect you against the wind*

- » Windbreaker material on the top of your hand and between fingers
- » Recycled microfiber palm for enhanced grip
- » Silicone gripper on the inside for added control
- » Precurved design for a comfortable fit during cycling
- » Touchscreen-compatible fingers for convenience on the go

|                       |                            |
|-----------------------|----------------------------|
| <b>Composition</b>    | 95% Polyester, 5% Elastane |
| <b>Waterproofness</b> | Not waterproof             |
| <b>Windproof</b>      | Yes                        |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Black                      |

**SUBZEROSHELL | BWG-46 |**

*Stay warm and comfortable with these handlebar mittens, which will withstand the harshest winter weather*

- » Winter pogies for very cold commutes, to use with or without winter gloves
- » Made of wind and waterproof sturdy material to protect against the elements
- » Abundant durable reflective panels enhance visibility for safer rides
- » Installed easily on the handlebars, can also be secured at the barend
- » Suits most handlebar types from MTB's to regular bikes

|                       |              |
|-----------------------|--------------|
| <b>Waterproofness</b> | Weatherproof |
| <b>Windproof</b>      | Yes          |
| <b>Sizes</b>          | Universal    |
| <b>Color name</b>     | Black        |



**SUBZERO 2 X 2 | BWG-50 |**

NEW

*Stylish and cozy sub zero temperature glove*

- » 2 x 2 "lobster" construction for warmer fingers
- » Waterproof membrane inside the glove
- » Primaloft® insulation
- » 2 mm Poron XrD padding against numb feeling hands

|                       |                            |
|-----------------------|----------------------------|
| <b>Materials</b>      | Primaloft, Poron XRD       |
| <b>Waterproofness</b> | Weatherproof               |
| <b>Windproof</b>      | Yes                        |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Olive Green, Warm Grey     |

**SUBZERO FULL FINGERS | BWG-49 |**

NEW

*Most stylish sub zero temperatures glove*

- » Weatherproof glove for the coldest commutes
- » Designed for regular handlebars
- » Waterproof membrane inside the glove
- » Primaloft® insulation
- » 2 mm Poron XrD padding against numb feeling hands

|                       |                            |
|-----------------------|----------------------------|
| <b>Waterproofness</b> | Weatherproof               |
| <b>Windproof</b>      | Yes                        |
| <b>Sizes</b>          | XS, S, M, L, XL, XXL, XXXL |
| <b>Color name</b>     | Warm Grey, Olive Green     |



**NEW!**

**AQUAFLEX | BWS-42**

## **Premium performance shoe cover designed for wet rides**

Adjustable velcro  
strap for a perfect  
over-the- calf fit

Waterproof and  
reflective rear zipper  
for extra visibility and  
protection

High-quality PU fabric  
for reliable waterproof  
protection in wet  
conditions



Closed sole  
construction for  
optimal protection



### RAINSHIELD | BWS-41 |

*Designed to fit over everyday shoes or trainers*

- » Stay protected from wind and water
- » Easy on, easy off with dual velcro at the back and elastic under the sole
- » Reinforced to extend the life cycle of shoe covers
- » Silicone patch on the inside for optimal fit around the shoe

|                       |                |
|-----------------------|----------------|
| <b>Composition</b>    | 100% Polyester |
| <b>Condition</b>      | Wet and wind   |
| <b>Waterproofness</b> | Waterproof     |
| <b>Windproof</b>      | Yes            |
| <b>Sizes</b>          | 37/42, 43/48   |
| <b>Color name</b>     | Black          |



### MULTIFLEX | BWS-27 |

*Shoe cover for rain protection for every shoe*

- » Made of advanced coated material that gives the highest level of water resistance, durability, and flexibility
- » Taped seams make these shoe covers wind- and waterproof
- » Inner made of micro-fleece that gives the highest level of flexibility and comfort
- » Easy access and adjustability because of the double velcro on the back
- » Reinforced nosepiece to protect the shoe cover against possible damage

|                       |                                |
|-----------------------|--------------------------------|
| <b>Composition</b>    | 50% Polyester 50% Polyurethane |
| <b>Materials</b>      | Waterflex                      |
| <b>Condition</b>      | Changeable seasons             |
| <b>Waterproofness</b> | Waterproof                     |
| <b>Sizes</b>          | 39/43, 44/48                   |
| <b>Color name</b>     | Black                          |



### MULTIFLEX HV | BWS-27HV |

*Shoe cover for rain protection for every shoe*

- » Made of advanced coated material that gives the highest level of water resistance, durability, and flexibility
- » Taped seams make these shoe covers wind- and waterproof
- » Inner made of micro-fleece that gives the highest level of flexibility and comfort
- » Easy access and adjustability because of the double velcro on the back
- » Reinforced nosepiece to keep shoe cover in place, and protect against possible damage

|                       |                                |
|-----------------------|--------------------------------|
| <b>Composition</b>    | 50% Polyester 50% Polyurethane |
| <b>Materials</b>      | Waterflex                      |
| <b>Condition</b>      | Changeable seasons             |
| <b>Waterproofness</b> | Waterproof                     |
| <b>Windproof</b>      | Yes                            |
| <b>Sizes</b>          | 39/43, 44/48                   |
| <b>Color name</b>     | Neon yellow                    |





### ARCTICDUTY | BWS-28 |

*Shoe cover that beats the cold*

- » Made of thick neoprene with Neoskin for the best protection against rain and cold
- » The shoe cover has a thermal layer on the inside to keep your feet warm
- » Glued seams make them leakproof
- » Reinforced parts at the nose, heel and sides of the shoe cover
- » Reflective print elements on the shin, nose and back of the shoe cover

|                       |                            |
|-----------------------|----------------------------|
| <b>Condition</b>      | Extreme cold and wet days  |
| <b>Waterproofness</b> | Waterproof                 |
| <b>Windproof</b>      | Yes                        |
| <b>Sizes</b>          | 38/40, 41/43, 44/46, 47/49 |
| <b>Color name</b>     | Black                      |



### ULTRAWEAR ZIPPERLESS EXT | BWS-26 |

*The zipless overshoe for really cold days*

- » Made of thick neoprene with Neoskin for the best protection against rain and cold
- » With glued seams and no zipper, all weak points of these shoe covers are eliminated.
- » Reinforced parts on the heel and the nose of the shoe cover
- » Reflective print elements on the side of the shoe cover
- » Note! Put on these overshoes before putting on your cycling shoes. Like the example in the video.

|                       |                                          |
|-----------------------|------------------------------------------|
| <b>Condition</b>      | Extreme cold and wet days                |
| <b>Waterproofness</b> | Waterproof                               |
| <b>Windproof</b>      | Yes                                      |
| <b>Sizes</b>          | 37/38, 39/40, 41/42, 43/44, 45/46, 47/48 |
| <b>Color name</b>     | Black                                    |



### HARDWEAR | BWS-04 |

*Designed to protect you against cold and wet conditions*

- » Waterproof shoe cover that protects against both cold as rain
- » Made of 3 mm thick Neoprene and Neoskin waterproof top layer
- » Glued seems to make the shoe covers leakproof.
- » Two reinforced parts between sole and zipper as well as on the nose
- » Industrial strength YKK-zipper and Rubber Velcro at the bottom for secure fit.

|                       |                                                        |
|-----------------------|--------------------------------------------------------|
| <b>Composition</b>    | 80% chloroprene rubber, 19% polyamide, 1% polyurethane |
| <b>Materials</b>      | Neoskin                                                |
| <b>Condition</b>      | Changeable seasons                                     |
| <b>Waterproofness</b> | Waterproof                                             |
| <b>Sizes</b>          | 37/38, 39/40, 41/42, 43/44, 45/46, 47/48               |
| <b>Color name</b>     | Black                                                  |





### AQUAFLEX | BWS-42 |

*Premium performance shoe cover designed for wet rides*

- » High quality PU fabric for reliable waterproof protection
- » Inner and outer fully taped fabric
- » Waterproof reflective rear zipper for visibility and protection.
- » Closed sole construction for optimal protection
- » Adjustable velcro strap for a perfect over-the- calf fit

|                       |              |
|-----------------------|--------------|
| <b>Condition</b>      | Wet and wind |
| <b>Waterproofness</b> | Waterproof   |
| <b>Windproof</b>      | Yes          |
| <b>Color name</b>     | White, Black |



### WATERFLEX | BWS-43 |

*Shoecover designed to ride in the rain on a budget*

- » Made of high quality PU fabric for reliable waterproof protection in wet conditions
- » Fully taped to prevent water from running in the seams
- » Waterproof rear zipper for protection.
- » Sturdy elastic at the bottom, make this a hybrid shoecover for your sportive rides.
- » Silicon gripper to prevent water from running in.

|                       |              |
|-----------------------|--------------|
| <b>Condition</b>      | Wet and wind |
| <b>Waterproofness</b> | Waterproof   |
| <b>Windproof</b>      | Yes          |



### WATERFLEX 3.0 | BWS-23 |

*The best choice for mild rainy days*

- » WaterFlex material, outer polyurethane(PU) rubber which is water-resistant, flexible and durable
- » All seams are covered inside with waterproof tape
- » Inner made of micro-fleece that gives the highest level of comfort
- » Reinforced parts on the heel and the nose of the shoe cover
- » Rubber Velcro for a secure fit

|                       |                                          |
|-----------------------|------------------------------------------|
| <b>Composition</b>    | 50% polyester, 50% polyurathene          |
| <b>Materials</b>      | Waterflex                                |
| <b>Condition</b>      | Rainshower on winter days                |
| <b>Waterproofness</b> | Water resistant                          |
| <b>Sizes</b>          | 37/38, 39/40, 41/42, 43/44, 45/46, 47/48 |
| <b>Color name</b>     | Black, Neon yellow                       |



**FREEZE | BWS-21 |**

*Overshoe for cold, blustery winter days*

- » Stretchable soft shell material, with inner membrane which will block the cold wind
- » All seams are covered from the inside with water resistant tape
- » Reflective artwork for extra visibility
- » Soft rubber Velcro strip for a secure fit and to protect the industrial-grade YKK zipper
- » Rubber Velcro for a secure fit

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| <b>Composition</b> | 48% polyester, 27% polyurathene, 20% SBR, 5%elasthane |
| <b>Condition</b>   | Changeable seasons                                    |
| <b>Windproof</b>   | Yes                                                   |
| <b>Sizes</b>       | 37/38, 39/40, 41/42, 43/44, 45/46, 47/48              |
| <b>Color name</b>  | Black                                                 |

**HEAVYDUTY OSS | BWS-02B |**

*Tough shoe cover designed to give the best protection against the cold*

- » 3 mm multi stretch neoprene with nylon reinforcements on both sides
- » Industrial strength YKK zipper
- » Velcro strap allows these shoe covers to be used with (in-line) skates
- » Extra 3M reflective reinforcement between the sole and zipper

|                       |                                             |
|-----------------------|---------------------------------------------|
| <b>Composition</b>    | 70% styrene butadiene rubber, 30% polyamide |
| <b>Condition</b>      | Changeable seasons                          |
| <b>Waterproofness</b> | Water resistant                             |
| <b>Sizes</b>          | 37/38, 39/40, 41/42, 43/44, 45/46, 47/48    |
| <b>Color name</b>     | Black, Neon yellow                          |

**TERRAFLEX | BWS-31 |**

*Off road rain protection*

- » Stay protected from wind and water with double taped seams
- » Zipperless design eliminates weak spots in the shoe cover
- » Several reinforcements on nose, sides and heel and kevlar velcro at the bottom for easier access and protection.
- » Especially designed for small cleats and big rubber lugs
- » GrindGuard underneath the toes for optimal protection

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| <b>Composition</b>    | 31% Polyester, 31% Polyurethane, 15% Kevlar, 15% Pur Adhesive, 8% Elasthane |
| <b>Waterproofness</b> | Waterproof                                                                  |
| <b>Windproof</b>      | Yes                                                                         |
| <b>Sizes</b>          | 39/40, 41/42, 43/44, 45/46, 47/48                                           |
| <b>Color name</b>     | Black                                                                       |





### RACEFLEX ZIPPERLESS | BWS-29 |

*Aerodynamic and lightweight shoe cover that protects against rain*

- » Stay protected from wind and water with double taped seams
- » Zipperless design eliminates weak spots in the shoe cover
- » High-end aerodynamic model, with pre-curved shape for enhanced performance
- » Designed with a velcro at the bottom for easier access
- » Reinforced at the nose and heel for added durability and strength

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| <b>Composition</b>    | 43% Polyester, 40% PU, 7% Elastin, 10% PU Adhesive |
| <b>Waterproofness</b> | Waterproof                                         |
| <b>Windproof</b>      | Yes                                                |
| <b>Sizes</b>          | 39/40, 41/42, 43/44, 45/46, 47/48                  |
| <b>Color name</b>     | White, Black                                       |





# ON BIKE



**BSD SADDLES**  
**BSP SEATPOSTS**  
**BPD PEDALS**  
**BHS STEMS**  
**BHB HANDLEBARS**  
**BHT HANDLEBAR TAPES**  
**BHG GRIPS**  
**BBE BAR ENDS**  
**BKS KICKSTANDS**  
**BQR QUICK RELEASES**

**ECHELON PRO | BSD-172 / BSD-173 |**

*Short high-performance Road/MTB saddle for competitive cycling posture*



- » With its short nose and optimized shape this saddle offers optimal performance and optimal comfort.
- » With the innovative rain plug you can transform your saddle from an open to a closed saddle.
- » Made with a wild blend of high-end sustainable materials: from a biobased nylon shell and recycled cover to a coffee blend EVA foam.
- » Composite carbon fiber shell
- » The large anatomic hole offer pressure relief and long time comfort.

|                                |                         |
|--------------------------------|-------------------------|
| <b>Posture</b>                 | Competitive (30°)       |
| <b>Material rails</b>          | Hollow stainless steel  |
| <b>Material cover</b>          | Synthetic               |
| <b>Material foam</b>           | Lightweight EVA         |
| <b>Material shell</b>          | Carbon reinforced Nylon |
| <b>Pressure relieve system</b> | Anatomic cut out        |
| <b>Density</b>                 | 1/9                     |
| <b>Width (mm)</b>              | 145, 155                |
| <b>Weight (g)</b>              | 204, 216                |
| <b>Color name</b>              | Black                   |

**ECHELON | BSD-141 / BSD-142 / BSD-143 |**

*High performance road/MTB saddle for competitive cycling posture*




- » Pressure relieving cut-out which keeps the blood flow intact and eliminates pressure points under the pubic arch
- » Carbon reinforced shell
- » Superlight EVA foam with hard density for good support on long rides
- » With durable and waterproof synthetic cover
- » Anatomic hole

|                                |                                   |
|--------------------------------|-----------------------------------|
| <b>Posture</b>                 | Competitive (30°), Sportive (45°) |
| <b>Material rails</b>          | Hollow CrMo                       |
| <b>Material cover</b>          | Synthetic                         |
| <b>Material foam</b>           | Lightweight PU                    |
| <b>Material shell</b>          | Carbon reinforced Nylon           |
| <b>Pressure relieve system</b> | Anatomic cut out                  |
| <b>Density</b>                 | 2/9                               |
| <b>Width (mm)</b>              | 145, 155, 165                     |
| <b>Weight (g)</b>              | 278, 283, 288                     |
| <b>Color name</b>              | Black                             |

**ECHELON COMFORT | BSD-156 / BSD-157 / BSD-158 |**

*The most comfortable saddle for every ride in a sportive cycling posture*



- » Ergonomic cut-out for comfortable pressure relief in the pubic arch to keep bloodflow intact
- » Moderate density foam padding for excellent comfort and support on all your rides
- » Durable and lightweight glass fiber shell, providing comfort and optimal quality
- » With durable and waterproof synthetic cover

|                                |                             |
|--------------------------------|-----------------------------|
| <b>Posture</b>                 | Sportive (45°)              |
| <b>Material rails</b>          | CrMo                        |
| <b>Material cover</b>          | Synthetic                   |
| <b>Material foam</b>           | Lightweight PU              |
| <b>Material shell</b>          | Glassfiber reinforced Nylon |
| <b>Pressure relieve system</b> | Anatomic cut out            |
| <b>Density</b>                 | 3/9                         |
| <b>Width (mm)</b>              | 145, 155, 165               |
| <b>Weight (g)</b>              | 289, 303, 311               |
| <b>Color name</b>              | Black                       |

**SPORT COMFORT 2.0 | BSD-135 / BSD-136 / BSD-137 |**

*Sport saddle with anatomic cut-out for riding in casual as well as sportive clothing*

- » Moderate density PU foam for comfort on all rides
- » Durable two-tone synthetic leather cover
- » Lightweight glassfiber reinforced shell for long lasting comfort



|                                |                             |
|--------------------------------|-----------------------------|
| <b>Posture</b>                 | Sportive (45°)              |
| <b>Material rails</b>          | Boron                       |
| <b>Material cover</b>          | Synthetic leather           |
| <b>Material foam</b>           | PU                          |
| <b>Material shell</b>          | Glassfiber reinforced Nylon |
| <b>Pressure relieve system</b> | Anatomic cut out            |
| <b>Density</b>                 | 5/9                         |
| <b>Width (mm)</b>              | 145, 155, 165               |
| <b>Weight (g)</b>              | 295, 303, 311               |
| <b>Color name</b>              | Black                       |

**MULTIDENSITY RELAXED | BSD-12 / BSD-13 |**

*Saddle for active cycling posture*

- » With anatomic cut-out for riding in casual clothing as well as cycling clothing
- » Double density shell and high density foam
- » Luxurious Sutex cover with durable synthetic leather side panels



|                                |                   |
|--------------------------------|-------------------|
| <b>Posture</b>                 | Relaxed (75°)     |
| <b>Material rails</b>          | Boron             |
| <b>Material cover</b>          | Synthetic leather |
| <b>Material foam</b>           | PU                |
| <b>Material shell</b>          | PP                |
| <b>Pressure relieve system</b> | Anatomic cut out  |
| <b>Density</b>                 | 5/9               |
| <b>Width (mm)</b>              | 170               |
| <b>Weight (g)</b>              | 410               |
| <b>Color name</b>              | Black             |

**LADYSPORT | BSD-67 |**

*Road/MTB saddle designed for women with sportive cycling posture*

- » Highly padded saddle with anatomic cut-out for pressure relief in pubic area
- » Polypropylene (PP) shell
- » Light foam with moderate density for optimal comfort



|                                |                                   |
|--------------------------------|-----------------------------------|
| <b>Posture</b>                 | Competitive (30°), Sportive (45°) |
| <b>Material cover</b>          | Synthetic                         |
| <b>Material shell</b>          | Nylon                             |
| <b>Pressure relieve system</b> | Anatomic cut out                  |
| <b>Width (mm)</b>              | 162                               |
| <b>Weight (g)</b>              | 264                               |
| <b>Color name</b>              | Black                             |



### SPORTPLUS ACTIVE LEATHER | BSD-113 / BSD-114 |

*Ergonomic touring saddle for active cycling posture*

- » The distinctive Plus channel combined with anatomic cut-out provides optimal pressure distribution
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Triple Density foam: high density EVA + moderate density PU and soft Memory foam top layer
- » Genuine leather cover with durable synthetic side panels
- » Anatomic hole

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Active (60°)                               |
| <b>Material rails</b>          | CrMo                                       |
| <b>Material cover</b>          | Genuine leather                            |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Material shell</b>          | PP                                         |
| <b>Pressure relieve system</b> | Anatomic cut out                           |
| <b>Density</b>                 | 7/9                                        |
| <b>Width (mm)</b>              | 185                                        |
| <b>Weight (g)</b>              | 490                                        |
| <b>Color name</b>              | Black                                      |



### COMFORTPLUS RELAXED LEATHER | BSD-103 |

*Ergonomic city saddle for relaxed cycling posture*

- » Plus channel and lowered nose for pressure relief under pubic arch and tailbone
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Genuine leather cover with durable synthetic side panels
- » Triple Density foam: high density EVA + moderate density PU and soft Memory foam top layer

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Relaxed (75°)                              |
| <b>Material rails</b>          | CrMo                                       |
| <b>Material cover</b>          | Genuine leather                            |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Material shell</b>          | PP                                         |
| <b>Pressure relieve system</b> | Anatomic channel                           |
| <b>Density</b>                 | 8/9                                        |
| <b>Width (mm)</b>              | 205                                        |
| <b>Weight (g)</b>              | 680                                        |
| <b>Color name</b>              | Black                                      |



### COMFORTPLUS UPRIGHT LEATHER | BSD-107 |

*Ergonomic city saddle for upright cycling posture*

- » Plus channel and lowered nose for pressure relief under pubic arch and tailbone
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Genuine leather cover with durable synthetic side panels
- » Triple Density foam: high density EVA + moderate density PU and soft Memory foam top layer

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Upright (90°)                              |
| <b>Material rails</b>          | CrMo                                       |
| <b>Material cover</b>          | Genuine leather                            |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Material shell</b>          | PP                                         |
| <b>Pressure relieve system</b> | Anatomic channel                           |
| <b>Density</b>                 | 9/9                                        |
| <b>Width (mm)</b>              | 225                                        |
| <b>Weight (g)</b>              | 835                                        |
| <b>Color name</b>              | Black                                      |



**SOFTSHAPE ACTIVE | BSD-121 / BSD-122 |***Touring saddle for active cycling posture*

- » Large anatomic cut-out provides pressure relief in the pubic area
- » Super soft Memory foam for ultimate comfort
- » Polypropylene (PP) shell with integrated bumpers for extra protection
- » Durable two-tone synthetic leather cover



|                                |                               |
|--------------------------------|-------------------------------|
| <b>Posture</b>                 | Active (60°)                  |
| <b>Material rails</b>          | CrMo                          |
| <b>Material cover</b>          | Synthetic leather             |
| <b>Material foam</b>           | Dual density: PU + Memoryfoam |
| <b>Material shell</b>          | PP                            |
| <b>Pressure relieve system</b> | Anatomic cut out              |
| <b>Density</b>                 | 8/9                           |
| <b>Width (mm)</b>              | 170, 185                      |
| <b>Weight (g)</b>              | 530, 585                      |
| <b>Color name</b>              | Black                         |

**SOFTSHAPE RELAXED | BSD-124 |***City saddle for relaxed cycling posture*

- » Super soft Memory foam for ultimate comfort
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Durable two-tone synthetic leather cover



|                                |                               |
|--------------------------------|-------------------------------|
| <b>Posture</b>                 | Relaxed (75°)                 |
| <b>Material rails</b>          | Boron                         |
| <b>Material cover</b>          | Synthetic leather             |
| <b>Material foam</b>           | Dual density: PU + Memoryfoam |
| <b>Material shell</b>          | PP                            |
| <b>Pressure relieve system</b> | Anatomic channel              |
| <b>Density</b>                 | 9/9                           |
| <b>Width (mm)</b>              | 205                           |
| <b>Weight (g)</b>              | 795                           |
| <b>Color name</b>              | Black                         |

**SOFTSHAPE RELAXED ANATOMIC | BSD-125 |***City saddle for relaxed cycling posture*

- » Large anatomic cut-out provides pressure relief in the pubic area
- » Super soft Memory foam for ultimate comfort
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Durable two-tone synthetic leather cover



|                                |                               |
|--------------------------------|-------------------------------|
| <b>Posture</b>                 | Relaxed (75°)                 |
| <b>Material rails</b>          | Boron                         |
| <b>Material cover</b>          | Synthetic leather             |
| <b>Material foam</b>           | Dual density: PU + Memoryfoam |
| <b>Material shell</b>          | PP                            |
| <b>Pressure relieve system</b> | Anatomic cut out              |
| <b>Density</b>                 | 9/9                           |
| <b>Width (mm)</b>              | 205                           |
| <b>Weight (g)</b>              | 709                           |
| <b>Color name</b>              | Black                         |

**SOFTSHAPE UPRIGHT | BSD-127 |**

*City saddle for upright cycling posture*

- » Super soft Memory foam for ultimate comfort
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Durable two-tone synthetic leather cover

|                                |                               |
|--------------------------------|-------------------------------|
| <b>Posture</b>                 | Upright (90°)                 |
| <b>Material rails</b>          | Boron                         |
| <b>Material cover</b>          | Synthetic leather             |
| <b>Material foam</b>           | Dual density: PU + Memoryfoam |
| <b>Material shell</b>          | PP                            |
| <b>Pressure relieve system</b> | Anatomic channel              |
| <b>Density</b>                 | 9/9                           |
| <b>Width (mm)</b>              | 220                           |
| <b>Weight (g)</b>              | 850                           |
| <b>Color name</b>              | Black                         |

**SOFTSHAPE UPRIGHT ANATOMIC | BSD-128 |**

*City saddle for upright cycling posture*

- » Large anatomic cut-out provides pressure relief in the pubic area
- » Super soft Memory foam for ultimate comfort
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Durable two-tone synthetic leather cover

|                                |                               |
|--------------------------------|-------------------------------|
| <b>Posture</b>                 | Upright (90°)                 |
| <b>Material rails</b>          | Boron                         |
| <b>Material cover</b>          | Synthetic leather             |
| <b>Material foam</b>           | Dual density: PU + Memoryfoam |
| <b>Material shell</b>          | PP                            |
| <b>Pressure relieve system</b> | Anatomic cut out              |
| <b>Density</b>                 | 9/9                           |
| <b>Width (mm)</b>              | 220                           |
| <b>Weight (g)</b>              | 861                           |
| <b>Color name</b>              | Black                         |

**SPORTPLUS ACTIVE | BSD-111 / BSD-112 |**

*Ergonomic touring saddle for active cycling posture*

- » The distinctive Plus channel combined with anatomic cut-out provides optimal pressure distribution
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Dual density foam: high density foam with Memory foam top layer
- » With durable and waterproof synthetic cover
- » Anatomic hole

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Active (60°)                               |
| <b>Material rails</b>          | Boron                                      |
| <b>Material cover</b>          | Synthetic                                  |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Pressure relieve system</b> | Anatomic cut out                           |
| <b>Density</b>                 | 6/9                                        |
| <b>Width (mm)</b>              | 170, 185                                   |
| <b>Weight (g)</b>              | 440, 460                                   |
| <b>Color name</b>              | Black                                      |





### COMFORTPLUS RELAXED | BSD-102 |

*Ergonomic city saddle for relaxed cycling posture*

- » Plus channel and lowered nose for pressure relief under pubic arch and tailbone
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Triple Density foam: high density EVA + moderate density PU and soft Memory foam top layer
- » With durable and waterproof synthetic cover
- » Integrated carrying handle

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Upright (90°)                              |
| <b>Material rails</b>          | Boron                                      |
| <b>Material cover</b>          | Synthetic                                  |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Material shell</b>          | PP                                         |
| <b>Pressure relieve system</b> | Anatomic channel                           |
| <b>Density</b>                 | 7/9                                        |
| <b>Width (mm)</b>              | 205                                        |
| <b>Weight (g)</b>              | 642                                        |
| <b>Color name</b>              | Black                                      |



### COMFORTPLUS UPRIGHT | BSD-106 |

*Ergonomic city saddle for upright cycling posture*

- » Plus channel and lowered nose for pressure relief under pubic arch and tailbone
- » Polypropylene (PP) shell with elastomer suspension and integrated bumpers for extra protection
- » Triple Density foam: high density EVA + moderate density PU and soft Memory foam top layer
- » With durable and waterproof synthetic cover
- » Integrated carrying handle

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Posture</b>                 | Upright (90°)                              |
| <b>Material rails</b>          | Boron                                      |
| <b>Material cover</b>          | Synthetic                                  |
| <b>Material foam</b>           | Triple density foam: EVA + PU + Memoryfoam |
| <b>Material shell</b>          | PP                                         |
| <b>Pressure relieve system</b> | Anatomic channel                           |
| <b>Density</b>                 | 8/9                                        |
| <b>Width (mm)</b>              | 220                                        |
| <b>Weight (g)</b>              | 730                                        |
| <b>Color name</b>              | Black                                      |



### DIAMOND | BSD-162 |

*Waterproof saddle for an active cycling posture*

- » Medium soft foam for a comfortable ride
- » The wear resistant side panels protect the saddle and ensure a long lifetime.

|                       |              |
|-----------------------|--------------|
| <b>Posture</b>        | Active (60°) |
| <b>Material rails</b> | Boron        |
| <b>Material cover</b> | Synthetic    |
| <b>Material foam</b>  | PU           |
| <b>Material shell</b> | PP           |
| <b>Width (mm)</b>     | 185          |
| <b>Weight (g)</b>     | 583          |
| <b>Color name</b>     | Black        |





### SOFTCOMFORT ACTIVE GELFOAM | BSD-95 |

*Soft, Waterproof and Comfortable urban saddle series*

- » With GelFoam top layer and Elastomer suspension
- » Optimized for three riding styles: Active, Relaxed, and Comfort
- » With carry handle
- » With side bumper for protection
- » Made with sustainable materials

|                       |              |
|-----------------------|--------------|
| <b>Posture</b>        | Active (60°) |
| <b>Material rails</b> | Boron        |
| <b>Material cover</b> | Synthetic    |
| <b>Material foam</b>  | Gel foam     |
| <b>Material shell</b> | PP           |
| <b>Density</b>        | 8/9          |
| <b>Color name</b>     | Black        |



### MEANDER UPRIGHT | BSD-94 |

*City saddle for upright cycling posture*

- » FLOAT foam, an innovative foam that absorbs shocks and is more comfortable than regular foams
- » Polypropylene (PP) shell with integrated bumpers for extra protection
- » Durable waterproof synthetic cover

|                                |                  |
|--------------------------------|------------------|
| <b>Posture</b>                 | Upright (90°)    |
| <b>Material rails</b>          | Boron            |
| <b>Material cover</b>          | Synthetic        |
| <b>Material foam</b>           | Float foam       |
| <b>Material shell</b>          | PP               |
| <b>Pressure relieve system</b> | Anatomic channel |
| <b>Density</b>                 | 8/9              |
| <b>Width (mm)</b>              | 225              |
| <b>Weight (g)</b>              | 718              |
| <b>Color name</b>              | Black            |



### BASEDENSITY ACTIVE | BSD-86 |

*Saddle for active cycling posture*

- » Durable and waterproof touring saddle
- » Polypropylene (PP) shell with integrated bumpers for extra protection
- » Light foam with moderate density for optimal comfort
- » Durable waterproof synthetic cover

|                       |                   |
|-----------------------|-------------------|
| <b>Posture</b>        | Active (60°)      |
| <b>Material rails</b> | Boron             |
| <b>Material cover</b> | Synthetic leather |
| <b>Material foam</b>  | PU                |
| <b>Material shell</b> | PP                |
| <b>Density</b>        | 4/9               |
| <b>Width (mm)</b>     | 170               |
| <b>Weight (g)</b>     | 415               |
| <b>Color name</b>     | Black             |





### BASESHAPE RELAXED | BSD-56 |

*City saddle for relaxed cycling posture*

- » Durable and waterproof city saddle
- » Polypropylene (PP) shell with integrated bumpers for extra protection
- » Moderate soft PU foam
- » Durable synthetic cover

|                       |                   |
|-----------------------|-------------------|
| <b>Posture</b>        | Relaxed (75°)     |
| <b>Material rails</b> | Boron             |
| <b>Material cover</b> | Synthetic leather |
| <b>Material foam</b>  | PU                |
| <b>Material shell</b> | PP                |
| <b>Density</b>        | 5/9               |
| <b>Width (mm)</b>     | 190               |
| <b>Weight (g)</b>     | 460               |
| <b>Color name</b>     | Black             |



### BASESHAPE UPRIGHT | BSD-26 |

*City saddle for upright cycling posture*

- » Durable and waterproof city saddle
- » Polypropylene (PP) shell with integrated bumpers for extra protection
- » Moderate soft PU foam

|                       |                   |
|-----------------------|-------------------|
| <b>Posture</b>        | Upright (90°)     |
| <b>Material rails</b> | Boron             |
| <b>Material cover</b> | Synthetic leather |
| <b>Material foam</b>  | PU                |
| <b>Material shell</b> | PP                |
| <b>Density</b>        | 6/9               |
| <b>Width (mm)</b>     | 210               |
| <b>Weight (g)</b>     | 550               |
| <b>Color name</b>     | Brown, Black      |



### DRYSEAT | BSD-181 |

*Saddle cover to make your saddle waterproof*

- » With velcro strap to attach the cover on the saddle rails when not in use
- » Available in two sizes: Medium (160-190mm) and Large (190-225mm)

|                   |                                            |
|-------------------|--------------------------------------------|
| <b>Posture</b>    | Active (60°), Relaxed (75°), Upright (90°) |
| <b>Width (mm)</b> | 225, 185                                   |
| <b>Weight (g)</b> | 25, 20                                     |
| <b>Color name</b> | Black                                      |



|                       |              |                              | POSTURE     |             |            | GENDER       |                 | DENSITY |       | SIZE (W X L) |   |   |   |   |   |   |   |          | EXTRA               |                |      |               |                      |            |
|-----------------------|--------------|------------------------------|-------------|-------------|------------|--------------|-----------------|---------|-------|--------------|---|---|---|---|---|---|---|----------|---------------------|----------------|------|---------------|----------------------|------------|
| CODE                  | PRODUCT NAME |                              | 90° UPRIGHT | 75° RELAXED | 60° ACTIVE | 45° SPORTIVE | 30° COMPETITIVE | MEN     | WOMEN | 1- HARD      | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 - SOFT | WIDTH X LENGTH (MM) | SIT BONES (MM) | PLUS | ANATOMIC HOLE | ELASTOMER SUSPENSION | WATERPROOF |
|                       |              |                              |             |             |            |              |                 |         |       |              |   |   |   |   |   |   |   |          |                     |                |      |               |                      |            |
| PLUS LEATHER          | BSD-107      | COMFORTPLUS UPRIGHT LEATHER  | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 225*265             | UNI SIZE       | ⊗    |               | ⊗                    |            |
|                       | BSD-103      | COMFORTPLUS RELAXED LEATHER  |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   | ⊗ |          | 205*265             | UNI SIZE       | ⊗    |               | ⊗                    |            |
|                       | BSD-114      | SPORTPLUS ACTIVE LEATHER 185 |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 185*265             | >135MM         | ⊗    | ⊗             |                      |            |
|                       | BSD-113      | SPORTPLUS ACTIVE LEATHER 170 |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*265             | <135MM         | ⊗    | ⊗             |                      |            |
|                       | BSD-127      | SOFTSHAPE UPRIGHT            | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 225*265             | UNI SIZE       |      |               | ⊗                    |            |
| SOFTSHAPE             | BSD-128      | SOFTSHAPE UPRIGHT ANATOMIC   | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 225*265             | UNI SIZE       |      | ⊗             | ⊗                    |            |
|                       | BSD-124      | SOFTSHAPE RELAXED            |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 205*265             | UNI SIZE       |      |               | ⊗                    |            |
|                       | BSD-125      | SOFTSHAPE RELAXED ANATOMIC   |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 205*265             | UNI SIZE       |      | ⊗             | ⊗                    |            |
|                       | BSD-122      | SOFTSHAPE ACTIVE 185         |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   | ⊗ |          | 185*265             | >135MM         |      |               | ⊗                    |            |
|                       | BSD-121      | SOFTSHAPE ACTIVE 170         |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   | ⊗ |          | 170*265             | <135MM         |      |               | ⊗                    |            |
| PLUS SERIES           | BSD-106      | COMFORTPLUS UPRIGHT          | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 225*265             | UNI SIZE       | ⊗    |               | ⊗                    | ⊗          |
|                       | BSD-102      | COMFORTPLUS RELAXED          |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 205*265             | UNI SIZE       | ⊗    |               | ⊗                    | ⊗          |
|                       | BSD-112      | SPORTPLUS ACTIVE 185         |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 185*265             | >135MM         | ⊗    |               | ⊗                    | ⊗          |
|                       | BSD-116      | TOURINGPLUS ACTIVE 185       |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 185*265             | >135MM         | ⊗    |               | ⊗                    | ⊗          |
|                       | BSD-111      | SPORTPLUS ACTIVE 170         |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*265             | <135MM         | ⊗    |               | ⊗                    | ⊗          |
| SOFTCOMFORT SERIES    | BSD-117      | TOURINGPLUS ACTIVE 170       |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*265             | <135MM         | ⊗    |               | ⊗                    | ⊗          |
|                       | BSD-95       | SOFTCOMFORT GELFOAM ACTIVE   |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 225*265             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-96       | SOFTCOMFORT GELFOAM RELAXED  |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 205*265             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-97       | SOFTCOMFORT GELFOAM UPRIGHT  |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 185*265             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-94       | MEANDER UPRIGHT              | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 225*265             | UNI SIZE       |      |               | ⊗                    | ⊗          |
| MEANDER SERIES        | BSD-93       | MEANDER RELAXED              |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   | ⊗        | 205*265             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-92       | MEANDER ACTIVE 185           |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 185*265             | >135MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-91       | MEANDER ACTIVE 170           |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*265             | <135MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-26       | BASESHAPE UPRIGHT            | ⊗           |             |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 210*240             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-56       | BASESHAPE RELAXED            |             | ⊗           |            |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 190*255             | UNI SIZE       |      |               | ⊗                    | ⊗          |
| BASE SERIES           | BSD-86       | BASEDENSITY ACTIVE           |             |             | ⊗          |              |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 170*270             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-12       | MULTIDENSITY                 |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*270             | UNI SIZE       |      |               | ⊗                    |            |
|                       | BSD-13       | MULTIDENSITY WOMEN           |             |             | ⊗          | ⊗            |                 |         | ⊗     |              |   |   |   |   |   | ⊗ |   |          | 170*250             | UNI SIZE       |      |               | ⊗                    |            |
|                       | BSD-135      | SADDLE SPORT COMFORT 2.0 145 |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 145*265             | <120MM         |      |               | ⊗                    |            |
|                       | BSD-136      | SADDLE SPORT COMFORT 2.0 155 |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 155*265             | 115-135MM      |      |               | ⊗                    |            |
| SPORT COMFORT SADDLES | BSD-137      | SADDLE SPORT COMFORT 2.0 165 |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 165*265             | >130MM         |      |               | ⊗                    |            |
|                       | BSD-67       | LADYSPORT                    |             |             | ⊗          | ⊗            | ⊗               |         | ⊗     |              |   |   |   |   |   |   |   |          | 162*256             | UNI SIZE       |      |               | ⊗                    | ⊗          |
|                       | BSD-156      | ECHOLON COMFORT 145          |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   | ⊗ |   |   |   |   |   |          | 145*265             | <125MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-157      | ECHOLON COMFORT 155          |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   | ⊗ |   |   |   |   |   |          | 155*265             | 120-140MM      |      |               | ⊗                    | ⊗          |
|                       | BSD-158      | ECHOLON COMFORT 165          |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   | ⊗ |   |   |   |   |   |          | 165*265             | >135MM         |      |               | ⊗                    | ⊗          |
| ECHOLON SERIES        | BSD-141      | ECHOLON 145                  |             |             | ⊗          | ⊗            | ⊗               |         | ⊗     |              |   |   |   |   |   |   |   |          | 145*265             | <130MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-142      | ECHOLON 155                  |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 155*265             | 125-145MM      |      |               | ⊗                    | ⊗          |
|                       | BSD-143      | ECHOLON 165                  |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 165*265             | >140MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-172      | ECHOLON PRO 145              |             |             | ⊗          | ⊗            | ⊗               |         | ⊗     |              |   | ⊗ |   |   |   |   |   |          | 145*250             | <130MM         |      |               | ⊗                    | ⊗          |
|                       | BSD-173      | ECHOLON PRO 155              |             |             | ⊗          | ⊗            |                 | ⊗       | ⊗     |              |   |   |   |   |   |   |   |          | 155*250             | >130MM         |      |               | ⊗                    | ⊗          |



### COMFORTPOST | BSP-41 |

*Seatpost with adjustable springs suspension for maximum comfort*

- » This seatpost reduces vibrations and absorbs shocks
- » With protection sleeve
- » Extra long seatpost(400mm)
- » Comes with extra coils to optimize the suspension for the rider's weight
- » Certified to use on all types of bikes including E-bike (EN-15194)

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 400                                                                                                     |
| <b>Offset (mm)</b>             | 20                                                                                                      |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | No                                                                                                      |
| <b>Seatpost suspension</b>     | Yes                                                                                                     |
| <b>Suspension Travel (mm)</b>  | 20                                                                                                      |
| <b>Clamp mechanism</b>         | Single bolt                                                                                             |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 685                                                                                                     |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |



### ACTIONPOST | BSP-42 |

*Suspension seatpost for vibration reduction and shock absorbtion*

- » Extra long seatpost (400mm)
- » Comes with extra elastomers to optimize the suspension for the rider's weight
- » Suited for all types of bikes
- » Certified to use on all types of bikes including E-bike (EN-15194)

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 400                                                                                                     |
| <b>Offset (mm)</b>             | 20                                                                                                      |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | No                                                                                                      |
| <b>Seatpost suspension</b>     | Yes                                                                                                     |
| <b>Suspension Travel (mm)</b>  | 20                                                                                                      |
| <b>Clamp mechanism</b>         | Single bolt                                                                                             |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 495, 489, 500                                                                                           |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |



### CANDLEPOST | BSP-44 |

*Suspension seatpost for personalised comfort and vibration reduction*

- » Reduces vibrations and absorbs shocks
- » Adjustable 40mm spring suspension for personalized comfort
- » The seatpost clamp has 8mm offset on the seatpost center
- » 350mm length suitable for various bike sizes
- » Certified to use on all types of bikes including E-bike (EN-15194)

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 350                                                                                                     |
| <b>Offset (mm)</b>             | 8                                                                                                       |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Seatpost suspension</b>     | Yes                                                                                                     |
| <b>Suspension Travel (mm)</b>  | 40                                                                                                      |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 496, 534, 588                                                                                           |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |



**HANDLEPOST | BSP-52 |**

*Cable-free dropper seatpost with 100mm stepless travel*

- » Easy-to-reach lever on the front under the saddle
- » The seatpost clamp has 15mm offset on the seatpost center
- » Durable air-oil cartridge
- » Easy disassembly for cleaning and cartridge replacement
- » 27.2mm diameter with a length of 390mm (minimum insert 120mm). 30.9mm and 31.6mm diameters have a length of 360mm (minimum insert 70mm)

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 360, 390                                                                                                |
| <b>Offset (mm)</b>             | 15                                                                                                      |
| <b>Seatpost material</b>       | 6061 T6 Aluminium, 7075 T6 Aluminium                                                                    |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 621, 567, 588                                                                                           |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |

**LIFTPOST | BSP-51 |**

*Internal routed dropper seatpost with smooth stepless travel*

- » Easy disassembly for cleaning the seatpost and replacing the durable air-oil cartridge.
- » Complete with remote lever and cable set
- » Smooth stepless travel for adjustable saddle height
- » The seatpost clamp has 0mm offset on the seatpost center
- » Easy disassembly for cleaning and cartridge replacement

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Offset (mm)</b>             | 0                                                                                                       |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 733, 755                                                                                                |
| <b>Sizes</b>                   | 30.9mm x 150T, 31.6mm x 150T, 30.9mm x 125T, 31.6mm x 125T, 30.9mm x 175T, 31.6mm x 175T                |

**DROPCONTROL UNI | BSP-56 |**

*Universal dropper post remote lever for both left and right sides of the handlebar*

- » All-in-one package with cable and housing included
- » Compatible with almost any dropper post on the market
- » Compatible with external and internal cable routing
- » Quick and easy installation
- » Designed for Ø 22.2 handlebars

|                          |                   |
|--------------------------|-------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium |
| <b>Weight (g)</b>        | 29                |



**DROPCONTROL LEFT | BSP-57 |***Dropper post remote lever for the left side of the handlebar***22.2 mm**

- » All-in-one package with cable and housing included
- » Compatible with almost any dropper post on the market
- » Compatible with external and internal cable routing
- » Quick and easy installation
- » Designed for Ø 22.2 handlebars

|                          |                   |
|--------------------------|-------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium |
| <b>Weight (g)</b>        | 34                |

**ELITEPOST Z | BSP-16 |***Lightweight one-piece 3D forged seatpost with zero setback***0 mm**

- » Extra long seatpost (400mm)
- » Made of 2014 T6 aluminum
- » Dual bolt adjustable clamp
- » Certified to use on all types of bikes including MTB and E-bike

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 400                                                                                                     |
| <b>Offset (mm)</b>             | 0                                                                                                       |
| <b>Seatpost material</b>       | 2014 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Seatpost suspension</b>     | No                                                                                                      |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 262, 286, 289                                                                                           |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |

**400 mm****ELITEPOST | BSP-14 |***Lightweight one-piece 3D forged seatpost with 15mm offset***15 mm**

- » 2014 T6 aluminium
- » Matt black with black artwork
- » Dual bolt adjustable clamp
- » Certified to use on all types of bikes including MTB and E-bike

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 350                                                                                                     |
| <b>Offset (mm)</b>             | 15                                                                                                      |
| <b>Seatpost material</b>       | 2014 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Seatpost suspension</b>     | No                                                                                                      |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 250                                                                                                     |
| <b>Sizes</b>                   | 27.2mm, 31.6mm                                                                                          |

**350 mm**

**SKYSCRAPER | BSP-20 |**

*Versatile, low-profile seatpost with zero setback and available in many different diameters*

- » Extra long seatpost (400mm)
- » Cold-forged 6061 T6 aluminium
- » 2-screw Micro-adjust system
- » Certified to use on all types of bikes including MTB and E-bike

|                                |                                                                                                                                                                                                                                                |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 400                                                                                                                                                                                                                                            |
| <b>Offset (mm)</b>             | 0                                                                                                                                                                                                                                              |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                                                                                                                                                              |
| <b>Carbon rails compatible</b> | Yes                                                                                                                                                                                                                                            |
| <b>Seatpost suspension</b>     | No                                                                                                                                                                                                                                             |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                                                                                                                                                                      |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210)                                                                                                                                        |
| <b>Weight (g)</b>              | 295, 250                                                                                                                                                                                                                                       |
| <b>Sizes</b>                   | 25.0mm, 25.4mm, 25.6mm, 25.8mm, 26.0mm, 26.2mm, 26.4mm, 26.6mm, 26.8mm, 27.0mm, 27.2mm, 28.6mm, 28.8mm, 29.0mm, 29.2mm, 29.4mm, 29.6mm, 29.8mm, 30.0mm, 30.2mm, 30.4mm, 30.6mm, 30.8mm, 30.9mm, 31.0mm, 31.2mm, 31.4mm, 31.6mm, 32.0mm, 34.9mm |

**TOPPOST | BSP-15 |**

*Versatile, low-profile seatpost with 15 mm offset*

- » 6061 T6 aluminium
- » Dual bolt adjustable clamp
- » Extra long seatpost(400mm)
- » Certified to use on all types of bikes including E-bike (EN-15194)

|                                |                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Length Seatpost (mm)</b>    | 400                                                                                                     |
| <b>Offset (mm)</b>             | 15                                                                                                      |
| <b>Seatpost material</b>       | 6061 T6 Aluminium                                                                                       |
| <b>Carbon rails compatible</b> | Yes                                                                                                     |
| <b>Seatpost suspension</b>     | No                                                                                                      |
| <b>Clamp mechanism</b>         | Dual bolt                                                                                               |
| <b>Certified for</b>           | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>              | 315                                                                                                     |
| <b>Sizes</b>                   | 27.2mm, 30.9mm, 31.6mm                                                                                  |

**CARRIERCLAMP | BSP-99 |**

*Screw-on seatpost clamp with luggage carrier mounts.*

- » Mounting points for M5 threaded bolts for attaching a carrier
- » For both round aluminum and carbon seatposts
- » Made of 6061 T6 aluminium

|                                |                        |
|--------------------------------|------------------------|
| <b>Seatpost material</b>       | 6061 T6 Aluminium      |
| <b>Carbon rails compatible</b> | Yes                    |
| <b>Clamp mechanism</b>         | Single bolt            |
| <b>Weight (g)</b>              | 35, 36, 38             |
| <b>Sizes</b>                   | 28.6mm, 31.8mm, 34.9mm |



### COLLARCLAMP | BSP-88 |

*Screw-on seatpost clamp with rubber cover to prevent water and dust entering the seat tube*

- » Versatile clamp for carbon and aluminum seatposts
- » Made from durable 6061 T6 aluminum
- » Rubber cover keeps water and dust out of the seat tube
- » Available in sizes 31.8 (27.2) and 34.9 (30.9, 31.6)

|                          |                   |
|--------------------------|-------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium |
| <b>Clamp mechanism</b>   | Single bolt       |
| <b>Weight (g)</b>        | 25, 27            |
| <b>Sizes</b>             | 31.8mm, 34.9mm    |



### LIGHTSTRANGLER | BSP-85 |

*Lightweight and easy to use seatpost clamp*

- » Screw-on seatpost clamp
- » For carbon and aluminium seatposts
- » The double cylinder mechanism distributes the clamp force evenly

|                          |                                |
|--------------------------|--------------------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium              |
| <b>Clamp mechanism</b>   | Single bolt                    |
| <b>Weight (g)</b>        | 17                             |
| <b>Sizes</b>             | 28.6mm, 31.8mm, 34.9mm, 35.8mm |



### THESTRANGLER | BSP-80 |

*Screw-on seatpost clamp*

- » For aluminium seatposts
- » 6061 T6 aluminium

|                          |                        |
|--------------------------|------------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium      |
| <b>Clamp mechanism</b>   | Single bolt            |
| <b>Weight (g)</b>        | 20                     |
| <b>Sizes</b>             | 28.6mm, 31.8mm, 34.9mm |

**POSTFIX | BSP-97 |**

*Aluminium collar that clamps your seatpost*

- » Will be installed on top of the frame seat post clamp
- » Prevents the seat post from slipping
- » For carbon and aluminium seatposts

|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 5              |
| <b>Sizes</b>      | 27.2mm, 31.6mm |

**LIGHTLEVER | BSP-86 |**

*Lightweight clamp with CNC machined quick release lever*

- » Equally divides the clamping forces
- » For carbon and aluminium seatposts

|                          |                        |
|--------------------------|------------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium      |
| <b>Clamp mechanism</b>   | Single bolt            |
| <b>Weight (g)</b>        | 31                     |
| <b>Sizes</b>             | 28.6mm, 31.8mm, 34.9mm |

**SMOOTHLEVER | BSP-87 |**

*Quick release seatpost clamp*

- » Special smooth design to avoid any leg interaction
- » For aluminium seatposts

|                          |                        |
|--------------------------|------------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium      |
| <b>Clamp mechanism</b>   | Single bolt            |
| <b>Weight (g)</b>        | 42                     |
| <b>Sizes</b>             | 28.6mm, 31.8mm, 34.9mm |

**SHIFTFIX | BSP-90 |**

*Aluminium front derailleur clamp*

» For frame tube diameters: 31,8 and 34,9 mm

|                          |                   |
|--------------------------|-------------------|
| <b>Seatpost material</b> | 6061 T6 Aluminium |
| <b>Clamp mechanism</b>   | Single bolt       |
| <b>Weight (g)</b>        | 25                |
| <b>Sizes</b>             | 34.9mm, 31.8mm    |

**FRAMEFIX | BSP-94 |**

*Aluminium race number clamp for mounting on the brake axle*

» Perfect solution to eliminate cable ties on frame  
 » Butterfly nut for fast and easy installation

|                        |             |
|------------------------|-------------|
| <b>Clamp mechanism</b> | Single bolt |
| <b>Weight (g)</b>      | 11          |

**NUMBERFIX | BSP-95 |**

*Aluminium race number clamp for mounting on the seatpost*

» Perfect solution to eliminate cable ties on frame  
 » Self tapping bolts for fast and easy installation  
 » Rubber O-rings securely fit around the seatpost  
 » Rubber protection inside for extra grip and to prevent seatpost damage

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 11 |
|-------------------|----|

### AEROFIX | BSP-96 |

*Aluminium race number clamp for mounting on the seatpost*



- » Special design for aero shaped seatposts
- » Perfect solution to eliminate cable ties on frame
- » Self tapping bolts for fast and easy installation
- » Rubber O-rings securely fit around the seatpost
- » Rubber protection inside for extra grip and to prevent seatpost damage

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 11 |
|-------------------|----|

| MODEL                                          | CODE   | MATERIAL | DROPPER TRAVEL (MM) | SUSPENSION TRAVEL (MM) | OFFSET (MM) | LENGTH (MM) | WEIGHT (GRAM)    | DIAMETER (MM) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------------------------------------|--------|----------|---------------------|------------------------|-------------|-------------|------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 6061 T6 ALUMINUM    2014 T6 ALUMINUM    CARBON |        |          |                     |                        |             |             |                  | 25.0          | 25.4 | 25.6 | 25.8 | 26.0 | 26.2 | 26.4 | 26.6 | 26.8 | 27.0 | 27.2 | 27.4 | 27.6 | 27.8 | 28.0 | 28.2 | 28.4 | 28.6 | 28.8 | 29.0 | 29.2 | 29.4 | 29.6 | 29.8 | 30.0 | 30.2 | 30.4 | 30.6 | 30.8 | 30.9 | 31.0 | 31.2 | 31.4 | 31.6 | 32.0 | 34.9 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ELITEPOST                                      | BSP-14 | ⊗        |                     |                        | 15          | 350         | 250<br>(27.2 MM) |               |      |      |      |      |      |      |      |      |      | ⊗    |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |



OFFSET

The seatpost setback or offset is the distance between the centerline of the seatpost and the centerline of the saddle rail clamp, where the saddle is clamped to the seatpost. A number of seatposts have a 'zero offset' in other words, the saddle rail clamp is exactly in line with the seatpost. In the case of a 15mm offset, the center of the saddle rail clamp is 15 mm behind the center of the seatpost.



LENGTH

The length of the seat post is measured from in between the saddle rails until the lower end of the seat post. The lengths vary between 340 - 400 mm to ensure a good riding position on the bike.

DIAMETER

The diameter is the outer diameter of the seatpost.

FEATURES SEATPOSTS

6061 T6 ALUMINUM

6061 T6 aluminum is a commonly used material and very strong. Due to the special hardening process, the material is suitable for every type of bicycle.

2014 T6 ALUMINUM

2014 T6 aluminum is a lightweight and also very strong aluminum that is often used in the aviation industry.

CARBON

Carbon is known as a lightweight and excellent material for absorbing vibrations from the road surface, which increases the level of comfort. In addition, carbon is produced in a mold so that there are no welding lines. This increases the strength of the material and provides a reliable and lightweight seatpost.

SUSPENSION

Suspension seatposts are specially designed to provide maximum comfort during the ride. The suspension mechanism absorbs vibrations and shocks.

OFFSET

The seatpost setback or offset is the distance between the centerline of the seatpost and the centerline of the saddle rail clamp, where the saddle is clamped to the seatpost. A number of seatposts have a 'zero offset' in other words, the saddle rail clamp is exactly in line with the seatpost. In the case of a 15mm offset, the center of the saddle rail clamp is 15 mm behind the center of the seatpost.

LENGTH

The length of the seat post is measured from in between the saddle rails until the lower end of the seat post. The lengths vary between 340 - 400 mm to ensure a good riding position on the bike.

DIAMETER

The diameter is the outer diameter of the seatpost.

**NEW!**

**DECODER SMALL | BPD-39**

## **Smaller size composite platform pedal with friendly pins**

Durable and  
lightweight platform  
pedal for smaller feet

High quality recycled  
Nylon composite  
construction



Slightly concave profile for  
a natural and secure fit

**ENIGMA | BPD-38 |**

*Lightweight aluminum platform MTB pedal with sealed bearings*

- » Large concave platform 95\*100mm(L\*W)
- » Tapered pins for maximum grip
- » Only 399 grams/pair
- » Sealed cartridge + DU bearing
- » Durable anodized aluminium body



|                            |                                    |
|----------------------------|------------------------------------|
| <b>Pedal type</b>          | Flat                               |
| <b>Shaft material</b>      | CrMo                               |
| <b>Material pedal body</b> | Aluminium                          |
| <b>Bearing type</b>        | Cartridge ball bearing, DU bearing |
| <b>Weight (g)</b>          | 399                                |
| <b>Color name</b>          | Black, Red anodised, Silver        |

**DECODER | BPD-37 |**

*Composite platform MTB pedal with sealed bearings*

- » Durable, lightweight and large platform pedal
- » Made with high quality recycled Nylon composite
- » Slightly concave profile for a natural and secure fit
- » 11 adjustable and replaceable M3 pins on each side
- » Servicable bearings. Bearing replacement kit is available.



|                            |                                         |
|----------------------------|-----------------------------------------|
| <b>Pedal type</b>          | Flat                                    |
| <b>Shaft material</b>      | CrMo                                    |
| <b>Material pedal body</b> | PA+GF                                   |
| <b>Bearing type</b>        | Cartridge ball bearing, Bushing bearing |
| <b>Weight (g)</b>          | 397                                     |
| <b>Color name</b>          | Black, Silver                           |

**DECODER SMALL | BPD-39 |**

*Smaller size composite platform pedal with friendly pins. Suited for MTB and Gravel usage.*

- » Durable and lightweight platform pedal for smaller feet
- » High quality recycled Nylon composite construction
- » Slightly concave profile for a natural and secure fit
- » 6 friendly and replaceable M3 pins on each side



|                            |                                         |
|----------------------------|-----------------------------------------|
| <b>Pedal type</b>          | Flat                                    |
| <b>Shaft material</b>      | CrMo                                    |
| <b>Material pedal body</b> | PA+GF                                   |
| <b>Bearing type</b>        | Bushing bearing, Cartridge ball bearing |
| <b>Weight (g)</b>          | 327                                     |
| <b>Color name</b>          | Black, Silver                           |



NEW

**COOLRIDE | BPD-36 |**

*Aluminum MTB platform pedal with sealed bearings*

- » One-piece aluminium body
- » CrMo Axle
- » Double sealed bearings
- » Big platform pedals provides firm grip and control

|                            |                         |
|----------------------------|-------------------------|
| <b>Pedal type</b>          | Flat                    |
| <b>Shaft material</b>      | CrMo                    |
| <b>Material pedal body</b> | Aluminium               |
| <b>Bearing type</b>        | Cartridge ball bearing  |
| <b>Mounting system</b>     | Allen key 8mm           |
| <b>Weight (g)</b>          | 441                     |
| <b>Color name</b>          | Black, Red, Neon yellow |

**MOUNTAINHIGH | BPD-32 |**

*Heavy duty aluminum platform MTB pedal with DU bearings*

- » Heavy-duty construction withstands the rough demands of freeriding
- » Durable aluminium body with CrMo spindle
- » Replaceable / removable grip pins

|                            |             |
|----------------------------|-------------|
| <b>Pedal type</b>          | Flat        |
| <b>Shaft material</b>      | Boron steel |
| <b>Material pedal body</b> | Aluminium   |
| <b>Bearing type</b>        | DU bearing  |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Weight (g)</b>          | 592         |
| <b>Color name</b>          | Black       |

**TRAILRIDE | BPD-35 |**

*Nylon platform pedal with DU bearings*

- » One piece composite body with anti-slip pin design
- » Maintenance free sealed DU bushed bearings and CNC machined CrMo axle
- » Dual built-in reflectors for extra visibility

|                        |             |
|------------------------|-------------|
| <b>Pedal type</b>      | Flat        |
| <b>Mounting system</b> | 15mm wrench |
| <b>Weight (g)</b>      | 335         |
| <b>Color name</b>      | Black       |

**TRAILMOUNT | BPD-71 |***SPD compatible MTB pedal with aluminium cage*

- » The cage provides extra support and protection
- » Open design for easy mud release
- » Adjustable tension
- » Sealed cartridge needle bearing on crank side, cartridge ball bearing on the outside
- » SPD compatible BBB Click & Go cleats included

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| <b>Pedal type</b>          | Clipless                                         |
| <b>Shaft material</b>      | CrMo                                             |
| <b>Material pedal body</b> | Aluminium                                        |
| <b>Bearing type</b>        | Cartridge ball bearing, Cartridge needle bearing |
| <b>Clipless system</b>     | SPD                                              |
| <b>Including cleats</b>    | Yes                                              |
| <b>Mounting system</b>     | Allen key 6mm                                    |
| <b>Weight (g)</b>          | 360                                              |
| <b>Color name</b>          | Black                                            |

**FORCEMOUNT | BPD-14 |***SPD compatible MTB pedal*

- » Adjustable tension
- » Open design for easy mud release
- » CNC machined CrMo axle
- » Sealed plain bearing on crank side, cartridge bearing on the outside
- » SPD compatible BBB Click & Go cleats included

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| <b>Pedal type</b>          | Clipless                                         |
| <b>Shaft material</b>      | CrMo                                             |
| <b>Material pedal body</b> | Aluminium                                        |
| <b>Bearing type</b>        | Cartridge ball bearing, Cartridge needle bearing |
| <b>Clipless system</b>     | SPD                                              |
| <b>Including cleats</b>    | Yes                                              |
| <b>Mounting system</b>     | Allen key 6mm                                    |
| <b>Weight (g)</b>          | 294                                              |
| <b>Color name</b>          | Black                                            |

**TOUCHMOUNT | BPD-74 |***SPD compatible MTB pedal*

- » Adjustable tension
- » Strong aluminium body
- » Durable ball bearings
- » Cleats included

|                            |                            |
|----------------------------|----------------------------|
| <b>Pedal type</b>          | Clipless                   |
| <b>Shaft material</b>      | CrMo                       |
| <b>Material pedal body</b> | Aluminium                  |
| <b>Bearing type</b>        | Loose ball                 |
| <b>Clipless system</b>     | SPD                        |
| <b>Including cleats</b>    | Yes                        |
| <b>Mounting system</b>     | 15mm wrench, Allen key 8mm |
| <b>Weight (g)</b>          | 407                        |
| <b>Color name</b>          | Black                      |



### DUALCHOICE TRAIL | BPD-62 |

*Pedal with two functions. One side is SPD compatible and one side is platform for flat soled shoes*

- » Platform side with pins for extra grip
- » Durable matt black aluminium body with CrMo spindle
- » Maintenance-free sealed bearings
- » Adjustable tension
- » SPD compatible BBB Click & Go cleats included

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| <b>Pedal type</b>          | One Side Clipless                                |
| <b>Shaft material</b>      | CrMo                                             |
| <b>Material pedal body</b> | Aluminium                                        |
| <b>Bearing type</b>        | Cartridge ball bearing, Cartridge needle bearing |
| <b>Clipless system</b>     | SPD                                              |
| <b>Including cleats</b>    | Yes                                              |
| <b>Mounting system</b>     | Allen key 6mm                                    |
| <b>Weight (g)</b>          | 412                                              |
| <b>Color name</b>          | Black                                            |



### DUALCHOICE | BPD-61 |

*Pedal with two functions. One side SPD compatible click mechanism, other side equipped with anti-slip aluminium cage for street shoes.*

- » Durable aluminium body with CrMo spindle
- » Maintenance-free sealed bearings
- » Adjustable tension
- » Inc. SPD compatible BBB Click&Go cleats

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| <b>Pedal type</b>          | One Side Clipless                                |
| <b>Shaft material</b>      | CrMo                                             |
| <b>Material pedal body</b> | Aluminium                                        |
| <b>Bearing type</b>        | Cartridge ball bearing, Cartridge needle bearing |
| <b>Clipless system</b>     | SPD                                              |
| <b>Including cleats</b>    | Yes                                              |
| <b>Mounting system</b>     | 15mm wrench, Allen key 6mm                       |
| <b>Weight (g)</b>          | 435                                              |
| <b>Color name</b>          | Black                                            |



### DUALCHOICE CLASSIC 2.0 | BPD-23B |

*Pedal with two functions: one side is SPD compatible and the other side is for normal shoes*

- » Fast clip-in / clip-out mechanism with adjustable tension
- » Maintenance-free sealed industrial bearings
- » High-strength CrMo spindle
- » SPD cleats included for under your shoes
- » Dual reflectors provide extra visibility

|                            |                            |
|----------------------------|----------------------------|
| <b>Pedal type</b>          | One Side Clipless          |
| <b>Shaft material</b>      | CrMo                       |
| <b>Material pedal body</b> | Aluminium                  |
| <b>Bearing type</b>        | Cartridge ball bearing     |
| <b>Clipless system</b>     | SPD                        |
| <b>Including cleats</b>    | Yes                        |
| <b>Mounting system</b>     | 15mm wrench, Allen key 6mm |
| <b>Weight (g)</b>          | 379                        |
| <b>Color name</b>          | Black                      |



**CLICK & GO | BPD-01 |***Replacement SPD cleats*

- » Compatible with all SPD shoes and pedals
- » Tough and light CrMo for long-lasting durability
- » Hardened steel bolts included
- » Float: 4°

|                        |        |
|------------------------|--------|
| <b>Clipless system</b> | SPD    |
| <b>Float (degrees)</b> | 4°     |
| <b>Weight (g)</b>      | 53     |
| <b>Color name</b>      | Silver |

**REBEL | BPD-51 |***Composite road pedal with Look Keo system*

- » Fiber reinforced body
- » Stainless steel wide contact area
- » Double sealed bearings
- » Cartridge bearing and DU bearing
- » 7° floating cleats (BPD-04A) included

|                            |                        |
|----------------------------|------------------------|
| <b>Pedal type</b>          | Clipless               |
| <b>Shaft material</b>      | CrMo                   |
| <b>Material pedal body</b> | PA+GF                  |
| <b>Bearing type</b>        | Cartridge ball bearing |
| <b>Clipless system</b>     | Look Keo               |
| <b>Including cleats</b>    | Yes                    |
| <b>Weight (g)</b>          | 255                    |
| <b>Color name</b>          | Black                  |

**ROADCLIP | BPD-02A |***Replacement cleats for Look Delta systems*

- » Compatible with Look DELTA-pedals and BBB BPD-05 RoadDynamic
- » Float: 9°

|                        |            |
|------------------------|------------|
| <b>Clipless system</b> | Look Delta |
| <b>Float (degrees)</b> | 9°         |
| <b>Weight (g)</b>      | 92         |
| <b>Color name</b>      | Red        |

**ROADCLIP | BPD-02F |***Replacement cleats for Look Delta systems*

- » Compatible with Look DELTA-pedals and BBB BPD-05 RoadDynamic
- » Fixed cleats, 0° float

|                        |            |
|------------------------|------------|
| <b>Clipless system</b> | Look Delta |
| <b>Float (degrees)</b> | 0°         |
| <b>Weight (g)</b>      | 92         |
| <b>Color name</b>      | Black      |

**MULTICLIP | BPD-04A |***Replacement cleats for Look Keo systems*

- » Compatible with Look KEO pedal systems
- » Float: 7°
- » Rubber anti-slip surface

|                        |          |
|------------------------|----------|
| <b>Clipless system</b> | Look Keo |
| <b>Float (degrees)</b> | 7°       |
| <b>Weight (g)</b>      | 49       |
| <b>Color name</b>      | Red      |

**MULTICLIP | BPD-04F |***Replacement cleats for Look Keo systems*

- » Compatible with Look KEO pedal systems (BPD-51)
- » Fixed cleats, 0° float
- » Rubber anti-slip surface

|                        |          |
|------------------------|----------|
| <b>Clipless system</b> | Look Keo |
| <b>Float (degrees)</b> | 0°       |
| <b>Weight (g)</b>      | 49       |
| <b>Color name</b>      | Black    |

**POWERCLIP | BPD-06A |***SPD SL Compatible cleats*

- » 6 degrees float
- » With rubber anti-slip surface

|                        |        |
|------------------------|--------|
| <b>Clipless system</b> | SPD-SL |
| <b>Float (degrees)</b> | 6°     |
| <b>Weight (g)</b>      | 62     |
| <b>Color name</b>      | Red    |

**POWERCLIP | BPD-06F |***SPD SL compatible cleats*

- » 0 degree float
- » With rubber anti-slip surface

|                        |        |
|------------------------|--------|
| <b>Clipless system</b> | SPD-SL |
| <b>Float (degrees)</b> | 0°     |
| <b>Weight (g)</b>      | 62     |
| <b>Color name</b>      | Black  |

**ERGOBASE | BPD-47 |***Ergonomic pedal with Nylon body for E-bikes and Cargo bikes*

- » The large platform provides optimal comfort
- » Superior grip in any weather with molded pins and anti-slip surface
- » Enhance visibility with dual reflectors for added safety.
- » This pedal is EN15194 and Zedler Advanced XXL certified

|                            |            |
|----------------------------|------------|
| <b>Pedal type</b>          | Flat       |
| <b>Material pedal body</b> | PA         |
| <b>Bearing type</b>        | DU bearing |
| <b>Color name</b>          | Black      |

**ERGORIDE | BPD-46 |***Sporty pedal for great grip*

- » Durable and lightweight one-piece body
- » Rubber anti-slip surface
- » Dual reflectors provide extra visibility
- » Suited for used on E-bikes (EN15194)
- » Boron Axle

|                            |             |
|----------------------------|-------------|
| <b>Pedal type</b>          | Flat        |
| <b>Shaft material</b>      | Boron steel |
| <b>Material pedal body</b> | Aluminium   |
| <b>Bearing type</b>        | DU bearing  |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Weight (g)</b>          | 484         |
| <b>Color name</b>          | Black       |

**ERGOBASE HP | BPD-49 |***Ergonomic pedal with aluminium body for E-bikes and Cargo bikes*

- » The large platform provides optimal comfort
- » Superior grip in any weather with molded pins and anti-slip surface
- » Enhance visibility with dual reflectors for added safety.
- » This pedal is EN15194 and Zeddler Advanced XXL certified

|                            |                        |
|----------------------------|------------------------|
| <b>Shaft material</b>      | CrMo                   |
| <b>Material pedal body</b> | Aluminium              |
| <b>Bearing type</b>        | Cartridge ball bearing |
| <b>Color name</b>          | Black                  |

**EASYBASE 2.0 | BPD-48 |***The most versatile pedal*

- » Durable and lightweight one-piece body
- » Large anti-slip surface with special sand paper-like surface
- » Comfortable with sandals and heels.
- » Dual built-in reflectors for extra visibility.
- » Maintenance free DU bearings.

|                            |             |
|----------------------------|-------------|
| <b>Pedal type</b>          | Flat        |
| <b>Shaft material</b>      | Boron steel |
| <b>Material pedal body</b> | PA          |
| <b>Bearing type</b>        | DU bearing  |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Weight (g)</b>          | 315         |
| <b>Color name</b>          | Black       |



### COMFORTLIGHT | BPD-43 |

*Comfortable pedal with a lot of grip*

- » Aluminium body with a durable and lightweight cage
- » Rubber anti-slip surface
- » CrMo Axle
- » Cartridge bearing and DU bearing
- » Dual reflectors provide extra visibility

|                            |             |
|----------------------------|-------------|
| <b>Pedal type</b>          | Flat        |
| <b>Shaft material</b>      | CrMo        |
| <b>Material pedal body</b> | Aluminium   |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Weight (g)</b>          | 260         |
| <b>Color name</b>          | Black       |



### STEADYREST 2.0 | BPD-45B |

*SteadyRest 2.0 is back in town*

- » Alloy body with plastic cage
- » With Kraton anti slip surface
- » CrMo axle with Ball bearings
- » With reflectors
- » Made with recycled materials
- » Also available in OEM workshop box (25 pairs)

|                            |             |
|----------------------------|-------------|
| <b>Shaft material</b>      | CrMo        |
| <b>Material pedal body</b> | Aluminium   |
| <b>Bearing type</b>        | Loose ball  |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Color name</b>          | Black       |



### STEADYRIDER | BPD-44 |

*Ride your bike steady and secure*

- » Durable and lightweight one-piece body
- » Rubber anti-slip surface
- » Boron Axle
- » Dual reflectors provide extra visibility
- » Also available in OEM workshop box (25 pairs)

|                            |             |
|----------------------------|-------------|
| <b>Pedal type</b>          | Flat        |
| <b>Shaft material</b>      | Boron steel |
| <b>Material pedal body</b> | PA          |
| <b>Bearing type</b>        | Loose ball  |
| <b>Mounting system</b>     | 15mm wrench |
| <b>Weight (g)</b>          | 328         |
| <b>Color name</b>          | Black       |



### CLASSICRIDE 2.0 | BPD-17B |

*Maintenance-free sealed industrial bearings*

- » High-strength CrMo spindle
- » Serrated top pattern and bottom to anchor shoes in all weather conditions
- » Dual reflectors provide extra visibility
- » Compatible with NoseTight and Bike & Tight

|                            |                            |
|----------------------------|----------------------------|
| <b>Pedal type</b>          | Flat                       |
| <b>Shaft material</b>      | CrMo                       |
| <b>Material pedal body</b> | Aluminium                  |
| <b>Bearing type</b>        | Cartridge ball bearing     |
| <b>Mounting system</b>     | 15mm wrench, Allen key 6mm |
| <b>Weight (g)</b>          | 287                        |
| <b>Color name</b>          | Black                      |



### MOUNT & GO 2.0 | BPD-15B |

*Lightweight pedal with plastic body and metal cage*

- » High-strength CrMo spindle
- » Serrated top and bottom pattern to anchor shoes in all weather conditions
- » Dual reflectors provide extra visibility
- » Compatible with NoseTight and Bike & Tight

|                            |                            |
|----------------------------|----------------------------|
| <b>Pedal type</b>          | Flat                       |
| <b>Shaft material</b>      | CrMo                       |
| <b>Material pedal body</b> | PA                         |
| <b>Bearing type</b>        | DU bearing                 |
| <b>Mounting system</b>     | 15mm wrench, Allen key 6mm |
| <b>Weight (g)</b>          | 235                        |
| <b>Color name</b>          | Black                      |



### BIGFEET 2.0 | BPD-16B |

*High-strength cold-forged aluminium body with metal cage for optimal power distribution and stiffness*

- » Extra strong with minimum weight
- » Serrated top pattern and bottom to anchor shoes in all weather conditions
- » Dual reflectors provide extra visibility
- » High-strength CrMo spindle with smooth running loose ball bearings
- » Compatible with NoseTight and Bike & Tight

|                            |                            |
|----------------------------|----------------------------|
| <b>Pedal type</b>          | Flat                       |
| <b>Shaft material</b>      | CrMo                       |
| <b>Material pedal body</b> | Aluminium                  |
| <b>Bearing type</b>        | Loose ball                 |
| <b>Mounting system</b>     | 15mm wrench, Allen key 6mm |
| <b>Weight (g)</b>          | 250                        |
| <b>Color name</b>          | Black                      |



### FEETREST | BPD-90 |

*Adapter that fits on one side of a SPD-compatible pedal that allows you to use ordinary street shoes*

- » Dual reflectors provide extra visibility
- » Easy installation and removal

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 68    |
| <b>Color name</b> | Black |



### BIKE & TIGHT | BPD-30 |

*Extra durable industrial-strength nylon straps*

- » Made to withstand frequent use
- » Retains strength even when exposed to the elements
- » Heavy-duty high grade buckles
- » Heavy-duty high grade buckles

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 47    |
| <b>Color name</b> | Black |



### NOSETIGHT | BPD-95 |

*Strapless toe clips*

- » Compatible with the BPD-15 Mount & Go, BPD-16 BigFeet and BPD-17 ClassicRide
- » Compatible with the BPD-15 Mount & Go, BPD-16 BigFeet and BPD-17 ClassicRide

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 113   |
| <b>Color name</b> | Black |

**ACTIONSTEM | BHS-52 |**

*Shock-absorbing and vibration-reducing stem for 31.8mm handlebars.*



31.8 mm



- » With 0° (60mm) to +3.5° (100mm) angle, depending on length, for an active, sporty or competitive sitting position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Comes with extra elastomers to optimize the desired shock absorption (up to 20 mm)
- » Ideal for gravel, road and commuting
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket

|                                   |                                               |
|-----------------------------------|-----------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                          |
| <b>Di2 Compatible</b>             | No                                            |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                               |
| <b>Material</b>                   | 6061 T6 Aluminium                             |
| <b>Stem type</b>                  | Adjustable                                    |
| <b>Certified for</b>              | E-Bike (EN 15194), Road (EN 14781 / ISO 4210) |
| <b>Compatible with</b>            | BHS-92 Gofix, BHS-91 Stemfix                  |
| <b>Weight (g)</b>                 | 309, 317, 347, 365, 386                       |
| <b>Sizes</b>                      | 60mm, 70mm, 80mm, 90mm, 100mm                 |

**RIDER | BHS-09 |**

*Lightweight 3D forged one-piece construction stem for 31.8mm handlebars.*



31.8 mm



- » With +/- 7° angle for an active, sportive or competitive cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Polished artwork with hand soft sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » BHS-92 GoFix bracket included and compatible with BHS-91 Stemfix and BLS-99 GoMount

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | -7 / +7                                                                                                 |
| <b>Bracket included</b>           | BHS-92 Gofix                                                                                            |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix, BLS-99 GoMount                                                            |
| <b>Weight (g)</b>                 | 137                                                                                                     |
| <b>Sizes</b>                      | 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm                                                       |

**ROADFORCE 31.8MM | BHS-08 |**

*Lightweight and durable stem for 31.8mm handlebars.*



31.8 mm



- » With +/- 6° angle for an active, sportive or competitive cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Matte sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | -6 / +6                                                                                                 |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| <b>Weight (g)</b>                 | 107, 123, 162                                                                                           |
| <b>Sizes</b>                      | 40mm, 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm, 120mm, 130mm                                          |



### ROADFORCE 35MM | BHS-08OS |

*Lightweight, durable, and stiff one-piece construction stem for 35mm handlebars.*

- » With +/- 7° angle for an active, sportive or competitive cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Matte sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket




|                            |                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------|
| Bar center diameter (mm)   | 35                                                                                                      |
| Di2 Compatible             | No                                                                                                      |
| Steerer tube diameter (mm) | 28.6mm (1 1/8")                                                                                         |
| Material                   | 6061 T6 Aluminium                                                                                       |
| Stem type                  | Fixed                                                                                                   |
| Angle (degrees)            | -7 / +7                                                                                                 |
| Certified for              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| Compatible with            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| Weight (g)                 | 114, 130                                                                                                |
| Sizes                      | 40mm, 60mm                                                                                              |



### JUMPER 31.8MM | BHS-38DI2 |

*Lightweight 3D forged one-piece construction stem for 31.8mm handlebars.*

- » With 0° angle for an active, sportive or competitive cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Fine sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » BHS-92 GoFix bracket included and compatible with BHS-91 Stemfix, BLS-99 GoMount and Di2




|                            |                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------|
| Bar center diameter (mm)   | 31.8                                                                                                    |
| Di2 Compatible             | Yes                                                                                                     |
| Steerer tube diameter (mm) | 28.6mm (1 1/8")                                                                                         |
| Material                   | 6061 T6 Aluminium                                                                                       |
| Stem type                  | Fixed                                                                                                   |
| Angle (degrees)            | 0                                                                                                       |
| Bracket included           | BHS-92 Gofix                                                                                            |
| Certified for              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| Compatible with            | BHS-91 Stemfix, BHS-92 Gofix, BLS-99 GoMount                                                            |
| Weight (g)                 | 161                                                                                                     |
| Sizes                      | 45mm, 55mm, 65mm                                                                                        |



### JUMPER 35MM | BHS-39 |

*Lightweight 3D forged one-piece construction for 35mm handlebars.*

- » With 0° angle for an active, sportive or competitive cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Matte sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes



|                            |                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------|
| Bar center diameter (mm)   | 35                                                                                                      |
| Di2 Compatible             | No                                                                                                      |
| Steerer tube diameter (mm) | 28.6mm (1 1/8")                                                                                         |
| Material                   | 6061 T6 Aluminium                                                                                       |
| Stem type                  | Fixed                                                                                                   |
| Angle (degrees)            | 0                                                                                                       |
| Certified for              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| Weight (g)                 | 146, 156, 166, 175                                                                                      |
| Sizes                      | 40mm, 50mm, 60mm, 70mm                                                                                  |

**HIGHRISE 25.4MM | BHS-24 |**

*Lightweight, durable, and stiff one-piece construction stem for 25.4mm handlebars.*

- » The +35° angle provides a more relaxed or upright riding position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Black-on-black decals and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes

35°

25.4 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 25.4                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | +35                                                                                                     |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>                 | 162                                                                                                     |
| <b>Sizes</b>                      | 70mm, 90mm, 110mm                                                                                       |

**HIGHRISE 31.8MM | BHS-25 |**

*Lightweight and durable one-piece construction high-rise stem for 31.8mm handlebars.*

- » The +35° angle provides a more relaxed or upright riding position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Black-on-black decals and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket

35°

31.8 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | +35                                                                                                     |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| <b>Weight (g)</b>                 | 178                                                                                                     |
| <b>Sizes</b>                      | 70mm, 90mm, 110mm                                                                                       |

**DOWNFORCE | BHS-36 |**

*Lightweight and durable one-piece construction stem for 31.8mm handlebars.*

- » Adjustable angle of -17° to +17° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Matte sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket

17°

31.8 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | -17 / +17                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| <b>Weight (g)</b>                 | 162                                                                                                     |
| <b>Sizes</b>                      | 60mm, 70mm, 80mm, 90mm, 100mm, 110mm                                                                    |

**TOPRISE | BHS-26 |**

*Stem with unique star nut free mounting system, and stiff one-piece construction*

- » With +30° angle and 40mm rise to provide a more upright riding position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Fine sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Di2 compatible

30°

Di2

31.8 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | Yes                                                                                                     |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Fixed                                                                                                   |
| <b>Angle (degrees)</b>            | +30                                                                                                     |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>                 | 265                                                                                                     |
| <b>Sizes</b>                      | 70mm, 90mm, 110mm                                                                                       |

**HIGHSIX 25.4MM | BHS-28 |**

*Angle-adjustable stem for 25.4mm handlebars.*

- » Adjustable angle of -40° to +40° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes

40°  
-40°

25.4 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 25.4                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Adjustable                                                                                              |
| <b>Angle (degrees)</b>            | -40 / +40                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>                 | 264                                                                                                     |
| <b>Sizes</b>                      | 90mm, 110mm, 130mm                                                                                      |

**HIGHSIX 31.8MM | BHS-29 |**

*Angle-adjustable stem for 31.8mm handlebars.*

- » Adjustable angle of -40° to +40° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket

40°  
-40°

31.8 mm

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Adjustable                                                                                              |
| <b>Angle (degrees)</b>            | -40 / +40                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| <b>Weight (g)</b>                 | 264                                                                                                     |
| <b>Sizes</b>                      | 90mm, 110mm, 130mm                                                                                      |

**HIGHSIX 35MM | BHS-30 |**

*Angle-adjustable stem for 35mm handlebars.*

- » Adjustable angle of -40° to +40° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes



|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 35                                                                                                      |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Adjustable                                                                                              |
| <b>Angle (degrees)</b>            | -40 / +40                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>                 | 272                                                                                                     |
| <b>Sizes</b>                      | 90mm, 110mm                                                                                             |

**HIGHFIX 25.4MM | BHS-34 |**

*Angle-adjustable stem with 40mm rise for 25.4mm handlebars.*

- » Adjustable angle of -40° to +60° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes



|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 25.4                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Adjustable                                                                                              |
| <b>Angle (degrees)</b>            | -40 / +60                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Weight (g)</b>                 | 283                                                                                                     |
| <b>Sizes</b>                      | 80mm, 100mm, 120mm                                                                                      |

**HIGHFIX 31.8MM | BHS-35 |**

*Angle-adjustable stem with 40mm rise for 31.8mm handlebars.*

- » Adjustable angle of -40° to +60° for the ideal cycling position.
- » For direct mount on the steerer tube, 28.6 mm (1 1/8")
- » Sandblasted finish and galvanized black bolts
- » Certified to use on all types of bikes including MTB and E-bikes
- » Compatible with BHS-91 Stemfix and BHS-92 GoFix bracket



|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Bar center diameter (mm)</b>   | 31.8                                                                                                    |
| <b>Di2 Compatible</b>             | No                                                                                                      |
| <b>Steerer tube diameter (mm)</b> | 28.6mm (1 1/8")                                                                                         |
| <b>Material</b>                   | 6061 T6 Aluminium                                                                                       |
| <b>Stem type</b>                  | Adjustable                                                                                              |
| <b>Angle (degrees)</b>            | -40 / +60                                                                                               |
| <b>Certified for</b>              | E-Bike (EN 15194), MTB (EN 14766 / ISO 4210), Road (EN 14781 / ISO 4210), Touring (EN 14764 / ISO 4210) |
| <b>Compatible with</b>            | BHS-91 Stemfix, BHS-92 Gofix                                                                            |
| <b>Weight (g)</b>                 | 285                                                                                                     |
| <b>Sizes</b>                      | 80mm, 100mm, 120mm                                                                                      |

**STEMFIX | BHS-91 |***Lightweight GoPro and Garmin compatible bracket*

- » Compatible with: BHS-08 RoadForce II, BHS-08OS RoadForce, BHS-09 Rider 2.0, BHS-25 HighRise OS, BHS-29 HighSix OS, BHS-35 HighFix OS, BHS-36 DownForce, BHS-38Di2 Jumper, BHS-52 ActionStem
- » Compatible with Di2 junctionbox
- » Compatible with BBB light bracket BLS-99 GoMount

|                        |                |
|------------------------|----------------|
| <b>Di2 Compatible</b>  | Yes            |
| <b>Compatible with</b> | BLS-99 GoMount |
| <b>Weight (g)</b>      | 18             |

**GOFIX | BHS-92 |***Lightweight GoPro fit bracket.*

- » Compatible with: BHS-08 RoadForce II, BHS-08OS RoadForce, BHS-09 Rider 2.0, BHS-25 HighRise OS, BHS-29 HighSix OS, BHS-35 HighFix OS, BHS-36 DownForce, BHS-38Di2 Jumper, BHS-52 ActionStem
- » Compatible with BBB light bracket BLS-99 GoMount

|                        |                |
|------------------------|----------------|
| <b>Compatible with</b> | BLS-99 GoMount |
| <b>Weight (g)</b>      | 11             |

## SPECS STEMS

| MODEL     | FIXED | ADJUS-<br>TABLE | HANDLEBAR<br>DIAMETER<br>(MM) | FORK<br>DIAMETER<br>(MM) | ANGLE<br>(DEGREE) | RISE<br>(MM) | WEIGHT<br>(GRAM) | LENGTH (MM) |    |    |    |    |    |    |    |    |     |     |     |     |
|-----------|-------|-----------------|-------------------------------|--------------------------|-------------------|--------------|------------------|-------------|----|----|----|----|----|----|----|----|-----|-----|-----|-----|
|           |       |                 |                               |                          |                   |              |                  | 40          | 45 | 50 | 55 | 60 | 65 | 70 | 80 | 90 | 100 | 110 | 120 | 130 |
| BHS-08    | ✗     |                 | 31,8                          | 28,6                     | +/-6              | 0            | 162(90MM)        | ✗           |    | ✗  |    | ✗  |    | ✗  | ✗  | ✗  | ✗   | ✗   | ✗   | ✗   |
| BHS-080S  |       |                 | 35                            | 28,6                     | +/-7              | 0            | 114(40MM)        | ✗           |    |    |    | ✗  |    |    |    |    |     |     |     |     |
| BHS-09    | ✗     |                 | 31,8                          | 28,6                     | +/-7              | 0            | 137(90MM)        |             |    | ✗  |    | ✗  |    | ✗  | ✗  | ✗  | ✗   | ✗   | ✗   |     |
| BHS-24    | ✗     |                 | 25,4                          | 28,6                     | +35               | 0            | 162(90MM)        |             |    |    |    |    |    | ✗  |    | ✗  |     | ✗   |     |     |
| BHS-25    | ✗     |                 | 31,8                          | 28,6                     | +35               | 0            | 178(90MM)        |             |    |    |    |    |    | ✗  |    | ✗  |     | ✗   |     |     |
| BHS-26    | ✗     |                 | 31,8                          | 28,6                     | +30               | 35           | 264(90MM)        |             |    |    |    |    |    | ✗  |    | ✗  |     | ✗   |     |     |
| BHS-36    | ✗     |                 | 31,8                          | 28,6                     | +/-17             | 0            | 264(90MM)        |             |    |    | ✗  |    | ✗  | ✗  | ✗  | ✗  | ✗   | ✗   |     |     |
| BHS-28    |       | ✗               | 25,4                          | 28,6                     | -40/+40           | 0            | 264(90MM)        |             |    |    |    |    |    |    |    | ✗  |     | ✗   |     | ✗   |
| BHS-29    |       | ✗               | 31,8                          | 28,6                     | -40/+40           | 0            | 264(90MM)        |             |    |    |    |    |    |    |    | ✗  |     | ✗   |     | ✗   |
| BHS-30    |       | ✗               | 35,0                          | 28,6                     | -40/+40           | 0            | 272(90MM)        |             |    |    |    |    |    |    |    | ✗  |     | ✗   |     |     |
| BHS-34    |       | ✗               | 25,4                          | 28,6                     | -40/+60           | 40           | 283(80MM)        |             |    |    |    |    |    |    | ✗  |    | ✗   |     | ✗   |     |
| BHS-35    |       | ✗               | 31,8                          | 28,6                     | -40/+60           | 40           | 283(80MM)        |             |    |    |    |    |    |    | ✗  |    | ✗   |     | ✗   |     |
| BHS-38DI2 | ✗     |                 | 31,8                          | 28,6                     | 0                 | 0            | 172(55MM)        |             | ✗  |    | ✗  |    | ✗  |    |    |    |     |     |     |     |
| BHS-39    | ✗     |                 | 35,0                          | 28,6                     | 0                 | 0            | 156(50MM)        | ✗           |    | ✗  |    | ✗  |    | ✗  |    |    |     |     |     |     |
| BHS-52    | ✗     | ✗               | 31,8                          | 28,6                     |                   |              | 347(80MM)        |             |    |    |    | ✗  |    | ✗  | ✗  | ✗  | ✗   |     |     |     |



### AEROPRO JB | BHB-70JB |

*Level up your aero game with our adjustable aerobar with J-bend bars*



- » Modular platform to perfectly get you in your desired aero position
- » Multi Adjustable in length, height and width
- » Comfortable Armpads greates large surface area and replaceable foam pads
- » Bridge for extra stability and mounting options
- » Optional Riser set(BHB-70RS) and Extender set(BHB-70ES) available

|                                 |           |
|---------------------------------|-----------|
| <b>Material</b>                 | Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8      |
| <b>Aerobar bend type</b>        | J-bend    |
| <b>Aerobar length (mm)</b>      | 358       |
| <b>Armpad material</b>          | PU        |
| <b>Replaceable armpad</b>       | Yes       |
| <b>Color name</b>               | Black     |



### AEROPRO EB | BHB-70EB |

*Level up your aero game with our adjustable aerobar with ergo bend bars*



- » Modular platform to perfectly get you in your desired aero position
- » Multi Adjustable in length, height and width
- » Comfortable Armpads greates large surface area and replaceable foam pads
- » Bridge for extra stability and mounting options
- » Optional Riser set(BHB-70RS) and Extender set(BHB-70ES) available

|                                 |           |
|---------------------------------|-----------|
| <b>Material</b>                 | Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8      |
| <b>Aerobar bend type</b>        | Ergo-bend |
| <b>Aerobar length (mm)</b>      | 365       |
| <b>Armpad material</b>          | PU        |
| <b>Replaceable armpad</b>       | Yes       |
| <b>Color name</b>               | Black     |



### AEROPRO RISER SET | BHB-70RS |

*Riser set for AeroPro Aerobars*

- » Set with 2x 20mm and 2x40mm risers
- » Rise your AeroPro aerobar with 20, 40 or even 60mm
- » Compatible with BHB-70JB and BHB-70EB
- » Bolts included

|                   |           |
|-------------------|-----------|
| <b>Material</b>   | Aluminium |
| <b>Color name</b> | Black     |



### AEROPRO EXTENDER SET | BHB-70ES |

*Extender set for AeroPro Aerobars*

- » Extend your aerobar bracket to create an extra wide armrest position
- » This extender set allows to move the armrest outwards with max. 36mm
- » Set included two armrests (Left/Right) and included bolts.
- » Compatible with BHB-70EB and BHB-70JB AeroPro Aerobars

|                   |           |
|-------------------|-----------|
| <b>Material</b>   | Aluminium |
| <b>Color name</b> | Black     |



### AEROMAX | BHB-60 |

*J-bend aerobar for optimized aerodynamics with multi-adjustable and replaceable PU arm pads*

- » Separate armrest clamps for maximum adjustability
- » Extra long J-bend bars
- » Multi adjustable arm pads and replaceable foam pads
- » Convenient clamping mechanism compatible with 31,8/25.4mm handlebars

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 25.4, 31.8        |
| <b>Aerobar bend type</b>        | J-bend            |
| <b>Aerobar length (mm)</b>      | 350               |
| <b>Armpad material</b>          | PU                |
| <b>Replaceable armpad</b>       | Yes               |
| <b>Weight (g)</b>               | 512               |
| <b>Color name</b>               | Black             |



25.4 mm



31.8 mm



### AEROBASE | BHB-52 |

*Ergo-bend aerobar with multi-adjustable and replaceable EVA arm pads*

- » Convenient clamping mechanism compatible with 25,4/31,8 mm handlebars
- » Foam padded arm supports
- » Adjustable extension length and multiple possible positions for arm pads

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 25.4, 31.8        |
| <b>Aerobar bend type</b>        | Ergo-bend         |
| <b>Aerobar length (mm)</b>      | 365               |
| <b>Armpad material</b>          | EVA               |
| <b>Replaceable armpad</b>       | Yes               |
| <b>Weight (g)</b>               | 504               |
| <b>Color name</b>               | Black             |



25.4 mm



31.8 mm

**AEROLIGHT | BHB-58 |**

*S-Bend aerobar with multi-adjustable and replaceable EVA arm pads*



- » Convenient clamping mechanism compatible with 25,4/31,8 mm handlebars
- » Foam padded arm supports
- » Adjustable extension length and multiple possible positions for arm pads

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 25.4, 31.8        |
| <b>Aerobar bend type</b>        | S-bend            |
| <b>Aerobar length (mm)</b>      | 333               |
| <b>Armpad material</b>          | EVA               |
| <b>Replaceable armpad</b>       | Yes               |
| <b>Weight (g)</b>               | 470               |
| <b>Color name</b>               | Black             |



25.4 mm



31.8 mm

**AEROCOMFORT | BHB-59 |**

*Comfortable aero-handlebars with width-adjustable EVA arm pads*



- » 35mm rise for extra comfortable position
- » Foam padded arm rests
- » Foam sleeves on the bars for extra comfort
- » Easy to install system compatible with 31.8, 25.4 and 22.2mm handlebars

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 22.2, 25.4, 31.8  |
| <b>Aerobar bend type</b>        | Ergo-bend         |
| <b>Aerobar length (mm)</b>      | 282               |
| <b>Armpad material</b>          | EVA               |
| <b>Replaceable armpad</b>       | No                |
| <b>Weight (g)</b>               | 541               |
| <b>Color name</b>               | Black             |



22.2 mm



25.4 mm



31.8 mm

**HORIZON | BHB-09 |**

*Flat MTB handlebar for aggressive riding style*



- » Made out of lightweight and super strong aluminium
- » Extra wide, 760 mm, for optimal control
- » Can be shortened to your own preference

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Rise (mm)</b>                | 0                 |
| <b>Backsweep (degrees)</b>      | 9                 |
| <b>Upsweep (degrees)</b>        | 0                 |
| <b>Di2 Compatible</b>           | No                |
| <b>Width (mm)</b>               | 760               |
| <b>Weight (g)</b>               | 331               |
| <b>Color name</b>               | Black             |



31.8 mm

**ASCENSION | BHB-11 |***MTB handlebar with 15mm rise*

- » Made out of lightweight and super strong aluminium
- » Extra wide, 760 mm, for optimal control
- » Can be shortened to your own preference

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Rise (mm)</b>                | 15                |
| <b>Backsweep (degrees)</b>      | 9                 |
| <b>Upsweep (degrees)</b>        | 5                 |
| <b>Di2 Compatible</b>           | No                |
| <b>Width (mm)</b>               | 760               |
| <b>Weight (g)</b>               | 335               |
| <b>Color name</b>               | Black             |

**ASCENSION | BHB-11DI2 |***MTB handlebar with 15mm rise*

- » Made out of lightweight and super strong aluminium
- » Di2 compatible
- » Extra wide, 760 mm, for optimal control
- » Can be shortened to your own preference

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Rise (mm)</b>                | 15                |
| <b>Backsweep (degrees)</b>      | 9                 |
| <b>Upsweep (degrees)</b>        | 5                 |
| <b>Di2 Compatible</b>           | Yes               |
| <b>Width (mm)</b>               | 780               |
| <b>Weight (g)</b>               | 337               |
| <b>Color name</b>               | Black             |

**SKYBAR | BHB-07 |***Riser bar with 35mm rise*

- » Made out of lightweight and super strong aluminium
- » Extra wide, 760 mm, for optimal control
- » Can be shortened to your own preference

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Rise (mm)</b>                | 35                |
| <b>Backsweep (degrees)</b>      | 9                 |
| <b>Upsweep (degrees)</b>        | 5                 |
| <b>Di2 Compatible</b>           | No                |
| <b>Width (mm)</b>               | 760               |
| <b>Weight (g)</b>               | 377               |
| <b>Color name</b>               | Black             |



**SKYBAR 35MM | BHB-12 |***Handlebar for 35mm stems*

- » 30mm rise for a more upright riding position
- » 800mm wide handlebar
- » Possible to shorten the width with max. 100mm
- » Di2 compatible

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 35                |
| <b>Rise (mm)</b>                | 30                |
| <b>Backsweep (degrees)</b>      | 8                 |
| <b>Upsweep (degrees)</b>        | 6                 |
| <b>Di2 Compatible</b>           | Yes               |
| <b>Width (mm)</b>               | 800               |
| <b>Weight (g)</b>               | 370               |
| <b>Color name</b>               | Black             |



35.0 mm

**RACER | BHB-35 |***Zero flare drop bar designed for road bikes*

- » Oversized for strength, stiffness and lightweight
- » Compact drop and ergonomic shaped bar
- » Made out of lightweight and super strong aluminium
- » Partly flattened at the top

|                                 |                    |
|---------------------------------|--------------------|
| <b>Material</b>                 | 6061 T6 Aluminium  |
| <b>Bar center diameter (mm)</b> | 31.8               |
| <b>Reach (mm)</b>               | 70                 |
| <b>Drop (mm)</b>                | 125                |
| <b>Flare angle (degrees)</b>    | 0                  |
| <b>Di2 Compatible</b>           | Yes                |
| <b>Width (mm)</b>               | 380, 400, 420, 440 |
| <b>Weight (g)</b>               | 337                |
| <b>Color name</b>               | Black              |



31.8 mm

**GRAVELLER | BHB-36 |***Flared drop bar for more control on gravel roads*

- » Also suited for beachracers
- » Compact drop and ergonomic shaped bar
- » Di2 compatible
- » More space for bikepacking handlebar bags

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Reach (mm)</b>               | 70.2              |
| <b>Drop (mm)</b>                | 130               |
| <b>Flare angle (degrees)</b>    | 16                |
| <b>Di2 Compatible</b>           | Yes               |
| <b>Width (mm)</b>               | 400, 420, 440     |
| <b>Weight (g)</b>               | 310, 320          |
| <b>Color name</b>               | Black             |



31.8 mm



**MULTIBAR | BHB-30 |***Multi-position handlebar designed for maximum comfort***25.4 mm**

- » The ergonomic design of these handlebars allows multiple hand positions.
- » Combine with the MultiFoam (BHG-27) or Exclusive (BHG-29) grips for maximum comfort.

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 25.4              |
| <b>Di2 Compatible</b>           | No                |
| <b>Width (mm)</b>               | 570               |
| <b>Weight (g)</b>               | 570               |
| <b>Color name</b>               | Black             |

**MULTIBAR OS | BHB-30OS |***Multi-position handlebar designed for maximum comfort***31.8 mm**

- » The ergonomic design of these handlebars allows multiple hand positions.
- » Combine with the MultiFoam (BHG-27) or Exclusive (BHG-29) grips for maximum comfort.

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Width (mm)</b>               | 570               |
| <b>Weight (g)</b>               | 570               |
| <b>Color name</b>               | Black             |

**BARMOUNT | BHB-91 |***Alloy bracket with 70mm width to provide extra accessory mounting capabilities***31.8 mm**

- » A solution to mount more accessories on the cockpit
- » For mounting on 31.8mm handlebars
- » Can be mounted left as well as right from the bracket
- » Can be mounted left as well as right from the bracket

|                                 |                   |
|---------------------------------|-------------------|
| <b>Material</b>                 | 6061 T6 Aluminium |
| <b>Bar center diameter (mm)</b> | 31.8              |
| <b>Color name</b>               | Black             |

**UNIFIX | BHB-90 |***Universal handlebar clamp*

» Can be used to fix a bottle cage, bag etc.



|                   |           |
|-------------------|-----------|
| <b>Material</b>   | Aluminium |
| <b>Weight (g)</b> | 47,54     |
| <b>Color name</b> | Black     |

**NANORIBBON GEL | BHT-19 |**

*Premium handlebar tape with Nanotech for excellent grip*

- » 2.5mm thickness
- » Grooves for grip, moisture drainage and style
- » Nano Texture countless microscopic small holes create unmatched grip
- » Gel backing for a good grip on the handlebar and extra damping
- » The right amount of flexibility for a perfect wrap around your bars

|                                 |                                                                      |
|---------------------------------|----------------------------------------------------------------------|
| <b>Tape thickness (mm)</b>      | 2.5                                                                  |
| <b>Material</b>                 | Microfiber PU                                                        |
| <b>Grip</b>                     | Best                                                                 |
| <b>Damping</b>                  | Much                                                                 |
| <b>Fixation</b>                 | Gel                                                                  |
| <b>Handlebar plugs included</b> | Yes                                                                  |
| <b>Finishing tape included</b>  | Yes                                                                  |
| <b>Color name</b>               | Red / Black, Green / Black, Black / White, Black, Black / Smalt blue |

**RACERIBBON ECO | BHT-01ECO |**

*Durable EVA foam road bike handlebar tape for a firm and shock-absorbing grip*

- » Stretchable 2.5mm thick material makes it easier to wrap around the handlebar
- » EVA foam gives you a good grip and is shock-absorbing
- » Made of 30% recycled EVA foam and plastic end plugs from post-industrial waste (PIR)
- » Easily replace your handlebar tape: the RaceRibbon has a waterproof adhesive layer
- » Finishing tape and handlebar plugs included

|                                 |                      |
|---------------------------------|----------------------|
| <b>Tape thickness (mm)</b>      | 2.5                  |
| <b>Material</b>                 | Recycled EVA         |
| <b>Grip</b>                     | Better               |
| <b>Damping</b>                  | Average              |
| <b>Fixation</b>                 | Glue strip           |
| <b>Handlebar plugs included</b> | Yes                  |
| <b>Finishing tape included</b>  | Yes                  |
| <b>Weight (g)</b>               | 46                   |
| <b>Color name</b>               | Black / White, Black |

**RACERIBBON | BHT-01 |**

*Road bike handlebar tape made of EVA foam for a firm and shock-absorbing grip*

- » Stretchable 2.5mm thick material makes it easier to wrap around the handlebar
- » The RaceRibbon has a waterproof adhesive layer to make handlebar tape replacement easy
- » Handlebar tape including finishing tape and bar end plugs
- » Available in 10 different colors
- » 200 cm long roll of handlebar tape for full coverage on all handlebars

|                                 |                                                                                                |
|---------------------------------|------------------------------------------------------------------------------------------------|
| <b>Tape thickness (mm)</b>      | 2.5                                                                                            |
| <b>Material</b>                 | Cork, EVA Foam                                                                                 |
| <b>Grip</b>                     | Better                                                                                         |
| <b>Damping</b>                  | Average                                                                                        |
| <b>Fixation</b>                 | Glue strip                                                                                     |
| <b>Handlebar plugs included</b> | Yes                                                                                            |
| <b>Finishing tape included</b>  | Yes                                                                                            |
| <b>Weight (g)</b>               | 61                                                                                             |
| <b>Color name</b>               | Grey, Red, Golden brown, Xanadu, Green, Black, Blue, Yellow, White, Black / Cork, White / Cork |





### RACERIBBON | BHT-01OEM |

*Workshop box with 25 pairs of BHT-01 RaceRibbon in black color*

- » The box is made of 100% recycled material and uses no plastics
- » Plastic packaging wraps have been replaced with paper
- » Finishing tape and handlebar plugs included

|                                 |            |
|---------------------------------|------------|
| <b>Tape thickness (mm)</b>      | 2.5        |
| <b>Grip</b>                     | Better     |
| <b>Damping</b>                  | Average    |
| <b>Fixation</b>                 | Glue strip |
| <b>Handlebar plugs included</b> | Yes        |
| <b>Finishing tape included</b>  | Yes        |
| <b>Color name</b>               | Black      |



### RACERIBBON GEL | BHT-05 |

*Extra thick 3.5 mm EVA foam handlebar tape for the best grip and shock absorption*

- » Gel adhesive layer on the back for easy and residue-free wrapping
- » Wrapping handlebar tape: even easier thanks to the strong and stretchable polyurethane material
- » A lot of comfort: even off-road or on rough pavement
- » Including finishing tape and bar end plugs
- » 200 cm long roll of handlebar tape for full coverage on all handlebars

|                                 |              |
|---------------------------------|--------------|
| <b>Tape thickness (mm)</b>      | 3.5          |
| <b>Material</b>                 | EVA Foam     |
| <b>Grip</b>                     | Better       |
| <b>Damping</b>                  | Much         |
| <b>Fixation</b>                 | Gel          |
| <b>Handlebar plugs included</b> | Yes          |
| <b>Finishing tape included</b>  | Yes          |
| <b>Weight (g)</b>               | 90           |
| <b>Color name</b>               | Black, White |



### RACERIBBON CARBON | BHT-04 |

*Flexible and strong PU road bike handlebar tape with a carbon texture*

- » Self-adhesive 2.5mm thick handlebar tape: the waterproof adhesive layer makes the RaceRibbon Carbon easy to apply
- » Good grip in all weather conditions
- » Includes finishing tape and bar end plugs for a clean finish
- » White and black tape with a carbon texture for a high-end look
- » 200 cm long roll of handlebar tape for full coverage on all handlebars

|                                 |                                |
|---------------------------------|--------------------------------|
| <b>Tape thickness (mm)</b>      | 2.5                            |
| <b>Material</b>                 | PU Foam                        |
| <b>Grip</b>                     | Better                         |
| <b>Damping</b>                  | Average                        |
| <b>Fixation</b>                 | Glue strip                     |
| <b>Handlebar plugs included</b> | Yes                            |
| <b>Finishing tape included</b>  | Yes                            |
| <b>Weight (g)</b>               | 54                             |
| <b>Color name</b>               | Carbon / White, Carbon / Black |



**SPEEDRIBBON | BHT-12 |**

*High-quality 2mm thick microfiber handlebar tape with a leather look*

- » Perforated surface: provides ventilation and allows moisture to pass through
- » Easy to clean handlebar tape
- » Self-adhesive handlebar tape with a waterproof adhesive layer that stays extra secure while cycling
- » Including finishing tape and bar end plugs
- » Extra long roll (200cm) so you can cover the entire handlebar

|                                 |                     |
|---------------------------------|---------------------|
| <b>Tape thickness (mm)</b>      | 2                   |
| <b>Material</b>                 | Microfiber          |
| <b>Grip</b>                     | Better              |
| <b>Damping</b>                  | Average             |
| <b>Fixation</b>                 | Glue strip          |
| <b>Handlebar plugs included</b> | Yes                 |
| <b>Finishing tape included</b>  | Yes                 |
| <b>Weight (g)</b>               | 71                  |
| <b>Color name</b>               | Black, White, Brown |

**FLEXRIBBON GEL | BHT-14 |**

*High-end handlebar tape with anti-slip diamond pattern for an extremely good grip*

- » Made of 2.5mm thick, strong, and resilient polyurethane
- » Special shock-absorbing material for more riding comfort
- » Each roll (200cm) is long enough to cover the entire handlebar
- » Stretch material makes it easy to wrap around the handlebars
- » Finishing tape and handlebar plugs included

|                                 |                                      |
|---------------------------------|--------------------------------------|
| <b>Tape thickness (mm)</b>      | 2.5                                  |
| <b>Material</b>                 | PU Foam                              |
| <b>Grip</b>                     | Best                                 |
| <b>Damping</b>                  | Much                                 |
| <b>Fixation</b>                 | Gel                                  |
| <b>Handlebar plugs included</b> | Yes                                  |
| <b>Finishing tape included</b>  | Yes                                  |
| <b>Weight (g)</b>               | 92                                   |
| <b>Color name</b>               | Black, Blue, Red, Neon yellow, White |

**FLEXRIBBON GEL | BHT-14OEM |**

*Workshop box with 25 pairs of BHT-14 FlexRibbon Gel in black color*

- » The box is made of 100% recycled material and uses no plastics
- » Plastic packaging wraps have been replaced with paper
- » Finishing tape and handlebar plugs included

|                                 |         |
|---------------------------------|---------|
| <b>Tape thickness (mm)</b>      | 2.5     |
| <b>Material</b>                 | PU Foam |
| <b>Grip</b>                     | Best    |
| <b>Damping</b>                  | Much    |
| <b>Fixation</b>                 | Gel     |
| <b>Handlebar plugs included</b> | Yes     |
| <b>Finishing tape included</b>  | Yes     |
| <b>Color name</b>               | Black   |



**ULTRARIBBON | BHT-15 |**

*High-end handlebar tape with anti-slip pattern for superior grip*

- » Made of 2.5mm thick, strong, and resilient polyurethane
- » Special shock-absorbing material for more riding comfort
- » Easy to wash surface with perfect grip in all weather conditions
- » Each roll is long enough (200cm) to ensure complete coverage on all handlebar sizes
- » Finishing tape and handlebar plugs included

|                                 |              |
|---------------------------------|--------------|
| <b>Tape thickness (mm)</b>      | 2.5          |
| <b>Material</b>                 | PU Foam      |
| <b>Grip</b>                     | Better       |
| <b>Damping</b>                  | Much         |
| <b>Fixation</b>                 | Glue strip   |
| <b>Handlebar plugs included</b> | Yes          |
| <b>Finishing tape included</b>  | Yes          |
| <b>Weight (g)</b>               | 63           |
| <b>Color name</b>               | White, Black |

**ULTRARIBBON GEL | BHT-15G |**

*High-end handlebar tape with anti-slip pattern for superior grip*

- » Made of 2.5mm thick, strong, and resilient polyurethane
- » Easy to wash surface with perfect grip in all weather conditions
- » Gel backing for extra cushioning and easy, residue-free replacement
- » Each roll (200cm) is long enough to ensure complete coverage on all handlebar sizes
- » Finishing tape and handlebar plugs included


|                                 |              |
|---------------------------------|--------------|
| <b>Tape thickness (mm)</b>      | 2.5          |
| <b>Material</b>                 | PU Foam      |
| <b>Grip</b>                     | Best         |
| <b>Damping</b>                  | Much         |
| <b>Fixation</b>                 | Gel          |
| <b>Handlebar plugs included</b> | Yes          |
| <b>Finishing tape included</b>  | Yes          |
| <b>Weight (g)</b>               | 88           |
| <b>Color name</b>               | White, Black |

**GRAVELRIBBON GEL | BHT-16 |**

*Extra thick 3.5 mm PU foam gravel handlebar tape for the best grip and shock absorption*

- » Anti-slip diamond pattern for superior grip
- » Thanks to the stretchable material and gel layer, it's easy to wrap the handlebar
- » Gel backing for extra cushioning and easy, residue-free replacement
- » Each roll is long enough (200cm) to ensure complete coverage on all handlebar sizes
- » Finishing tape and handlebar plugs included

|                                 |                      |
|---------------------------------|----------------------|
| <b>Tape thickness (mm)</b>      | 3.5                  |
| <b>Material</b>                 | PU Foam              |
| <b>Grip</b>                     | Best                 |
| <b>Damping</b>                  | Much                 |
| <b>Fixation</b>                 | Gel                  |
| <b>Handlebar plugs included</b> | Yes                  |
| <b>Finishing tape included</b>  | Yes                  |
| <b>Weight (g)</b>               | 110                  |
| <b>Color name</b>               | Pavlova, Grey, Black |



**REFLECTRIBBON GEL | BHT-17 |**

*Premium PU handlebar tape with reflective gradient and gel backing for extra cushioning*

- » Special shockproof 2.5mm thick microfiber material absorbs shocks for extra riding comfort
- » Anti-slip design with diamond pattern for a firm grip
- » Elastic material and gel backing make it easy to (re)wrap around the handlebar
- » Each roll is long enough (200cm) to ensure complete coverage on all handlebar sizes
- » Finishing tape and handlebar plugs included

|                                 |               |
|---------------------------------|---------------|
| <b>Tape thickness (mm)</b>      | 2.5           |
| <b>Material</b>                 | PU Foam       |
| <b>Grip</b>                     | Best          |
| <b>Damping</b>                  | Much          |
| <b>Fixation</b>                 | Gel           |
| <b>Handlebar plugs included</b> | Yes           |
| <b>Finishing tape included</b>  | Yes           |
| <b>Weight (g)</b>               | , 92          |
| <b>Color name</b>               | Silver, Black |

**ROYALRIBBON GEL | BHT-18 |**

*Comfortable, soft, and durable PU handlebar tape with a special gel adhesive layer*

- » Anti-slip pattern for superior grip on your road bike or gravel bike
- » Soft and brushed microfiber PU texture for impressive grip and comfort
- » With gel strip for extra cushioning that leaves nothing behind when removed
- » Self-adhesive handlebar tape including finishing tape and bar end plugs
- » 200 cm long roll of handlebar tape for full coverage on all handlebars

|                                 |                     |
|---------------------------------|---------------------|
| <b>Tape thickness (mm)</b>      | 2.5                 |
| <b>Material</b>                 | Microfiber, PU Foam |
| <b>Grip</b>                     | Best                |
| <b>Damping</b>                  | Much                |
| <b>Fixation</b>                 | Gel                 |
| <b>Handlebar plugs included</b> | Yes                 |
| <b>Finishing tape included</b>  | Yes                 |
| <b>Weight (g)</b>               | 107                 |
| <b>Color name</b>               | Grey, Black         |

**SCREW ON ALU | BHT-97 |**

*Aluminum screw-on plugs for handlebar tape, providing a secure hold for all tapes*

- » Durable and aesthetic aluminum cap
- » Easy to re-use with each new handlebar tape
- » Stainless steel bolts
- » ABS inner construction to fit in 18 - 22mm handlebars
- » 2 pieces a set

|                   |                |
|-------------------|----------------|
| <b>Material</b>   | ABS, Aluminium |
| <b>Weight (g)</b> | 28             |
| <b>Color name</b> | Black          |



**SCREW ON ALU REFLECTIVE | BHT-97R |**

*Reflective aluminum screw-on plugs for handlebar tape, providing better visibility and a secure hold for all tapes*

- » Durable and aesthetic aluminum cap
- » Easy to re-use with each new handlebar tape
- » Stainless steel bolts
- » ABS inner construction to fit in 18 - 22mm handlebars
- » 2 pieces a set



|                   |                |
|-------------------|----------------|
| <b>Material</b>   | ABS, Aluminium |
| <b>Weight (g)</b> | 28             |
| <b>Color name</b> | Black          |

**SCREWON | BHT-96 |**

*Screw-on plugs for handlebar tape, providing a secure hold for all tapes*

- » Stainless steel bolts
- » 2 pieces a set

|                   |               |
|-------------------|---------------|
| <b>Material</b>   | ABS           |
| <b>Weight (g)</b> | 19            |
| <b>Color name</b> | Black, Silver |

**ENDCAPS | BHT-90S |**

*Chrome-look plugs with BBB-logo, securely fitting for handlebar tape*

- » 2 pieces a set

|                   |        |
|-------------------|--------|
| <b>Material</b>   | PE     |
| <b>Weight (g)</b> | 8      |
| <b>Color name</b> | Silver |

ENDCAPS | BHT-91S |

*Matt black plugs with BBB-logo, securely fitting for handlebar tape*



» 2 pieces a set

|            |                 |
|------------|-----------------|
| Material   | Recycled PP, PP |
| Weight (g) | 9               |
| Color name | Black           |

ENDCAPS | BHT-92S |

*High gloss black plugs with BBB-logo, securely fitting for handlebar tape*



» 2 pieces a set

|            |       |
|------------|-------|
| Material   | PE    |
| Weight (g) | 10    |
| Color name | Black |

## FEATURES HANDLEBAR TAPES

**COMFORT**

A handlebar tape absorbs the uncomfortable vibrations. A handlebar tape that offers little damping gives a lot of feedback about the driving surface and you mainly use it on smooth asphalt roads. If you are going for longer bike rides or riding on rough terrain, more damping is pleasant and offers more advantages compared to the feedback that you receive via the handlebars about the driving surface. All our bar tapes have a comfort level between 1 and 9 to give an indication of the amount of comfort.

**GRIP**

Grip is the most important specification of a handlebar tape. A little less comfort is annoying, but losing grip on the handlebars could be fatal. All our bar tapes have a grip level between 1 and 9 to give an indication of the amount of grip. This does not mean that the handlebar tapes with the best grip also suit you best. Some cyclists would like to have freedom of movement and being able to easily move their hands on the handlebars.

**MATERIAL**

The materials used for handlebar tapes are fundamental to the level of comfort. BBB handlebar tapes are made of PU, EVA and Microfiber. Each material has its own advantages. PU or polyurethane is mainly used in handlebar tapes with a lot of flexibility. PU can be wrapped tightly around the handlebars very easily without creating wrinkles. In addition, PU is easy to clean and repels water and mud. EVA or Ethylene vinyl acetate is a proven good material and offers very high comfort and damping capacity. In addition, it provides a firm grip and a comfortable contact surface for the hands. Microfiber is known as a strong and abrasion-resistant material. A microfiber handlebar tape lasts a long time, is very easy to clean and maintains a good appearance.

**THICKNESS**

The thickness of the handlebar tape has a significant impact on comfort, with personal preference playing a major role. In fact, the thickness of the handlebar tape determines the thickness of your handlebar. A thicker handlebar tape means a larger contact surface, distributing your weight and improving blood circulation, thus reducing hand fatigue. However, a handlebar tape that makes your handlebar too thick can also be uncomfortable. Individuals with smaller hands may find it difficult to wrap their hands comfortably around the handlebar. In such cases, opting for a thinner handlebar tape is advisable. The thickest handlebar tapes are 3.5mm and are specifically designed to provide extra comfort and absorb vibrations. The remaining handlebar tapes are 2.5mm thick and can be considered a balanced and comfortable thickness.

**BACKING LAYER**

As a backing layer there is a choice between gel and glue. A gel backing layer provides extra damping and also ensures that the handlebar tape is easy to apply. If you are not satisfied with the result, you can easily reapply the handlebar tape. An adhesive backing layer does not provide extra cushioning, but simply ensures that the handlebar tape is properly fixed.

| MODEL             | CODE      | COMFORT | GRIP | MATERIAL     | THICKNESS (MM) | BACKING |
|-------------------|-----------|---------|------|--------------|----------------|---------|
| RACERIBBON        | BHT-01    |         |      | EVA          | 2,5            | GLUE    |
| RACERIBBON ECO    | BHT-01ECO |         |      | RECYCLED EVA | 2,5            | GLUE    |
| RACERIBBON CARBON | BHT-04    |         |      | PU           | 2,5            | GLUE    |
| RACERIBBON GEL    | BHT-05    |         |      | EVA          | 3,5            | GEL     |
| SPEEDRIBBON       | BHT-12    |         |      | MICROFIBER   | 2,0            | GLUE    |
| FLEXRIBBON GEL    | BHT-14    |         |      | PU           | 2,5            | GEL     |
| ULTRARIBBON       | BHT-15    |         |      | PU           | 2,5            | GLUE    |
| ULTRARIBBON GEL   | BHT-15G   |         |      | PU           | 2,5            | GEL     |
| GRAVELRIBBON GEL  | BHT-16    |         |      | PU           | 3,5            | GEL     |
| REFLECTRIBBON GEL | BHT-17    |         |      | PU           | 2,5            | GEL     |
| ROYALRIBBON GEL   | BHT-18    |         |      | PU           | 2,5            | GEL     |
| NANORIBBON        | BHT-19    |         |      | PU           | 2,5            | GEL     |



### STEADYCOMFORT | BHG-110 |

*Ergonomic handlebar grip for some extra support and comfort*

- » Suited for Sportive and Urban use
- » Durable Compound made with VEXT rubber for good grip and durability
- » Open Core = More Comfort. The hard plastic core is open on the touch area. Resulting in a effective thicker rubber
- » Secure fit with lockring to make sure these grips will stay in place.
- » Removable end cap compatible with mirrors, integrated tools, etc.

|                                 |        |
|---------------------------------|--------|
| <b>Length Grips (mm)</b>        | 135 mm |
| <b>Lockring</b>                 | Yes    |
| <b>Material</b>                 | Vext   |
| <b>Handlebar plugs included</b> | Yes    |
| <b>Ergonomic grip</b>           | Yes    |
| <b>Color name</b>               | Black  |



### STEADYCOMFORT | BHG-110OEM |

*Workshop box with 20pcs BHG-110 SteadyComfort*

|                                 |        |
|---------------------------------|--------|
| <b>Length Grips (mm)</b>        | 135 mm |
| <b>Lockring</b>                 | Yes    |
| <b>Material</b>                 | Vext   |
| <b>Handlebar plugs included</b> | Yes    |
| <b>Ergonomic grip</b>           | Yes    |
| <b>Color name</b>               | Black  |



### STEADYACTIVE | BHG-115 |

*Round handlebar grip for the more active rider*

- » Durable Compound made with VEXT rubber for good grip and durability
- » Open Core = More Comfort. The hard plastic core is open on the touch area. Resulting in a effective thicker rubber
- » Suited for sportive and urban use
- » Secure fit with lockring to make sure these grips will stay in place.
- » Removable end cap compatible with mirrors, integrated tools, etc.

|                                 |        |
|---------------------------------|--------|
| <b>Length Grips (mm)</b>        | 135 mm |
| <b>Lockring</b>                 | Yes    |
| <b>Material</b>                 | Vext   |
| <b>Handlebar plugs included</b> | Yes    |
| <b>Ergonomic grip</b>           | No     |
| <b>Color name</b>               | Black  |

**STEADYACTIVE | BHG-115OEM |***Workshop box with 20pcs BHG-115 SteadyActive*

|                                 |        |
|---------------------------------|--------|
| <b>Length Grips (mm)</b>        | 135 mm |
| <b>Lockring</b>                 | Yes    |
| <b>Material</b>                 | Vext   |
| <b>Handlebar plugs included</b> | Yes    |
| <b>Ergonomic grip</b>           | No     |
| <b>Color name</b>               | Black  |

**KINGCOMFORT | BHG-121 |***Ergonomically designed grips made from the highest quality VEXT materials for optimal performance and lifetime*

- » Very comfortable due to the improved anatomic shape and gel support, to distribute pressure and to avoid pain in the wrists
- » Anti-slip texture for optimal grip
- » Special one screw locking system prevents slippage on the handlebar, and locks the end-cap or bar-end
- » The grip core and end-caps are made of 80% recycled ocean waste plastics
- » Bar-ends available separately or as set with grips (BHG-125)

|                                 |                   |
|---------------------------------|-------------------|
| <b>Length Grips (mm)</b>        | 135 mm            |
| <b>Lockring</b>                 | Yes               |
| <b>Material</b>                 | Recycled PP, Vext |
| <b>Compatible with</b>          | Bar ends          |
| <b>Handlebar plugs included</b> | Yes               |
| <b>Ergonomic grip</b>           | Yes               |
| <b>Weight (g)</b>               | 206               |
| <b>Color name</b>               | Black             |

**KINGCOMFORT SET | BHG-125 |***Combination set of comfortable, ergonomically designed grips made from the highest quality VEXT materials, including 80 mm bar-ends*

- » Very comfortable due to the improved anatomic shape and gel support, to distribute pressure and to avoid pain in the wrists
- » Anti-slip texture for optimal grip
- » Special one screw locking system prevents slippage on the handlebar, and locks the end-cap or bar-end
- » The grip core and end-caps are made of 80% recycled ocean waste plastics
- » Bar-ends of 80mm offer multiple comfortable hand positions to hold onto, and including end-caps in case of riding without bar-ends

|                                 |                   |
|---------------------------------|-------------------|
| <b>Length Grips (mm)</b>        | 135 mm            |
| <b>Lockring</b>                 | Yes               |
| <b>Material</b>                 | Recycled PP, Vext |
| <b>Compatible with</b>          | Bar ends          |
| <b>Handlebar plugs included</b> | Yes               |
| <b>Ergonomic grip</b>           | Yes               |
| <b>Bar ends included</b>        | Yes               |
| <b>Weight (g)</b>               | 293               |
| <b>Color name</b>               | Black             |

**MAMBA | BHG-100 |**

*Ergonomically designed kraton grips with gel palm support*

- » Special inside locking mechanism allows you to secure your grip and end cap
- » Very comfortable due to the special anatomic shape and hand support
- » Screw-on interface prevents slippage on the handlebar
- » The body and palm support are made of 30% PIR recycled Kraton
- » The grip core and end-caps are made of 80% recycled ocean waste plastics

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| <b>Length Grips (mm)</b>        | 130 mm                                    |
| <b>Lockring</b>                 | Yes                                       |
| <b>Material</b>                 | Recycled PP, Gel, Kraton, Recycled Kraton |
| <b>Compatible with</b>          | Bar ends                                  |
| <b>Handlebar plugs included</b> | Yes                                       |
| <b>Ergonomic grip</b>           | Yes                                       |
| <b>Weight (g)</b>               | 152                                       |
| <b>Color name</b>               | Black                                     |

**MAMBA | BHG-101 |**

*Ergonomically designed kraton grips with gel palm support*

- » Special inside locking mechanism allows you to tighten your grip and end cap
- » Special version for twist grip gear systems
- » Screw-on interface prevents slippage on the handlebar
- » The body and palm support are made of 30% PIR recycled Kraton
- » The grip core and end-caps are made of 80% recycled ocean waste plastics

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| <b>Length Grips (mm)</b>        | 92 mm / 130 mm                            |
| <b>Lockring</b>                 | Yes                                       |
| <b>Material</b>                 | Recycled PP, Gel, Kraton, Recycled Kraton |
| <b>Compatible with</b>          | Bar ends, Gripshift                       |
| <b>Handlebar plugs included</b> | Yes                                       |
| <b>Ergonomic grip</b>           | Yes                                       |
| <b>Weight (g)</b>               | 136                                       |
| <b>Color name</b>               | Black                                     |

**MAMBA | BHG-102 |**

*Ergonomically designed grips with gel palm support.*

- » Special inside locking mechanism allows you to secure your grip and end cap.
- » Special version for twist grip gear systems.
- » Very comfortable due to the anatomic shape and hand support
- » The body and palm support are made of 30% PIR recycled Kraton
- » The grip core and end-caps are made of 80% recycled ocean waste plastics

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| <b>Length Grips (mm)</b>        | 92 mm                                     |
| <b>Lockring</b>                 | Yes                                       |
| <b>Material</b>                 | Recycled PP, Gel, Kraton, Recycled Kraton |
| <b>Compatible with</b>          | Bar ends, Gripshift                       |
| <b>Handlebar plugs included</b> | Yes                                       |
| <b>Ergonomic grip</b>           | Yes                                       |
| <b>Weight (g)</b>               | 120                                       |
| <b>Color name</b>               | Black                                     |

**MAMBA DELUXE | BHG-106 |**

*Ergonomically designed kraton grips with artificial leather cover*

- » Special inside locking mechanism allows you to secure your grip
- » Very comfortable due to the special anatomic shape and hand support
- » Easy assembly

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Length Grips (mm)</b> | 130 mm                                     |
| <b>Lockring</b>          | Yes                                        |
| <b>Material</b>          | Recycled PP, Gel, Recycled Kraton, Leather |
| <b>Ergonomic grip</b>    | Yes                                        |
| <b>Weight (g)</b>        | 195                                        |
| <b>Color name</b>        | Black                                      |

**MAMBA DELUXE | BHG-107 |**

*Ergonomically designed kraton grips with artificial leather cover*

- » Special inside locking mechanism allows you to secure your grip
- » Special version for twist grip gear systems.
- » Very comfortable due to the anatomic shape and hand support.

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Length Grips (mm)</b> | 92 mm / 130 mm                             |
| <b>Lockring</b>          | Yes                                        |
| <b>Material</b>          | Recycled PP, Gel, Recycled Kraton, Leather |
| <b>Compatible with</b>   | Gripshift                                  |
| <b>Ergonomic grip</b>    | Yes                                        |
| <b>Weight (g)</b>        | 179                                        |
| <b>Color name</b>        | Black                                      |

**ERGOFIX | BHG-71 |**

*Ergonomically designed kraton grips with gel palm support*

- » Very comfortable due to the anatomic shape and hand support
- » Lock-on grips with aluminium clamp
- » Screw-on interface prevents slippage on the handlebar

|                                 |                                   |
|---------------------------------|-----------------------------------|
| <b>Length Grips (mm)</b>        | 133 mm                            |
| <b>Lockring</b>                 | Yes                               |
| <b>Material</b>                 | Recycled PP, Gel, Recycled Kraton |
| <b>Handlebar plugs included</b> | No                                |
| <b>Ergonomic grip</b>           | Yes                               |
| <b>Weight (g)</b>               | 132                               |
| <b>Color name</b>               | Black                             |

**LEATHERFIX | BHG-16 |**

*Ergonomically designed kraton grips with real leather cover*



- » Perfect fit and extra support to the palm
- » Screw-on interface prevents slippage on the handlebar

|                                 |                                            |
|---------------------------------|--------------------------------------------|
| <b>Length Grips (mm)</b>        | 135 mm                                     |
| <b>Lockring</b>                 | Yes                                        |
| <b>Material</b>                 | Recycled PP, Gel, Recycled Kraton, Leather |
| <b>Compatible with</b>          | Bar ends                                   |
| <b>Handlebar plugs included</b> | Yes                                        |
| <b>Ergonomic grip</b>           | Yes                                        |
| <b>Weight (g)</b>               | 198                                        |
| <b>Color name</b>               | Black                                      |

**LEATHERFIX | BHG-16N |**

*Ergonomically designed kraton grips with real leather cover*



- » Special version for twist grip gear systems
- » Perfect fit and extra support to the palm
- » Screw-on interface prevents slippage on the handlebar

|                                 |                                            |
|---------------------------------|--------------------------------------------|
| <b>Length Grips (mm)</b>        | 92 mm / 135 mm                             |
| <b>Lockring</b>                 | Yes                                        |
| <b>Material</b>                 | Recycled PP, Gel, Recycled Kraton, Leather |
| <b>Compatible with</b>          | Bar ends, Gripshift                        |
| <b>Handlebar plugs included</b> | Yes                                        |
| <b>Ergonomic grip</b>           | Yes                                        |
| <b>Weight (g)</b>               | 180                                        |
| <b>Color name</b>               | Black                                      |

**BOA | BHG-103 |**

*Ergonomically designed kraton/cork grips with gel palm support.*

- » Very comfortable due to the anatomic shape and hand support.
- » Two end-caps included

|                          |                              |
|--------------------------|------------------------------|
| <b>Length Grips (mm)</b> | 130 mm                       |
| <b>Material</b>          | Gel, Kraton, Recycled Kraton |
| <b>Ergonomic grip</b>    | Yes                          |
| <b>Weight (g)</b>        | 128                          |
| <b>Color name</b>        | Black / Dark grey            |

**BOA | BHG-104 |**

*Ergonomically designed kraton/cork grips with gel palm support.*

- » Very comfortable due to the anatomic shape and hand support
- » Special version for twist grip gear systems
- » Two end-caps included

|                          |                              |
|--------------------------|------------------------------|
| <b>Length Grips (mm)</b> | 92 mm / 130 mm               |
| <b>Material</b>          | Gel, Kraton, Recycled Kraton |
| <b>Compatible with</b>   | Gripshift                    |
| <b>Ergonomic grip</b>    | Yes                          |
| <b>Weight (g)</b>        | 123                          |
| <b>Color name</b>        | Black / Dark grey            |

**BOA | BHG-105 |**

*Ergonomically designed kraton/cork grips with gel palm support.*

- » Very comfortable due to the anatomic shape and hand support
- » Special version for twist grip gear systems.

|                          |                   |
|--------------------------|-------------------|
| <b>Length Grips (mm)</b> | 92 mm             |
| <b>Material</b>          | Gel, Kraton       |
| <b>Compatible with</b>   | Gripshift         |
| <b>Ergonomic grip</b>    | Yes               |
| <b>Weight (g)</b>        | 96                |
| <b>Color name</b>        | Black / Dark grey |

**PYTHON | BHG-95 |**

*Grips designed for the optimal combination of grip and feel*

- » Keeps your grip under the most extreme circumstances
- » Slip-free hexagon surface
- » Available in 6 different colours

|                          |                                                       |
|--------------------------|-------------------------------------------------------|
| <b>Length Grips (mm)</b> | 142 mm                                                |
| <b>Lockring</b>          | Yes                                                   |
| <b>Material</b>          | Recycled PP, Kraton, Recycled Kraton                  |
| <b>Weight (g)</b>        | 79                                                    |
| <b>Color name</b>        | Black, Red, White, Neon yellow, Nevada / Nevada, Blue |



**VIPER | BHG-97 |**

*Kraton grips with gel palm support and surface pattern gives excellent gripping traction.*

- » Surface pattern gives excellent gripping traction
- » Two end-caps included
- » Made out of soft dual-density material

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| <b>Length Grips (mm)</b>        | 130 mm                                    |
| <b>Lockring</b>                 | No                                        |
| <b>Material</b>                 | Recycled PP, Gel, Kraton, Recycled Kraton |
| <b>Compatible with</b>          | Bar ends                                  |
| <b>Handlebar plugs included</b> | Yes                                       |
| <b>Weight (g)</b>               | 121                                       |
| <b>Color name</b>               | Black / Grey                              |

**CRUISER | BHG-91 |**

*Kraton rubber grip for high comfort*

- » Slip-free hexagon surface
- » The grip is made of 30% PIR recycled Kraton

|                          |                 |
|--------------------------|-----------------|
| <b>Length Grips (mm)</b> | 130 mm          |
| <b>Material</b>          | Recycled Kraton |
| <b>Weight (g)</b>        | 91              |
| <b>Color name</b>        | Black           |

**CRUISER | BHG-92 |**

*Kraton rubber grip for high comfort*

- » Slip-free hexagon surface
- » Special version for twist grip gear systems
- » With integrated end-caps
- » The grip is made of 30% PIR recycled Kraton

|                          |                 |
|--------------------------|-----------------|
| <b>Length Grips (mm)</b> | 92 mm / 130 mm  |
| <b>Material</b>          | Recycled Kraton |
| <b>Compatible with</b>   | Gripshift       |
| <b>Ergonomic grip</b>    | No              |
| <b>Weight (g)</b>        | 79              |
| <b>Color name</b>        | Black           |

**CRUISER | BHG-93 |**

*Kraton rubber grip for high comfort*

- » Slip-free hexagon surface
- » Special version for twist grip gear systems
- » With integrated end-caps
- » The grip is made of 30% PIR recycled Kraton

|                          |                 |
|--------------------------|-----------------|
| <b>Length Grips (mm)</b> | 92 mm           |
| <b>Material</b>          | Recycled Kraton |
| <b>Compatible with</b>   | Gripshift       |
| <b>Weight (g)</b>        | 66              |
| <b>Color name</b>        | Black           |

**FOAMGRIP | BHG-28 |**

*Comfortable grips with shock and vibration damping abilities*

- » Two end-caps included

|                                 |           |
|---------------------------------|-----------|
| <b>Length Grips (mm)</b>        | 130 mm    |
| <b>Material</b>                 | Soft Foam |
| <b>Compatible with</b>          | Bar ends  |
| <b>Handlebar plugs included</b> | Yes       |
| <b>Weight (g)</b>               | 31        |
| <b>Color name</b>               | Black     |

**FOAMGRIP | BHG-28G |**

*Comfortable grips with shock and vibration damping abilities*

- » Special version for twist grip gear systems
- » Two end-caps included

|                                 |                     |
|---------------------------------|---------------------|
| <b>Length Grips (mm)</b>        | 92 mm               |
| <b>Material</b>                 | Soft Foam           |
| <b>Compatible with</b>          | Bar ends, Gripshift |
| <b>Handlebar plugs included</b> | Yes                 |
| <b>Weight (g)</b>               | 21                  |
| <b>Color name</b>               | Black               |

**FOAMWAVE | BHG-32 |**

*Lightweight, ergonomical and comfortable soft foam grips with shock and vibration damping properties*

» Two end-caps included

|                                 |           |
|---------------------------------|-----------|
| <b>Length Grips (mm)</b>        | 128 mm    |
| <b>Material</b>                 | Soft Foam |
| <b>Compatible with</b>          | Bar ends  |
| <b>Handlebar plugs included</b> | Yes       |
| <b>Weight (g)</b>               | 39        |
| <b>Color name</b>               | Black     |

**MULTIFOAM | BHG-27 |**

*High-quality foam grips, perfect for the BBB MultiBar (BHB-30 and BHB-300S) and other trekking handlebar*

» Comfortable 400 mm long soft foam grips with shock and vibration damping properties

» Two end-caps included

|                                 |           |
|---------------------------------|-----------|
| <b>Length Grips (mm)</b>        | 400 mm    |
| <b>Material</b>                 | Soft Foam |
| <b>Compatible with</b>          | Bar ends  |
| <b>Handlebar plugs included</b> | Yes       |
| <b>Weight (g)</b>               | 74        |
| <b>Color name</b>               | Black     |

**EXCLUSIVE | BHG-29 |**

*High-quality foam grips, perfect for the BBB MultiBar (BHB-30 and BHB-300S) and other trekking handlebar*

» 400 mm long comfortable foam grips with real leather cover provides shock and vibration damping

» Two end-caps included

|                                 |                    |
|---------------------------------|--------------------|
| <b>Length Grips (mm)</b>        | 400 mm             |
| <b>Material</b>                 | Leather, Soft Foam |
| <b>Compatible with</b>          | Bar ends           |
| <b>Handlebar plugs included</b> | Yes                |
| <b>Weight (g)</b>               | 17                 |
| <b>Color name</b>               | Black              |



**CLASSIC | BBE-07 |**

*Super comfortable bar ends with a slightly curved shape*

- » One-piece design for ultimate durability.
- » Gentle curved design follows the contours of your hand.
- » Superior strength and stiffness.
- » Made from 3D forged 6061 T6 aluminum.

|                              |                   |
|------------------------------|-------------------|
| <b>Length (mm) (BarEnds)</b> | 150 mm            |
| <b>Material</b>              | 6061 T6 Aluminium |
| <b>Weight (g)</b>            | 144               |
| <b>Color name</b>            | Black             |

**TRAILMONKEY | BBE-01 |**

*Comfortable bar ends to combat every trail!*

- » Ergonomic design for maximum comfort.
- » One-piece clamp with hex bolts for secure handlebar mounting.
- » Made from 3D forged 6061 T6 aluminum.

|                              |                   |
|------------------------------|-------------------|
| <b>Length (mm) (BarEnds)</b> | 100 mm            |
| <b>Material</b>              | 6061 T6 Aluminium |
| <b>Weight (g)</b>            | 118               |
| <b>Color name</b>            | Black             |

**LIGHTCURVED | BBE-18 |**

*Super comfortable bar ends with a slightly curved shape*

- » One-piece design for ultimate durability.
- » Lightweight with superior strength and stiffness.
- » Anatomically shaped for a firm and comfortable grip.
- » Made from 3D forged 6061 T6 aluminum.

|                              |                   |
|------------------------------|-------------------|
| <b>Length (mm) (BarEnds)</b> | 150 mm            |
| <b>Material</b>              | 6061 T6 Aluminium |
| <b>Weight (g)</b>            | 134               |
| <b>Color name</b>            | Black             |

**PLUG & PLAY | BBE-50 |**

*Bar ends caps to give your bike a nice and classy finish*

- » High-quality replacement end plugs.
- » Durable and lightweight.
- » One size fits all

|                   |                 |
|-------------------|-----------------|
| <b>Material</b>   | Recycled PP, PP |
| <b>Weight (g)</b> | 6               |
| <b>Color name</b> | Black           |

**CITYKICK | BKS-05 |**

*Universal kickstand, can be installed on almost all city and trekking bikes*

- » Adjustable length, without use of any tools
- » Quick Fold Mechanism (QFM), easy to fold away and deploy
- » Extra wide composite footrest for more stability

|                          |                  |
|--------------------------|------------------|
| <b>Mounting system</b>   | Center mount     |
| <b>Materials</b>         | Steel            |
| <b>Amount of bolts</b>   | Single bolt      |
| <b>Adjustable</b>        | Length           |
| <b>Wheel size (inch)</b> | 26, 27.5, 28, 29 |
| <b>Weight (g)</b>        | 322              |
| <b>Color name</b>        | Black            |

**CONNECTKICK 18 | BKS-06 |**

*Robust kickstand for your city bike*

- » Direct mount on your bicycle with 18mm mount system
- » Adjustable length without the use of any tools
- » Quick Fold Mechanism (QFM), easy to fold away and deploy
- » Extra stable due to the big composite footrest.

|                          |                             |
|--------------------------|-----------------------------|
| <b>Mounting system</b>   | Chain stay (non drive side) |
| <b>Materials</b>         | Steel                       |
| <b>Amount of bolts</b>   | Two bolt                    |
| <b>Adjustable</b>        | Length                      |
| <b>Wheel size (inch)</b> | 26, 27.5, 28, 29            |
| <b>Weight (g)</b>        | 307                         |
| <b>Color name</b>        | Black                       |

**CONNECTKICK 40 | BKS-07 |**

*Robust kickstand for your city bike*

- » Direct mount on your bicycle with 40mm mount system
- » Adjustable length without the use of any tools.
- » Quick Fold Mechanism (QFM), easy to fold away and deploy
- » Extra stable due to the big composite footrest.

|                          |                             |
|--------------------------|-----------------------------|
| <b>Mounting system</b>   | Chain stay (non drive side) |
| <b>Materials</b>         | Steel                       |
| <b>Amount of bolts</b>   | Two bolt                    |
| <b>Adjustable</b>        | Length                      |
| <b>Wheel size (inch)</b> | 26, 27.5, 28, 29            |
| <b>Weight (g)</b>        | 318                         |
| <b>Color name</b>        | Black                       |

**UNIKICK CLAMPMOUNT | BKS-08 |**

*Kickstand with universal clamp mount and adjustable length*

- » Adjustable in length without the use of any tools.
- » Quick Fold Mechanism (QFM), easy to fold away and deploy
- » Extra stable due to the big composite footrest.
- » Comes with two rubber inserts: Large for square chainstays (max. 22x28mm) and Small for Oval chainstay (max 22x20mm)

|                          |                              |
|--------------------------|------------------------------|
| <b>Mounting system</b>   | Chain stay (non drive side)  |
| <b>Materials</b>         | Steel                        |
| <b>Amount of bolts</b>   | Three bolts                  |
| <b>Adjustable</b>        | Length                       |
| <b>Wheel size (inch)</b> | 20, 22, 24, 26, 27.5, 28, 29 |
| <b>Weight (g)</b>        | 385, 375                     |
| <b>Color name</b>        | Black                        |



**SIDEKICK | BKS-01 |**

*Universal and adjustable kickstand, can be installed on almost all sport bikes*

- » Kickstand adjustable in length and angle
- » Quick Fold Mechanism (QFM), easy to fold away and deploy
- » Extremely stable design

|                          |                             |
|--------------------------|-----------------------------|
| <b>Mounting system</b>   | Chain stay (non drive side) |
| <b>Materials</b>         | Steel                       |
| <b>Amount of bolts</b>   | Three bolts                 |
| <b>Adjustable</b>        | Angle, Length               |
| <b>Wheel size (inch)</b> | 26, 27.5, 28, 29            |
| <b>Weight (g)</b>        | 265                         |
| <b>Color name</b>        | Black                       |

**MULTIKICK | BKS-04 |**

*Universal and adjustable kickstand, can be installed on almost all sport bikes*

- » Multi-adjustable length and angle
- » Quick Fold Mechanism (QFM), easy to fold away and deploy

|                          |                             |
|--------------------------|-----------------------------|
| <b>Mounting system</b>   | Chain stay (non drive side) |
| <b>Materials</b>         | Steel                       |
| <b>Amount of bolts</b>   | Three bolts                 |
| <b>Adjustable</b>        | Angle, Length               |
| <b>Wheel size (inch)</b> | 26, 27.5, 28, 29            |
| <b>Weight (g)</b>        | 278                         |
| <b>Color name</b>        | Black                       |

**QUICKKICK KIDS | BKS-02K |**

*Kids version kickstand for installation on the wheel quick release*

- » Also compatible with disc brake bikes
- » Quick Fold Mechanism (QFM), easy to fold away and deploy

|                          |                |
|--------------------------|----------------|
| <b>Mounting system</b>   | Quick releases |
| <b>Materials</b>         | Steel          |
| <b>Amount of bolts</b>   | Single bolt    |
| <b>Adjustable</b>        | Length         |
| <b>Wheel size (inch)</b> | 16, 18, 20, 22 |
| <b>Weight (g)</b>        | 165            |
| <b>Color name</b>        | Black          |

**LIGHTBLOCK | BQR-11 |**

*Secure attachment and a lightweight design*

- » Lightweight fully CNC machined levers
- » Durable titanium axle
- » Corrosion-resistant springs

|                                  |                |
|----------------------------------|----------------|
| <b>Length Quick Release (mm)</b> | 100 mm, 130 mm |
| <b>Weight (g)</b>                | 52             |
| <b>Color name</b>                | Black          |

**WHEELBLOCK | BQR-01 |**

*Make sure your wheels are free to spin and secured attached to your bike*

- » Durable and lightweight aluminium
- » Jam-free mechanism
- » Corrosion-resistant springs

|                                  |                |
|----------------------------------|----------------|
| <b>Length Quick Release (mm)</b> | 100 mm, 135 mm |
| <b>Weight (g)</b>                | 87             |
| <b>Color name</b>                | Black          |


**WHEELFIXED | BQR-03 |**

*Stylish look and a safe attachment*

- » Fixation with a hex key, that prevents a fast theft of your wheels
- » Longer nut makes it possible to use these quick releases safely on most mountain bikes and road bikes
- » Durable and lightweight aluminium
- » Corrosion-resistant springs

|                                  |                |
|----------------------------------|----------------|
| <b>Length Quick Release (mm)</b> | 100 mm, 135 mm |
| <b>Weight (g)</b>                | 78             |
| <b>Color name</b>                | Black          |





# ACCESSORIES

**BLS LIGHTS**  
**BFD FENDERS**  
**BMP MINI PUMPS**  
**BFP FLOOR PUMPS**  
**BWB WATER BOTTLES**  
**BBC BOTTLE CAGES**  
**BSB BAGS**  
**BBL LOCKS**  
**BBB BELLS**  
**BSM PHONE MOUNTS**  
**BCP COMPUTERS**  
**BBM BIKE MIRROR**  
**BBP PROTECTION**  
**BIC INDOOR**

**NEW!**

**SLICE 600** | BLS-285i

## Stealthy powerhouse for a clean cockpit

Compatible with Garmin and  
Wahoo quarter lock mounts.  
Tether cord included to secure  
the light on your handlebar

5-LED battery status



Auto On/Off and Parking  
mode function due to the  
motion sensor

**STRIKEDUO 2100I INDICATOR | BLS-273I |**

*Headlight with 2100 Lumen output in an oval beam, ideal for offroad riding*



- » With a double lens, one creates the oval beam, the other a centered light beam
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » Comes with a wireless remote control for easier control over the light

|                                       |                                                                 |
|---------------------------------------|-----------------------------------------------------------------|
| <b>Modes</b>                          | Low, City, Standard, High, Boost, Flash, Dayflash, Steady Flash |
| <b>Max. burn time (hours)</b>         | 140                                                             |
| <b>Max. lumen in steady mode (lm)</b> | 2100                                                            |
| <b>Charge time (hours)</b>            | 4:30                                                            |
| <b>USB type</b>                       | USB-C                                                           |
| <b>Waterproof level</b>               | IPX7                                                            |
| <b>Weight (g)</b>                     | 224                                                             |
| <b>Color name</b>                     | Black                                                           |

**2100  
LUMEN****STRIKEDUO 1400I INDICATOR | BLS-271I |**

*Headlight with 1400 Lumen output in an oval beam, ideal for offroad riding*



- » With a double lens, one creates the oval beam, the other a centered light beam
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » Wireless Remote Compatible

|                                       |                                                                 |
|---------------------------------------|-----------------------------------------------------------------|
| <b>Modes</b>                          | Low, City, Standard, High, Boost, Flash, Dayflash, Steady Flash |
| <b>Max. burn time (hours)</b>         | 90                                                              |
| <b>Max. lumen in steady mode (lm)</b> | 1400                                                            |
| <b>Charge time (hours)</b>            | 4:00                                                            |
| <b>USB type</b>                       | USB-C                                                           |
| <b>Waterproof level</b>               | IPX7                                                            |
| <b>Weight (g)</b>                     | 189                                                             |
| <b>Color name</b>                     | Black                                                           |

**1400  
LUMEN****NANOSTRIKE 1000I INDICATOR | BLS-263I |**

*Round beamed headlight with double LEDs for optimized road usage*



- » Headlight with maximum output of 1000 Lumen
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » Wireless remote compatible and USB-C rechargeable
- » Compact and durable aluminium housing

|                                       |                                                                 |
|---------------------------------------|-----------------------------------------------------------------|
| <b>Modes</b>                          | Low, City, Standard, High, Boost, Flash, Dayflash, Steady Flash |
| <b>Light source</b>                   | LED                                                             |
| <b>Max. burn time (hours)</b>         | 42                                                              |
| <b>Max. lumen in steady mode (lm)</b> | 1000                                                            |
| <b>Charge time (hours)</b>            | 3:30                                                            |
| <b>USB type</b>                       | USB-C                                                           |
| <b>Waterproof level</b>               | IPX6                                                            |
| <b>Weight (g)</b>                     | 125                                                             |
| <b>Color name</b>                     | Gravel Green, Cosmic Orange, Black                              |

**1000  
LUMEN**

**NANOSTRIKE 1000I INDICATOR UPSIDE DOWN | BLS-267I |**

*Round beamed upside-down headlight with double LEDs for optimized road usage*

- » Headlight with maximum output of 1000 Lumen
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » Wireless remote included and USB-C rechargeable
- » Compact and durable aluminium housing

|                                       |                                                                 |
|---------------------------------------|-----------------------------------------------------------------|
| <b>Modes</b>                          | Low, City, Standard, High, Boost, Flash, Dayflash, Steady Flash |
| <b>Light source</b>                   | LED                                                             |
| <b>Max. burn time (hours)</b>         | 42                                                              |
| <b>Max. lumen in steady mode (lm)</b> | 1000                                                            |
| <b>Charge time (hours)</b>            | 3:30                                                            |
| <b>USB type</b>                       | USB-C                                                           |
| <b>Waterproof level</b>               | IPX6                                                            |
| <b>Weight (g)</b>                     | 125                                                             |
| <b>Color name</b>                     | Black                                                           |



**1000  
LUMEN**

**NANOSTRIKE 700I INDICATOR | BLS-262I |**

*Round beamed headlight with double LEDs for optimized road usage*

- » Headlight with maximum output of 700 Lumen
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » Wireless remote compatible and USB-C rechargeable
- » Compact and durable aluminium housing

|                                       |                                                          |
|---------------------------------------|----------------------------------------------------------|
| <b>Modes</b>                          | Low, City, Standard, High, Flash, Dayflash, Steady Flash |
| <b>Max. burn time (hours)</b>         | 45                                                       |
| <b>Max. lumen in steady mode (lm)</b> | 700                                                      |
| <b>Charge time (hours)</b>            | 3:00                                                     |
| <b>USB type</b>                       | USB-C                                                    |
| <b>Waterproof level</b>               | IPX6                                                     |
| <b>Weight (g)</b>                     | 107                                                      |
| <b>Color name</b>                     | Heritage Blue, Rose Gold, Black                          |

**700  
LUMEN**

**NANOSTRIKE 500 | BLS-261 |**

*Round beamed headlight with double LEDs for optimized road usage*

- » Headlight with maximum output of 500 Lumen
- » 5 LED battery indicator, so you always know when you run out of battery
- » 5 LED mode indicator, shows you the mode of the light
- » USB-C rechargeable
- » Compact and durable aluminium housing

|                                       |       |
|---------------------------------------|-------|
| <b>Max. burn time (hours)</b>         | 35    |
| <b>Max. lumen in steady mode (lm)</b> | 500   |
| <b>Charge time (hours)</b>            | 2:30  |
| <b>USB type</b>                       | USB-C |
| <b>Waterproof level</b>               | IPX6  |
| <b>Weight (g)</b>                     | 95    |
| <b>Color name</b>                     | Black |

**500  
LUMEN**



**SLICE 600I | BLS-285I |***Bright headlight to mount on your computer bracket*

- » Headlight with a maximum output of 600 Lumen
- » Compatible with Garmin and Wahoo quarter lock mounts. Tether cord included to secure the light on your handlebar.
- » Wireless remote compatible, mode memory and battery pack function
- » 5-LED battery status
- » Auto On/Off and Parking mode function due to the motion sensor

|                                       |                                                     |
|---------------------------------------|-----------------------------------------------------|
| <b>Modes</b>                          | City, Standard, High, Flash, Dayflash, Steady Flash |
| <b>Light source</b>                   | XML2 Cree                                           |
| <b>Max. lumen in steady mode (lm)</b> | 600                                                 |
| <b>USB type</b>                       | USB-C                                               |
| <b>Color name</b>                     | Black                                               |

**600 LUMEN****SLICE 300 | BLS-281 |***Computer mounted headlight, saves space on your handlebar*

- » Inconspicuous mounted headlight, mounted on the bike computer mount
- » Compatible with Garmin and Wahoo bike computers quarter lock mounts
- » The Slice shows its battery status in 5 LEDs on the side by a short press on the power button
- » Memory function remember the last used mode of the light
- » With a maximum of up to 300 Lumen in Dayflash mode

|                                       |                                                    |
|---------------------------------------|----------------------------------------------------|
| <b>Modes</b>                          | Low, Standard, High, Flash, Dayflash, Steady Flash |
| <b>Light source</b>                   | COB                                                |
| <b>Max. burn time (hours)</b>         | 25                                                 |
| <b>Max. lumen in steady mode (lm)</b> | 100                                                |
| <b>Charge time (hours)</b>            | 1:30                                               |
| <b>USB type</b>                       | USB-C                                              |
| <b>Waterproof level</b>               | IPX6                                               |
| <b>Weight (g)</b>                     | 50                                                 |
| <b>Color name</b>                     | Black                                              |

**STUD 50 | BLS-230 |***Powerful headlight to see and to be seen in and around the city*

- » The special design offers great side visibility and a light beam that does not blind upcoming traffic
- » With aluminium heatsink for optimal heat dissipation
- » Memory mode: the light goes on in the last used mode
- » With multi color battery indicator
- » USB cable included

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Flash, High, Low, Standard |
| <b>Light source</b>                   | LED                        |
| <b>Max. burn time (hours)</b>         | 30                         |
| <b>Max. lumen in steady mode (lm)</b> | 200                        |
| <b>USB type</b>                       | Micro USB                  |
| <b>Waterproof level</b>               | IPX4                       |
| <b>Weight (g)</b>                     | 106                        |
| <b>Color name</b>                     | Black                      |



**STUD 33 | BLS-143 |**

*The special design offers great side visibility and a light beam that does not blind upcoming traffic*

- » Easy to mount on the handlebar with the strap
- » Memory mode: the light goes on in the last used mode
- » With battery indicator
- » USB-cable included

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Flash, High, Low, Standard |
| <b>Light source</b>                   | LED                        |
| <b>Max. burn time (hours)</b>         | 10                         |
| <b>Max. lumen in steady mode (lm)</b> | 130                        |
| <b>Charge time (hours)</b>            | 2:00                       |
| <b>USB type</b>                       | Micro USB                  |
| <b>Waterproof level</b>               | IPX5                       |
| <b>Weight (g)</b>                     | 71                         |
| <b>Color name</b>                     | Black                      |



**130  
LUMEN**

**E-STRIKE PRO 2000 | BLS-242E |**

*High Power E-bike light with 3 modes and remote control*

- » Compatible with E-bike systems with a voltage of 6-12V and a 6-20W (max.60W) power output.
- » This E-bike light has an oval light beam, offering perfect sight on both paved roads as offroads trails.
- » A remote control is included for easy operation of the light. If not in use the USB-C port can be used as power output
- » The light fits any GoPro mount and the included centermount bracket is compatible with 35.0/ 31.8 and 25.4mm handlebars
- » This high quality build alloy headlight is protected against overheating

|                                       |                     |
|---------------------------------------|---------------------|
| <b>Modes</b>                          | High, Low, Standard |
| <b>Max. lumen in steady mode (lm)</b> | 2000                |
| <b>Waterproof level</b>               | IPX7                |
| <b>Weight (g)</b>                     | 90                  |
| <b>Color name</b>                     | Black               |



**2000  
LUMEN**

**E-STRIKE URBAN 600 | BLS-241E |**

*Powerfull E-bike light with high/low function and remote control*

- » Compatible with E-bike systems with a voltage of 6-12V and a 3-6W (max.60W) power output.
- » This E-bike light has a traffic friendly light beam while still offering a bright beam on the road
- » A remote control is included for easy operation of the light
- » The light fits any GoPro mount and the included centermount bracket is compatible with 35.0/ 31.8 and 25.4mm handlebars
- » This high quality build alloy headlight is protected against overheating

|                                       |           |
|---------------------------------------|-----------|
| <b>Modes</b>                          | High, Low |
| <b>Max. lumen in steady mode (lm)</b> | 600       |
| <b>Waterproof level</b>               | IPX7      |
| <b>Weight (g)</b>                     | 69        |
| <b>Color name</b>                     | Black     |



**600  
LUMEN**

**E-SIGNAL STVZO | BLS-243E |***Compact E-bike light for sportive E-bikes*

- » Superlight (5 grams) and compact size
- » Comes with two aluminum bracket. An adjustable seatpost/stay bracket and a Carrier mounting plate (50mm)
- » StVZO approved in both vertical as horizontal orientation
- » 1.2m cable included
- » Made for 12V E-bike system



|                                       |       |
|---------------------------------------|-------|
| <b>Modes</b>                          | High  |
| <b>Max. lumen in steady mode (lm)</b> | 20    |
| <b>Color name</b>                     | Black |

**STRIKEDUO 2100I + SIGNALPRO 250 WIRELESS COMBO | BLS-277I |***StrikeDuo 2100i headlight with the Signal Pro rear light and wireless remote control*

- » Headlight with 2100 Lumen output in an oval beam, ideal for offroad riding
- » Rear light with 270-degree visibility and dynamic flash patterns
- » Wireless remote included



|                   |       |
|-------------------|-------|
| <b>USB type</b>   | USB-C |
| <b>Weight (g)</b> | 274   |
| <b>Color name</b> | Black |

**STRIKEDUO 1400I + SIGNAL 80 WIRELESS COMBO | BLS-275I |***StrikeDuo 1400i headlight with Signal rear light and wireless remote control*

- » Headlight with 1400 Lumen output in an oval beam, ideal for offroad riding
- » 45 COBs rear light for maximum visibility



|                   |       |
|-------------------|-------|
| <b>USB type</b>   | USB-C |
| <b>Weight (g)</b> | 218   |
| <b>Color name</b> | Black |

**NANOSTRIKE 700I + SIGNAL 80 COMBO | BLS-266I |**

*Round beamed NanoStrike 700 headlight with updated Signal rear light*



- » Headlight with maximum output of 700 Lumen
- » 45 COBs rear light for maximum visibility

|            |       |
|------------|-------|
| USB type   | USB-C |
| Weight (g) | 136   |
| Color name | Black |

**SLICE 600I MODESYNC COMBO | BLS-286I |**

*Smart lighting set with ModeSync*



- » ModeSync automatically synchronises your light settings
- » The Slice 600i front light is compatible with Garmin and Wahoo quarter lock mounts.
- » Wireless remote compatible, On/Off function, mode memory
- » 5-LED battery status on both lights

|            |       |
|------------|-------|
| USB type   | USB-C |
| Color name | Black |

**NANOSTRIKE 500 + SLIDE 50 COMBO | BLS-265 |**

*Round beamed NanoStrike 500 headlight with Slide rear light*



- » Headlight with maximum output of 500 Lumen
- » Compact USB rechargeable rearlight for visibility with multiple mounting options
- » Battery indicator shows the realtime battery level, so you are always in control

|            |       |
|------------|-------|
| Weight (g) | 123   |
| Color name | Black |



### SLICE 300 + SIGNAL 80 COMBO | BLS-282 |

*Slice computer mounted headlight with Signal rear light*

- » Inconspicuous mounted headlight, mounted on the bike computer mount
- » 45 COBs rear light for maximum visibility

|              |       |
|--------------|-------|
| Light source | COB   |
| USB type     | USB-C |
| Weight (g)   | 79    |
| Color name   | Black |



### STUD 50 + SLIDE COMBO | BLS-231 |

*Set of the Stud 50 (BLS-230) headlight and Slide (BLS-236) rear light*

- » USB-cables included

|                  |           |
|------------------|-----------|
| Light source     | LED       |
| USB type         | Micro USB |
| Waterproof level | IPX4      |
| Color name       | Black     |



### STUD 33 + SALUTE COMBO | BLS-144 |

*Set of the Stud 33 (BLS-143) headlight and Salute (BLS-145) rear light*

- » Micro USB-cables included
- » Runtime Safety mode: extends runtime with at least three hours of flash
- » Stud strap can be easily mounted to your handlebar with the strap
- » With the memory mode the light goes on in the last used mode

|                  |            |
|------------------|------------|
| Light source     | LED        |
| USB type         | Micro USB  |
| Waterproof level | IPX4, IPX5 |
| Weight (g)       | 97         |
| Color name       | Black      |



**SIGNAL RADAR | BLS-251 |**

*A radar light for ultimate protection, our most advanced light to date.*

- » Object detection up to a stunning 190 meters and with an angle of 35 degrees
- » Connect your bicycle computer or smartphone easily with the ANT+ and/or Bluetooth connection
- » Built-in speaker for standalone operation, when in use without a computer or phone
- » Maximum of 80 Lumen daylight flash and car warning light
- » 6 modes at your fingertips and up to 14 hours of runtime

|                                       |                                                          |
|---------------------------------------|----------------------------------------------------------|
| <b>Modes</b>                          | High, Peloton, Flash, Dayflash, Steady Flash, Radar only |
| <b>Light source</b>                   | LED                                                      |
| <b>Max. burn time (hours)</b>         | 14                                                       |
| <b>Max. lumen in steady mode (lm)</b> | 80                                                       |
| <b>USB type</b>                       | USB-C                                                    |
| <b>Waterproof level</b>               | IPX6                                                     |
| <b>Weight (g)</b>                     | 90                                                       |
| <b>Color name</b>                     | Black                                                    |

**SIGNALPRO 250 | BLS-168 |**

*The bigger, brighter and better brother of our iconic Signal rear light*

- » Provides you optimal day time visibility due to its 250 Lumen Day Flash mode
- » The 8 LEDs on both sides will show you the real time battery status
- » Experience 270-degree visibility and dynamic flash patterns with the efficiency of Two COB areas
- » Easy operation, even with winter gloves
- » Strapmount fits on Ø 5 - 45 mm and has self locking USB port for optimal waterproofness

|                                       |                                          |
|---------------------------------------|------------------------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low, Steady Flash |
| <b>Light source</b>                   | COB                                      |
| <b>Max. burn time (hours)</b>         | 21                                       |
| <b>Max. lumen in steady mode (lm)</b> | 80                                       |
| <b>Charge time (hours)</b>            | 2:10                                     |
| <b>USB type</b>                       | USB-C                                    |
| <b>Waterproof level</b>               | IPX7                                     |
| <b>Weight (g)</b>                     | 58                                       |
| <b>Color name</b>                     | Black                                    |

**SIGNALBRAKE 80 | BLS-256 |**

*Powerful rear light with brake function, housed in a minimalist design*

- » Brake indicator shows other road users when you are hitting your brakes
- » 45 COBs cover the whole area of the light surface for maximum visibility
- » Battery indicator with 5 LEDs for real time battery status by a short press on the power button
- » Longer strap mount fits on round, d-shape and aero seatposts
- » Rechargeable and self locking USB-C port for optimal waterproofness

|                               |                                       |
|-------------------------------|---------------------------------------|
| <b>Modes</b>                  | Steady, Flash, Dayflash, Steady Flash |
| <b>Light source</b>           | COB                                   |
| <b>Max. burn time (hours)</b> | 41                                    |
| <b>Charge time (hours)</b>    | 1:45                                  |
| <b>USB type</b>               | USB-C                                 |
| <b>Waterproof level</b>       | IPX7                                  |
| <b>Weight (g)</b>             | 29                                    |
| <b>Color name</b>             | Black                                 |



**SIGNAL 80 | BLS-255 |**

*Powerful rear light with a minimalist design*

- » 45 COBs cover the whole area of the light surface for maximum visibility
- » Battery indicator with 5 LEDs for real time battery status by a short press on the power button
- » Longer strap mount fits on round, d-shape and aero seatposts
- » Rechargeable and self locking USB-C port for optimal waterproofness

|                               |                                       |
|-------------------------------|---------------------------------------|
| <b>Modes</b>                  | Steady, Flash, Dayflash, Steady Flash |
| <b>Light source</b>           | COB                                   |
| <b>Max. burn time (hours)</b> | 41                                    |
| <b>Charge time (hours)</b>    | 1:45                                  |
| <b>USB type</b>               | USB-C                                 |
| <b>Waterproof level</b>       | IPX7                                  |
| <b>Weight (g)</b>             | 29                                    |
| <b>Color name</b>             | Black                                 |

**SPARK 2.0 REAR | BLS-152 |**

*Like a Spark in the night*

- » Runtime Safety mode: Extends runtime with at least 2 hours of Flash
- » Day Flash mode (20lm) for daytime visibility
- » Strapmount fits on Ø5-42mm and has self locking USB port for optimal waterproofness
- » Memory mode: The light goes on in the last used mode
- » Seatpost angle correction

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low |
| <b>Light source</b>                   | LED                        |
| <b>Max. burn time (hours)</b>         | 28                         |
| <b>Max. lumen in steady mode (lm)</b> | 10                         |
| <b>Charge time (hours)</b>            | 1:45                       |
| <b>USB type</b>                       | Micro USB, USB-C           |
| <b>Waterproof level</b>               | IPX7                       |
| <b>Weight (g)</b>                     | 23                         |
| <b>Color name</b>                     | Black                      |

**SPARK 2.0 FRONT | BLS-151 |**

*Like a Spark in the night*

- » Runtime Safety mode: Extends runtime with at least 2 hours of Flash
- » Day Flash mode (100lm) for daytime visibility
- » Strapmount fits on Ø5-42mm and has self locking USB port for optimal waterproofness
- » Memory mode: The light goes on in the last used mode

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low |
| <b>Light source</b>                   | LED                        |
| <b>Max. burn time (hours)</b>         | 27                         |
| <b>Max. lumen in steady mode (lm)</b> | 45                         |
| <b>Charge time (hours)</b>            | 1:45                       |
| <b>USB type</b>                       | Micro USB, USB-C           |
| <b>Waterproof level</b>               | IPX4                       |
| <b>Weight (g)</b>                     | 27                         |
| <b>Color name</b>                     | Black                      |





### SPARK 2.0 COMBO | BLS-153 |

*Powerful allround lighting set for multi-purpose use*

- » Set of Spark 2.0 (BLS-151) headlight with Spark 2.0 (BLS-152) rear light
- » Micro USB-cables included

|                   |                  |
|-------------------|------------------|
| <b>USB type</b>   | Micro USB, USB-C |
| <b>Weight (g)</b> | 50               |
| <b>Color name</b> | Black            |



### SLIDE REAR | BLS-236 |

*Compact USB rechargeable rearlight for visibility with multiple mounting options*



- » Strap bracket included for fast and flexible mounting, fits on Ø 5 - 45 mm
- » Unique sliding system to cover the USB port
- » Runtime Safety mode: Extends runtime with at least 3 hours in Flash mode
- » The innovative 8 LED battery indicator will show you the battery status every time you put the light on or off
- » With the memory mode the light goes on in the last used mode

|                                       |                                          |
|---------------------------------------|------------------------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low, Steady Flash |
| <b>Light source</b>                   | LED                                      |
| <b>Max. lumen in steady mode (lm)</b> | 16                                       |
| <b>Charge time (hours)</b>            | 1                                        |
| <b>USB type</b>                       | Micro USB                                |
| <b>Waterproof level</b>               | IPX4                                     |
| <b>Weight (g)</b>                     | 24                                       |
| <b>Color name</b>                     | Black                                    |



### SLIDE FRONT | BLS-235 |

*Compact and multifunctional headlight with clip and strap*



- » Unique waterproof sliding system to cover the USB port
- » Runtime Safety mode: Extends runtime with at least 3 hours in Flash mode
- » The innovative 4 LED battery indicator will show you the battery status every time you put the light on or off
- » With the memory mode the light goes on in the last used mode

|                                       |                                          |
|---------------------------------------|------------------------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low, Steady Flash |
| <b>Light source</b>                   | LED                                      |
| <b>Max. burn time (hours)</b>         | 48                                       |
| <b>Max. lumen in steady mode (lm)</b> | 50                                       |
| <b>Charge time (hours)</b>            | 1                                        |
| <b>USB type</b>                       | Micro USB                                |
| <b>Waterproof level</b>               | IPX4                                     |
| <b>Weight (g)</b>                     | 24                                       |
| <b>Color name</b>                     | Black                                    |

**SLIDE COMBO | BLS-237 |***Set of Slide front and rear light (BLS-235 & BLS-236)*

» Micro USB-cables included

|                         |           |
|-------------------------|-----------|
| <b>Light source</b>     | LED       |
| <b>USB type</b>         | Micro USB |
| <b>Waterproof level</b> | IPX4      |
| <b>Color name</b>       | Black     |

**SALUTE | BLS-145 |***Fits perfectly on seatposts due to the sloped backside*

- » Runtime Safety mode that extends runtime with three extra hours of flash mode to bring you home safely
- » Strapmount fits on Ø5-42mm bars
- » Self-locking USB port for optimal waterproofness and protection
- » With the memory mode the light goes on in the last used mode
- » Contains day flash mode for daytime visibility

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low |
| <b>Light source</b>                   | LED                        |
| <b>Max. burn time (hours)</b>         | 28                         |
| <b>Max. lumen in steady mode (lm)</b> | 8                          |
| <b>USB type</b>                       | USB-C                      |
| <b>Waterproof level</b>               | IPX5                       |
| <b>Color name</b>                     | Black                      |

**WIRELESS REMOTE CONTROL | BLS-178I |***Wireless Remote Control for StrikeDuo and NanoStrike*

- » Operate your headlight with this wireless remote control
- » Easy to mount with the flexible strap
- » Longlasting and easy to replace battery
- » Compatible with all headlights with an "i" behind the lumen

|                         |       |
|-------------------------|-------|
| <b>Waterproof level</b> | IPX5  |
| <b>Weight (g)</b>       | 17    |
| <b>Color name</b>       | Black |



### WIRED REMOTE CONTROL | BLS-179 |

*Remote Control for StrikeDuo, E-Strike and NanoStrike series*

- » Operate your headlight from your handlebar
- » 30 cm long cable to attach it anywhere
- » USB-C connection
- » Compatible with StrikeDuo and E-Strike headlights

|                   |       |
|-------------------|-------|
| <b>USB type</b>   | USB-C |
| <b>Weight (g)</b> | 95    |
| <b>Color name</b> | Black |



### CENTERMOUNT 2.0 | BLS-195 |

*Bracket for centered mounting of bike computer or headlight*

- » Fits on Ø31.8 and Ø35.0mm handlebars
- » Can be used in left and right sided orientation
- » Also suitable for GoPro mounting
- » Compatible with all headlights with TightFix system

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 40    |
| <b>Color name</b> | Black |



### HELMETMOUNT 2.0 | BLS-196 |

*Special mount to install lights on your helmet*

- » Compatible for all headlights with Tightfix system
- » The angle of the light can be adjusted for optimal usage
- » Also suitable for GoPro mounting

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 40    |
| <b>Color name</b> | Black |

**STRAPFIX | BLS-194 |**

*Strap bracket suited for heavier headlights*

- » Compatible with all headlights with TightFix system
- » Aerobar compatible
- » Fits on Ø 22 - 45 mm bars

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 32    |
| <b>Color name</b> | Black |

**GOMOUNT | BLS-99 |**

*Light bracket for installation on camera mounts*

- » Compatible with all headlights with TightFix system
- » Extender to provide maximum adjustability included
- » Compatible with BBB Stems (BHS-09, BHS-37 and BHS-38Di2)
- » Bracket to install lights on a camera mount
- » Compatible with all headlights with TightFix system

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 14    |
| <b>Color name</b> | Black |

**CROWNFIX | BLS-193 |**

*Strong and durable alloy bracket*

- » Adjustable light angle
- » Compatible with all headlights with TightFix system
- » GoPro compatible

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 29    |
| <b>Color name</b> | Black |



**E-STRIKE CABLE | BLS-245E |**

*E-Strike connection cable*

- » The E-Strike can be connected to the E-bike motor with the supplied power cable
- » Available for: Shimano Steps

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 60    |
| <b>Color name</b> | Black |



**E-STRIKE CABLE | BLS-246E |**

*E-Strike connection cable*

- » The E-Strike can be connected to the E-bike motor with the supplied power cable
- » Available for: Bosch, Bosch BES 3, Yamaha, Brose and Giant
- » Length: 1.2m

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 60, 70 |
| <b>Color name</b> | Black  |



**USB-C CABLE | BLS-247 |**

*USB-C Charging cable*

- » USB-A to USB-C Charging cable
- » Length: 0.5m

|                   |       |
|-------------------|-------|
| <b>USB type</b>   | USB-C |
| <b>Weight (g)</b> | 25    |
| <b>Color name</b> | Black |



### SPARK 2.0 DISPLAYBOX | BLS-151D |

*Display box with 12 pieces of the Spark 2.0*

- » Runtime Safety mode: Extends runtime with at least 2 hours of Flash
- » Day Flash mode (100lm) for daytime visibility
- » Strapmount fits on Ø5-42mm and has self locking USB port for optimal waterproofness
- » Memory mode: The light goes on in the last used mode

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low |
| <b>Light source</b>                   | LED                        |
| <b>Max. lumen in steady mode (lm)</b> | 45                         |
| <b>Charge time (hours)</b>            | 1:45                       |
| <b>USB type</b>                       | Micro USB                  |
| <b>Waterproof level</b>               | IPX4                       |
| <b>Weight (g)</b>                     | 27                         |



### SPARK 2.0 DISPLAYBOX | BLS-152D |

*Display box with 12 pieces of the Spark 2.0*

- » Runtime Safety mode: Extends runtime with at least 2 hours of Flash
- » Day Flash mode (20lm) for daytime visibility
- » Strapmount fits on Ø5-42mm and has self locking USB port for optimal waterproofness
- » Memory mode: The light goes on in the last used mode
- » Seatpost angle correction

|                                       |                            |
|---------------------------------------|----------------------------|
| <b>Modes</b>                          | Dayflash, Flash, High, Low |
| <b>Light source</b>                   | LED                        |
| <b>Max. lumen in steady mode (lm)</b> | 10                         |
| <b>Charge time (hours)</b>            | 1:45                       |
| <b>USB type</b>                       | Micro USB                  |
| <b>Waterproof level</b>               | IPX7                       |
| <b>Weight (g)</b>                     | 23                         |

## FEATURES LIGHTS



BBB lights with Lithium batteries have integrated smart technology. An electronic system continuously monitors the strength of the battery and modifies the power output to maintain a stable light output. This prevents a sudden total loss of light without warning and above all lengthens the duration that you have a safe and usable beam of light.

**1500  
LUMEN**

Max lumen.



Quick and easy rechargeable by usb design.



High power head lights also produce a lot of heat. Therefore BBB head lights are equipped with ACS (Airflow Cooling System). Due to the design of the aluminum casing, the passing airflow cools down the light significantly. Enough to prevent overheating of the LED. For the worst case scenarios the light is protected against overheating and will shut down before the heat can do any damage to the light

## LIGHT CONCEPTS

If you want to choose the most suitable light set for your bicycle, it's important to have correct and comparable product data. Because there is no international standard for lights, BBB mentions various values. With these values you can always compare our products.

To fully understand the values mentioned in the chart, we have added the explanation of these values

Lumen is the best known unit to compare lights. The number shows the total amount of light (in all directions) emitted by the light.

Candela is the unit of luminous intensity. Candela indicates the amount of light emitted by a light-source in a certain direction. The in the chart noted Candela values are measured at the center of the beam.

Lux is the amount of light (lumens) projected on a certain area. For example, if you have a light source of 1000 lumens, spread over 1 m<sup>2</sup>, this square meter is illuminated with 1000 lux. When the same 1000 lumens are spread over 10 m<sup>2</sup>, the same source illuminates a square meter with only 100 lux.

However, when comparing Lux values for different light sets, it's important to know the distance from the light source. The larger the distance from the source, the lower the Lux value will be. BBB measures the Lux value at 1 and 10 meters. The Lux value at 1 meter is equal to the value for Luminous intensity (Candela).

The beam distance shows how far the light bundle will be visible on the road. The beam distance is tested according the FL1 standard. You can find BBB values mentioned above in the chart on the next page.

| ARTICLE NO.                                                  | Modes        | Light Output<br>Lumen (lm) | Illuminance<br>Lux at 1 meter /<br>Candela (cd) | Illuminance<br>Lux at 10 meter | Beam Distance<br>meters | Runtime *<br>hours | Charging Time<br>hours | Batteries<br>Brand/Type | Weight | Waterproof<br>Level | USB Type | Remote<br>Control<br>Compatibility |
|--------------------------------------------------------------|--------------|----------------------------|-------------------------------------------------|--------------------------------|-------------------------|--------------------|------------------------|-------------------------|--------|---------------------|----------|------------------------------------|
| HEAD LIGHT                                                   |              |                            |                                                 |                                |                         |                    |                        |                         |        |                     |          |                                    |
| BLS-273i StrikeDuo 2100i                                     | Boost        | 2100                       | 12900                                           | 129                            | 227                     | 2:00               | 4:30(2A)               | 18650                   | 224    | IPX4                | USB-C    | Wireless (BLS-178i)                |
|                                                              | High         | 1400                       | 8060                                            | 81                             | 180                     | 3:30               | 6:30(1A)               | 3.7V x 6700mAh          |        |                     |          | Wired (BLS-179)                    |
|                                                              | Standard     | 800                        | 4750                                            | 48                             | 138                     | 5:30               |                        |                         |        |                     |          |                                    |
|                                                              | Low          | 350                        | 2120                                            | 21                             | 92                      | 13:00              |                        |                         |        |                     |          |                                    |
|                                                              | City         | 50                         | 316                                             | 3                              | 36                      | 75:00              |                        |                         |        |                     |          |                                    |
|                                                              | Flash        | 200                        |                                                 |                                |                         | 85:00              |                        |                         |        |                     |          |                                    |
|                                                              | Day Flash    | 400                        |                                                 |                                |                         | 140:00             |                        |                         |        |                     |          |                                    |
|                                                              | Steady Flash | 200+500                    |                                                 |                                |                         | 11:00              |                        |                         |        |                     |          |                                    |
|                                                              | Boost        | 1400                       | 10380                                           | 104                            | 204                     | 1:40               | 4:00(2A)               | 18650                   | 189    | IPX4                | USB-C    | Wireless (BLS-178i)                |
|                                                              | High         | 800                        | 5760                                            | 58                             | 152                     | 3:00               | 5:15(1A)               | 3.7V x 4000mAh          |        |                     |          | Wired (BLS-179)                    |
|                                                              | Standard     | 500                        | 3590                                            | 36                             | 120                     | 5:00               |                        |                         |        |                     |          |                                    |
| BLS-263i NanoStrike 1000i /<br>BLS-267i NanoStrike 1000 Plus | Low          | 250                        | 1690                                            | 17                             | 82                      | 10:00              |                        |                         |        |                     |          |                                    |
|                                                              | City         | 50                         | 370                                             | 4                              | 38                      | 40:00              |                        |                         |        |                     |          |                                    |
|                                                              | Flash        | 200                        |                                                 |                                |                         | 50:00              |                        |                         |        |                     |          |                                    |
|                                                              | Day Flash    | 400                        |                                                 |                                |                         | 90:00              |                        |                         |        |                     |          |                                    |
|                                                              | Steady Flash | 200+500                    |                                                 |                                |                         | 6:00               |                        |                         |        |                     |          |                                    |
|                                                              | Boost        | 1000                       | 12050                                           |                                | 220                     | 1:30               | 3:30                   | Lithium polymer         | 125    | IPX6                | USB-C    | Wireless (BLS-178i)                |
|                                                              | High         | 700                        | 7270                                            |                                | 171                     | 2:30               |                        | 3.7V x 2200mAh          |        |                     |          | Wired (BLS-179)                    |
|                                                              | Standard     | 500                        | 3890                                            |                                | 125                     | 3:00               |                        |                         |        |                     |          |                                    |
|                                                              | Low          | 250                        | 3470                                            |                                | 118                     | 5:00               |                        |                         |        |                     |          |                                    |
|                                                              | City         | 50                         | 670                                             |                                | 52                      | 20:00              |                        |                         |        |                     |          |                                    |
|                                                              | Flash        | 100                        |                                                 |                                |                         | 40:00              |                        |                         |        |                     |          |                                    |
| BLS-262i NanoStrike 700i                                     | Day Flash    | 400                        |                                                 |                                |                         | 42:00              |                        |                         |        |                     |          |                                    |
|                                                              | Steady Flash | 100+400                    |                                                 |                                |                         | 7:00               |                        |                         |        |                     |          |                                    |
|                                                              | High         | 700                        | 7250                                            |                                | 170                     | 1:30               | 3:00                   | Lithium polymer         | 107    | IPX6                | USB-C    | Wireless (BLS-178i)                |
|                                                              | Standard     | 500                        | 5720                                            |                                | 151                     | 2:10               |                        | 3.7V x 1600mAh          |        |                     |          | Wired (BLS-179)                    |
|                                                              | Low          | 250                        | 3620                                            |                                | 120                     | 3:30               |                        |                         |        |                     |          |                                    |
|                                                              | City         | 50                         | 640                                             |                                | 51                      | 15:00              |                        |                         |        |                     |          |                                    |
|                                                              | Flash        | 100                        |                                                 |                                |                         | 34:00              |                        |                         |        |                     |          |                                    |
|                                                              | Day Flash    | 400                        |                                                 |                                |                         | 36:00              |                        |                         |        |                     |          |                                    |
|                                                              | Steady Flash | 100+400                    |                                                 |                                |                         | 6:00               |                        |                         |        |                     |          |                                    |
| BLS-285i Slice 600                                           | High         | 600                        | 2510                                            |                                | 100                     | 2:30               | 3:30                   | Lithium polymer         | 107    | IPX6                | USB-C    | Wireless (BLS-178i)                |
|                                                              | Standard     | 250                        |                                                 |                                |                         | 6:00               |                        | 3.7V x 2200mAh          |        |                     |          |                                    |
|                                                              | City         | 50                         |                                                 |                                |                         | 26:00              |                        |                         |        |                     |          |                                    |
|                                                              | Flash        | 100                        |                                                 |                                |                         | 28:00              |                        |                         |        |                     |          |                                    |
|                                                              | Day Flash    | 400                        |                                                 |                                |                         | 50:00              |                        |                         |        |                     |          |                                    |
|                                                              | Steady Flash | 100+400                    |                                                 |                                |                         | 8:30               |                        |                         |        |                     |          |                                    |

| ARTICLE NO.            | Modes          | Light Output<br>Lumen (lm) | Illuminance<br>lux at 1 meter /<br>candela (cd) | Illuminance<br>lux at 10 meter | Beam Distance<br>meters | Runtime *<br>hours | Charging Time<br>hours | Batteries<br>brand/type | Weight | Waterproof<br>level | USB Type  | Remote<br>Control<br>Compatibility |
|------------------------|----------------|----------------------------|-------------------------------------------------|--------------------------------|-------------------------|--------------------|------------------------|-------------------------|--------|---------------------|-----------|------------------------------------|
| HEAD LIGHT             |                |                            |                                                 |                                |                         |                    |                        |                         |        |                     |           |                                    |
| BLS-261 NanoStrike 500 | High           | 500                        | 5660                                            | 150                            | 130                     | 2:30               | 2:30                   | 3.7V x 1200mAh          | 95     | IPX6                | USB-C     | Wired (BLS-179)                    |
|                        | Standard       | 250                        | 2980                                            | 109                            | 2:50                    |                    |                        |                         |        |                     |           |                                    |
|                        | City           | 50                         | 660                                             | 51                             | 12:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Flash          | 100                        |                                                 |                                | 30:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Day Flash      | 400                        |                                                 |                                | 32:00                   |                    |                        |                         |        |                     |           |                                    |
| BLS-230 Stud 50        | Steady Flash   | 100+400                    |                                                 |                                | 5:30                    |                    |                        |                         |        |                     |           |                                    |
|                        | High           | 200                        | 7645                                            | 50                             | 3:00                    | 03:00              |                        | Lithium polymer         | 106    | IPX5                | USB-Micro | n.a.                               |
|                        | Standard       | 100                        | 3598                                            | 25                             | 5:00                    |                    |                        | 3.7V x 2500mAh          |        |                     |           |                                    |
|                        | Low            | 50                         | 1822                                            | 13                             | 10:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Flash          | 50                         | 1822                                            | 13                             | 30:00                   |                    |                        |                         |        |                     |           |                                    |
| BLS-143 Stud 33        | High           | 130                        | 2300                                            | 33                             | 3:00                    | 2:00               |                        | Lithium polymer         | 70     | IPX5                | USB-Micro | n.a.                               |
|                        | Standard       | 60                         | 1300                                            | 18                             | 5:00                    |                    |                        | 3.7V x 1000mAh          |        |                     |           |                                    |
|                        | Low            | 30                         | 700                                             | 9                              | 10:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Flash          | 30                         | 700                                             | 9                              | 30:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | High           | 100                        |                                                 |                                | 3:50 (+4:00 Flash)      |                    |                        | Lithium polymer         |        | IPX7                | USB-C     | n.a.                               |
| BLS-281 Slice 300      | Mid            | 50                         |                                                 |                                | 6:00 (+4:00 Flash)      |                    |                        | 3.7V x 750mAh           |        |                     |           |                                    |
|                        | Low            | 10                         |                                                 |                                | 20:00 (+4:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | Flash          | 300                        |                                                 |                                | 18:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Day Flash      | 50                         |                                                 |                                | 15:00 (+4:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | Steady Flash   | 20+100                     |                                                 |                                | 25:00 (+4:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | High           | 30                         | 12,6                                            | < 0.50                         | 2:00 (+2:00 Flash)      | 2:00               |                        | Lithium polymer         | 28     | IPX7                | USB-Micro | n.a.                               |
|                        | Low            | 7                          | 2,7                                             | < 0.50                         | 8:00 (+2:00 Flash)      |                    |                        | 3.7V x 250mAh           |        |                     |           |                                    |
|                        | Flash          | 25                         | 10,5                                            | < 0.50                         | 24:00 (+2:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | DayFlash       | 30                         | 12,6                                            | < 0.50                         | 40:00 (+2:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | SteadyFlash    | 7+30                       | 12,6                                            | < 0.50                         | 4:00 (+2:00 Flash)      |                    |                        |                         |        |                     |           |                                    |
| BLS-151 Spark 2.0      | Sweep          | 15                         | 6,3                                             | < 0.50                         | 4:00 (+2:00 Flash)      |                    |                        |                         |        |                     |           |                                    |
|                        | Round Pulse    | 15                         | 6,3                                             | < 0.50                         | 4:00 (+2:00 Flash)      |                    |                        |                         |        |                     |           |                                    |
|                        | Dynamic Circle | 10                         | 4,1                                             | < 0.50                         | 10:00 (+2:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | Pulse          | 1-25                       | 12,6                                            | < 0.50                         | 4:00 (+2:00 Flash)      |                    |                        |                         |        |                     |           |                                    |
|                        | High           | 45                         | 78                                              | 0,7                            | 3:00 (+4:00 Flash)      | 1:45               |                        | Lithium polymer         | 26     | IPX4                | USB-C     | n.a.                               |
|                        | Low            | 14                         | 25                                              | < 0.50                         | 10:00 (+3:00 Flash)     |                    |                        | 3.7V x 300mAh           |        |                     |           |                                    |
|                        | Flash          | 12                         | 21                                              | < 0.50                         | 27:00                   |                    |                        |                         |        |                     |           |                                    |
|                        | Day Flash      | 100                        | 156                                             | 1,5                            | 25:00 (+2:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | High           | 50                         | 23                                              | < 0.50                         | 5:00 (+3:00 Flash)      | 01:00              |                        | Lithium polymer         | 23     | IPX4                | USB-Micro | n.a.                               |
|                        | Low            | 13                         | 6                                               | < 0.50                         | 16:00 (+3:00 Flash)     |                    |                        | 3.7V x 500mAh           |        |                     |           |                                    |
| BLS-235 Slide          | Steady Flash   | 5+20                       | 23                                              | < 0.50                         | 12:00 (+3:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | Day Flash      | 50                         | 23                                              | < 0.50                         | 48:00 (+3:00 Flash)     |                    |                        |                         |        |                     |           |                                    |
|                        | Flash          | 13                         | 6                                               | < 0.50                         | 28:00 (+3:00 Flash)     |                    |                        |                         |        |                     |           |                                    |

| ARTICLE NO.                                               | Modes          | Light Output<br>Lumen (lm) | Illuminance<br>Lux at 1 meter /<br>Candela (cd) | Illuminance<br>Lux at 10 meter | Beam Distance<br>Meters | Runtime *<br>Hours  | Charging Time<br>Hours | Batteries<br>Brand/Type | Weight | Waterproof<br>Level | USB Type  | Remote<br>Control<br>Compatibility |
|-----------------------------------------------------------|----------------|----------------------------|-------------------------------------------------|--------------------------------|-------------------------|---------------------|------------------------|-------------------------|--------|---------------------|-----------|------------------------------------|
| REAR LIGHT                                                |                |                            |                                                 |                                |                         |                     |                        |                         |        |                     |           |                                    |
| BLS-168 Signal Pro                                        | High           | 80                         | 34,7                                            | < 0.50                         |                         | 2:00 (+3:00 Flash)  | 02:10                  | Lithium polymer         | 57     | IPX7                | USB-C     |                                    |
|                                                           | Standard       | 30                         | 13,4                                            | < 0.50                         |                         | 5:30 (+3:00 Flash)  |                        | 3,7V x 1050mAh          |        |                     |           |                                    |
|                                                           | Low            | 10                         | 6,5                                             | < 0.50                         |                         | 14:30 (+3:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Steady Flash   | 20+80                      | 22                                              | < 0.50                         |                         | 9:00 (+3:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | Day Flash      | 250                        | 90                                              | < 0.50                         |                         | 21:00 (+3:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Flash          | 40                         | 14,5                                            | < 0.50                         |                         | 16:30 (+3:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Peloton        | 5                          |                                                 |                                |                         | 09:00 (+4:00 Flash) |                        | Lithium polymer         |        | IPX4                | USB-C     |                                    |
| Signal Radar                                              | High           | 20                         |                                                 |                                |                         | 5:30 (+4:00 Flash)  |                        | 3,7V x 1100mAh          |        |                     |           |                                    |
|                                                           | Flash          | 1                          |                                                 |                                |                         | 11:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Day Flash      | 80                         |                                                 |                                |                         | 14:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Steady Flash   | 2+25                       |                                                 |                                |                         | 11:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Radar Only     | 0+80                       |                                                 |                                |                         | Days/weeks          |                        |                         |        |                     |           |                                    |
|                                                           | High           | 20                         |                                                 |                                |                         | 3:00 (+4:00 Flash)  | 2:00                   | Lithium polymer         | 34     | IPX7                | USB-C     |                                    |
|                                                           | Mid            | 6                          |                                                 |                                |                         | 9:00 (+4:00 Flash)  |                        | 3,7V x 300mAh           |        |                     |           |                                    |
| BLS-256 Signal Brake                                      | Low            | 2                          |                                                 |                                |                         | 20:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Flash          | 3                          |                                                 |                                |                         | 29:00               |                        |                         |        |                     |           |                                    |
|                                                           | DayFlash       | 80                         |                                                 |                                |                         | 18:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | SteadyFlash    | 2+25                       |                                                 |                                |                         | 6:30 (+4:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | Brake Only     | 0+70                       |                                                 |                                |                         |                     |                        |                         |        |                     |           |                                    |
|                                                           | High           | 20                         |                                                 |                                |                         | 3:00 (+4:00 Flash)  | 2:00                   | Lithium polymer         | 34     | IPX7                | USB-C     |                                    |
|                                                           | Mid            | 6                          |                                                 |                                |                         | 9:00 (+4:00 Flash)  |                        | 3,7V x 300mAh           |        |                     |           |                                    |
| BLS-255 Signal                                            | Low            | 2                          |                                                 |                                |                         | 20:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Flash          | 3                          |                                                 |                                |                         | 29:00               |                        |                         |        |                     |           |                                    |
|                                                           | DayFlash       | 80                         |                                                 |                                |                         | 18:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | SteadyFlash    | 2+25                       |                                                 |                                |                         | 6:30 (+4:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | High           | 20                         |                                                 |                                |                         | 3:00 (+4:00 Flash)  | 2:00                   | Lithium polymer         | 29     | IPX7                | USB-C     |                                    |
|                                                           | Mid            | 6                          |                                                 |                                |                         | 9:00 (+4:00 Flash)  |                        | 3,7V x 300mAh           |        |                     |           |                                    |
|                                                           | Low            | 2                          |                                                 |                                |                         | 20:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
| Signal ModeSync<br>(only available in set with Slice 600) | Flash          | 3                          |                                                 |                                |                         | 28:00               |                        |                         |        |                     |           |                                    |
|                                                           | DayFlash       | 80                         |                                                 |                                |                         | 30:00 (+4:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | SteadyFlash    | 2+25                       |                                                 |                                |                         | 8:00 (+4:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | High           | 12                         | 2,8                                             | < 0.50                         |                         | 2:00 (+2:00 Flash)  | 2:00                   | Lithium polymer         | 28     | IPX7                | USB-Micro |                                    |
|                                                           | Low            | 3                          | 0,6                                             | < 0.50                         |                         | 8:00 (+2:00 Flash)  |                        | 3,7V x 250mAh           |        |                     |           |                                    |
|                                                           | Flash          | 10                         | 2,3                                             | < 0.50                         |                         | 24:00 (+2:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | DayFlash       | 12                         | 2,8                                             | < 0.50                         |                         | 40:00 (+2:00 Flash) |                        |                         |        |                     |           |                                    |
| BLS-225 Spirit                                            | SteadyFlash    | 3+12                       | 2,8                                             | < 0.50                         |                         | 4:00 (+2:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | Sweep          | 6                          | 1,4                                             | < 0.50                         |                         | 4:00 (+2:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | Round Pulse    | 6                          | 1,4                                             | < 0.50                         |                         | 4:00 (+2:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | Dynamic Circle | 4                          | 0,9                                             | < 0.50                         |                         | 10:00 (+2:00 Flash) |                        |                         |        |                     |           |                                    |
|                                                           | Pulse          | 0.5-10                     | 2,8                                             | < 0.50                         |                         | 4:00 (+2:00 Flash)  |                        |                         |        |                     |           |                                    |
|                                                           | High           | 12                         | 2,8                                             | < 0.50                         |                         | 2:00 (+2:00 Flash)  | 2:00                   | Lithium polymer         | 28     | IPX7                | USB-Micro |                                    |
|                                                           | Low            | 3                          | 0,6                                             | < 0.50                         |                         | 8:00 (+2:00 Flash)  |                        | 3,7V x 250mAh           |        |                     |           |                                    |



| BRAND                            | SYSTEM                                    | OPERATION VOLTAGE<br>VOLT | POWER CONSUMPTION<br>WATT | BLS-241E<br>E-STRIKE URBAN 600<br>COMPATIBLE | BLS-242E<br>E-STRIKE PRO 2000<br>COMPATIBLE | PHONE CHARGE WHEN<br>LIGHT IS OFF |
|----------------------------------|-------------------------------------------|---------------------------|---------------------------|----------------------------------------------|---------------------------------------------|-----------------------------------|
| <b>E-BIKE COMPATIBILITY LIST</b> |                                           |                           |                           |                                              |                                             |                                   |
| BOSCH                            | Gen. 3/ Gen. 4                            | 12V                       | 18W                       | YES                                          | YES                                         | YES                               |
|                                  | Gen. 2 (Perf. CX / Active Line)           | 6V                        | 9W                        | YES                                          | YES                                         | -                                 |
|                                  | Gen. 2 Perf. HS(45km/h)                   | 12V                       | 18W                       | YES                                          | YES                                         | YES                               |
|                                  | Gen. 1 Classic line                       | 6V                        | 3W                        | YES                                          | -                                           | -                                 |
| SHIMANO                          | EP8                                       | 12V                       | 24W                       | YES                                          | YES                                         | YES                               |
|                                  | E6000                                     | 6V                        | 6W                        | YES                                          | YES                                         | -                                 |
|                                  | E7000                                     | 12V                       | 18W                       | YES                                          | YES                                         | YES                               |
|                                  | E8000                                     | 6V                        | 12W                       | YES                                          | YES                                         | YES                               |
| STROMER                          | >2018                                     | 12V                       | 30W                       | YES                                          | YES                                         | YES                               |
|                                  | Evation                                   | 12V                       | 24W                       | YES                                          | YES                                         | YES                               |
| FAZUA                            |                                           | 6V                        | 9W                        | YES                                          | -                                           | -                                 |
|                                  |                                           | 12V (connector Box)       | 12W                       | YES                                          | YES                                         | YES                               |
| BAFANG                           | M series (M400/420/500/620/800)           | 6V                        | 3W                        | YES                                          | -                                           | -                                 |
|                                  | H400                                      | 6/12V                     | 3/6W                      | YES                                          | -                                           | -                                 |
|                                  | H620                                      | 6V                        | 3W                        | YES                                          | -                                           | -                                 |
| YAMAHA                           | X87 (45km/h)                              | 6V                        | 24W                       | YES                                          | YES                                         | YES                               |
|                                  | PW-ST / PW-X / PW-X2                      | 6V                        | 9W                        | YES                                          | YES                                         | -                                 |
|                                  | X94 E-MTB                                 | 6V                        | 3W                        | YES                                          | -                                           | -                                 |
|                                  | PW-SF                                     | 6V                        | 6W                        | YES                                          | YES                                         | -                                 |
|                                  | <MY17 (C16162 / C91143 / C79232 / C97292) | 6V                        | 7.2W                      | YES                                          | YES                                         | -                                 |
| BROSE                            |                                           | 36V                       | -                         | -                                            | -                                           | -                                 |
|                                  | MY18 (C97272)                             | 6V                        | 14.6W                     | YES                                          | YES                                         | -                                 |
| SPECIALIZED                      | MY>19 (Drive T/SF/S/C)                    | 12.5V                     | 27.5W                     | YES                                          | YES                                         | YES                               |
|                                  | Turbo Levo                                | 6V                        | 14.6W                     | YES                                          | YES                                         | YES                               |
|                                  | Vado 2019/ Creo S                         | 12V                       | 8W                        | YES                                          | YES                                         | -                                 |
|                                  | Turbo Levo >2020                          | 12V                       | 24W                       | YES                                          | YES                                         | YES                               |
| NEODRIVES                        | UR-V5                                     | 12V                       | 6W                        | YES                                          | YES                                         | -                                 |
|                                  | UR-V8 (Integrale/Supercore)               | 12V                       | 18W                       | YES                                          | YES                                         | YES                               |
|                                  | Z20RS                                     | 12V                       | 60W                       | YES                                          | YES                                         | YES                               |
| GIANT                            | (SyncDrive – Pro / Sport / Life / Core)   | 6V                        | 9W                        | YES                                          | YES                                         | -                                 |
| DAUM                             | Impulse                                   | 6V                        | 9W                        | YES                                          | YES                                         | -                                 |
| SR SUNTOUR                       | 25km/u                                    | 6V                        | 3W                        | YES                                          | -                                           | -                                 |
|                                  | 45km/u                                    | 6V                        | 6W                        | YES                                          | YES                                         | -                                 |
| TQ PIN                           | 120-MY17                                  | 12V                       | 8W                        | YES                                          | YES                                         | -                                 |
|                                  | HPR 120S                                  | 12V                       | 30W                       | YES                                          | YES                                         | YES                               |
| PANASONIC                        | X1/X0                                     | 36V                       | 25W                       | -                                            | -                                           | -                                 |
|                                  | X0                                        | 6V                        | 3.6W                      | -                                            | -                                           | -                                 |
|                                  | GX0 >2019                                 | 13.5                      | 20W                       | YES                                          | YES                                         | YES                               |

**NEW!**

**ROADGUARD** | BFD-54

## High-tech rear fender for road bikes

Adjustable by hand and tool,  
for perfect alignment with  
your tire



Ringfix Aero quick release  
system with pre-applied  
seatpost protection sticker

**ROADGUARD | BFD-54 |***High-tech rear fender for road bikes***NEW**

- » High-tech rear fender for road bikes
- » Protects against water spray and road grime
- » Adjustable by hand and tool, for perfect alignment with your tire
- » Ringfix Aero quick release system with pre-applied seatpost protection sticker
- » Fits on regular and aero seatposts

|                               |              |
|-------------------------------|--------------|
| <b>Material</b>               | Recycled PP  |
| <b>Mounting location</b>      | Seatpost     |
| <b>Max. tire width (inch)</b> | 40           |
| <b>Wheel size (inch)</b>      | 26/28, 28    |
| <b>Quick release type</b>     | Ringfix Aero |
| <b>Color name</b>             | Black        |

**DISCGUARD PLUS SET | BFD-66S |***Quick-release full-coverage fender set for disc brake bikes, now compatible for a wider range of tire sizes from 40mm up to 60mm.*

- » Fully adjustable: angle, height and length via an extension part
- » Quick-release seat stay mounting system for easy installation and removal
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material
- » Covers a range of tire sizes from 40 to 60 MM

|                               |                 |
|-------------------------------|-----------------|
| <b>Material</b>               | Recycled PP     |
| <b>Mounting location</b>      | Fork, Rear fork |
| <b>Mounting system</b>        | Quick releases  |
| <b>Max. tire width (inch)</b> | 2.35            |
| <b>Wheel size (inch)</b>      | 28, 29          |
| <b>Max. tire width (mm)</b>   | 60              |
| <b>Quick release type</b>     | Mini Ringfix    |
| <b>Color name</b>             | Black           |

**DISCGUARD PLUS REAR | BFD-66R |***Quick-release full-coverage rear fender for disc brake bikes, now compatible for a wider range of tire sizes from 40mm up to 60mm.*

- » Fully adjustable: angle, height and length via an extension part
- » Quick-release seat stay mounting system for easy installation and removal
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material
- » Covers a range of tire sizes from 40 to 60 MM

|                               |                        |
|-------------------------------|------------------------|
| <b>Material</b>               | Aluminium, Recycled PP |
| <b>Mounting location</b>      | Seat stays             |
| <b>Mounting system</b>        | Quick releases         |
| <b>Max. tire width (inch)</b> | 2.35                   |
| <b>Wheel size (inch)</b>      | 28, 29                 |
| <b>Max. tire width (mm)</b>   | 60                     |
| <b>Quick release type</b>     | Mini Ringfix           |
| <b>Color name</b>             | Black                  |

**DISCGUARD PLUS FRONT | BFD-66F |**

*Quick-release full-coverage front fender for disc brake bikes, now compatible for a wider range of tire sizes from 40mm up to 60mm.*



- » Fully adjustable: angle and height
- » Quick-release seat stay mounting system for easy installation and removal
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material
- » Covers a range of tire sizes from 40 to 60 MM

|                               |                |
|-------------------------------|----------------|
| <b>Material</b>               | Recycled PP    |
| <b>Mounting location</b>      | Front fork     |
| <b>Mounting system</b>        | Quick releases |
| <b>Max. tire width (inch)</b> | 2.35           |
| <b>Wheel size (inch)</b>      | 28, 29         |
| <b>Max. tire width (mm)</b>   | 60             |
| <b>Quick release type</b>     | Mini Ringfix   |
| <b>Color name</b>             | Black          |

**DISCGUARD SET | BFD-65S |**

*Quick-release full-coverage fender set for disc brake bikes*



- » Fully adjustable: angle, height and length
- » Tool-free mounting system on seat stay and fork for quick installation
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material

|                               |                      |
|-------------------------------|----------------------|
| <b>Material</b>               | PA, STS, Recycled PP |
| <b>Mounting location</b>      | Seat stays, Fork     |
| <b>Mounting system</b>        | Quick releases       |
| <b>Max. tire width (inch)</b> | 1.6                  |
| <b>Wheel size (inch)</b>      | 28                   |
| <b>Max. tire width (mm)</b>   | 42                   |
| <b>Quick release type</b>     | Mini Ringfix         |
| <b>Color name</b>             | Black                |

**DISCGUARD REAR | BFD-65R |**

*Quick-release full-coverage rear fender for disc brake bikes*



- » Fully adjustable: angle, height and length via an extension part
- » Quick-release seat stay mounting system for easy installation and removal
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material

|                               |                      |
|-------------------------------|----------------------|
| <b>Material</b>               | PA, STS, Recycled PP |
| <b>Mounting location</b>      | Seat stays           |
| <b>Mounting system</b>        | Quick releases       |
| <b>Max. tire width (inch)</b> | 1.6                  |
| <b>Wheel size (inch)</b>      | 28                   |
| <b>Max. tire width (mm)</b>   | 42                   |
| <b>Quick release type</b>     | Mini Ringfix         |
| <b>Color name</b>             | Black                |

**DISCGUARD FRONT | BFD-65F |***Quick-release full-coverage front fender for disc brake bikes*

- » Fully adjustable: angle and height
- » Quick-release fork mounting system for easy installation and removal
- » Large rubber mounting surface does not slip down or damage frame
- » Made with 75% durable and strong GRS certified recycled PP material

|                               |                      |
|-------------------------------|----------------------|
| <b>Material</b>               | PA, STS, Recycled PP |
| <b>Mounting location</b>      | Fork                 |
| <b>Mounting system</b>        | Quick releases       |
| <b>Max. tire width (inch)</b> | 1.6                  |
| <b>Wheel size (inch)</b>      | 28                   |
| <b>Max. tire width (mm)</b>   | 42                   |
| <b>Quick release type</b>     | Mini Ringfix         |
| <b>Color name</b>             | Black                |

**FULLGUARD REAR | BFD-61R |***Full-coverage rear (E-) MTB fender that protects against water and dirt*

- » Stable chainstay mounted fender for hardtail and full suspension bikes.
- » Large rubber mounting surface with angle adjustment to prevent sliding
- » Quick-release Mini-RingFix system for easy and fast mounting
- » Maximum tire width of 76mm or 3.0 inches and length adjustable with the extension part
- » Made with 75% durable and strong GRS certified recycled PP material

|                               |                 |
|-------------------------------|-----------------|
| <b>Material</b>               | PP, Recycled PP |
| <b>Mounting location</b>      | Seat stays      |
| <b>Mounting system</b>        | Quick releases  |
| <b>Max. tire width (inch)</b> | 3               |
| <b>Wheel size (inch)</b>      | 27.5, 28, 29    |
| <b>Max. tire width (mm)</b>   | 76              |
| <b>Quick release type</b>     | Mini Ringfix    |
| <b>Color name</b>             | Black           |

**FULLGUARD FRONT | BFD-61F |***Full-coverage front (E-) MTB fender that protects against water and dirt*

- » Stable fork mounted fender for hardtail and full suspension bikes.
- » Large rubber mounting surface with angle adjustment to prevent sliding
- » Quick-release Mini-RingFix system for easy and fast mounting
- » Maximum tire width of 76mm or 3.0 inches and length adjustable with the extension part
- » Made with 75% durable and strong GRS certified recycled PP material

|                               |                        |
|-------------------------------|------------------------|
| <b>Material</b>               | Recycled PP            |
| <b>Mounting location</b>      | Front fork, Seat stays |
| <b>Mounting system</b>        | Quick releases         |
| <b>Max. tire width (inch)</b> | 3                      |
| <b>Wheel size (inch)</b>      | 27.5, 28, 29           |
| <b>Quick release type</b>     | Mini Ringfix           |
| <b>Color name</b>             | Black                  |

**GRANDPROTECT REAR | BFD-16R |***MTB rear fender with TPR mud flaps*

- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Ringfix Aero quick release system with pre applied seatpost protection sticker

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP, TPR        |
| <b>Mounting location</b>    | Seatpost       |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 28, 29         |
| <b>Max. tire width (mm)</b> | 65             |
| <b>Quick release type</b>   | Ringfix Aero   |
| <b>Weight (g)</b>           | 250, 230       |
| <b>Color name</b>           | Black, Red     |

**GRANDPROTECT FRONT | BFD-16F |***MTB front fender with TPR mud flaps*

- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Turnfix release system for easy and fast attachment
- » Suitable for bikes with suspension forks

|                             |            |
|-----------------------------|------------|
| <b>Material</b>             | PP, TPR    |
| <b>Mounting location</b>    | Front fork |
| <b>Mounting system</b>      | Fixed      |
| <b>Wheel size (inch)</b>    | 28, 29     |
| <b>Max. tire width (mm)</b> | 65         |
| <b>Quick release type</b>   | Turnfix    |
| <b>Weight (g)</b>           | 196        |
| <b>Color name</b>           | Black      |

**GRANDPROTECT XL REAR | BFD-16XLR |***MTB rear fender with XL sized TPR mud flaps*

- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Ringfix Aero quick release system with pre applied seatpost protection sticker

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP, TPR        |
| <b>Mounting location</b>    | Seatpost       |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 28, 29         |
| <b>Max. tire width (mm)</b> | 65             |
| <b>Quick release type</b>   | Ringfix Aero   |
| <b>Weight (g)</b>           | 251            |
| <b>Color name</b>           | Black          |



## GRANDPROTECT XL FRONT | BFD-16XLF |

*MTB front fender with XL sized TPR mud flaps*



- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Turnfix release system for easy and fast attachment
- » Suitable for bikes with suspension forks

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP, TPR        |
| <b>Mounting location</b>    | Front fork     |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 28, 29         |
| <b>Max. tire width (mm)</b> | 65             |
| <b>Quick release type</b>   | Turnfix        |
| <b>Weight (g)</b>           | 217            |
| <b>Color name</b>           | Black          |

## MTBPROTECTOR REAR | BFD-13R |

*MTB rear fender with TPR mud flaps*



- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Ringfix Aero quick release system with pre applied seatpost protection sticker

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP, TPR        |
| <b>Mounting location</b>    | Seatpost       |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 26             |
| <b>Max. tire width (mm)</b> | 65             |
| <b>Quick release type</b>   | Ringfix        |
| <b>Weight (g)</b>           | 228            |
| <b>Color name</b>           | Black          |

## MTBPROTECTOR FRONT | BFD-13F |

*MTB front fender with TPR mud flaps*



- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Turnfix release system for easy and fast attachment
- » Suitable for bikes with suspension forks

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP, TPR        |
| <b>Mounting location</b>    | Front fork     |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 26             |
| <b>Max. tire width (mm)</b> | 65             |
| <b>Quick release type</b>   | Turnfix        |
| <b>Weight (g)</b>           | 188            |
| <b>Color name</b>           | Black          |



## HIGHPROTECTOR REAR | BFD-15R |

*MTB rear fender*

- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris

|                             |          |
|-----------------------------|----------|
| <b>Material</b>             | PP       |
| <b>Mounting location</b>    | Seatpost |
| <b>Mounting system</b>      | Fixed    |
| <b>Wheel size (inch)</b>    | 24, 26   |
| <b>Max. tire width (mm)</b> | 65       |
| <b>Weight (g)</b>           | 171, 250 |
| <b>Color name</b>           | Black    |



## HIGHPROTECTOR FRONT | BFD-15F |

*MTB front fender with mud flaps*

- » Two-tone composite material
- » Special design to provide full coverage against dirt and debris
- » Suitable for bikes with suspension forks

|                             |            |
|-----------------------------|------------|
| <b>Material</b>             | PP         |
| <b>Mounting location</b>    | Front fork |
| <b>Mounting system</b>      | Fixed      |
| <b>Wheel size (inch)</b>    | 24, 26     |
| <b>Max. tire width (mm)</b> | 65         |
| <b>Weight (g)</b>           | 258        |
| <b>Color name</b>           | Black      |



## GRAVELCATCHER | BFD-51 |

*Rear fender that protects you against dirt on all your gravel adventures*

- » Protects against water spray and grime
- » Adjustable by hand and tool, to be perfectly placed above your tire
- » Ringfix Aero quick release system with pre-applied seatpost protection sticker
- » Fits on regular and aero seatposts

|                             |                |
|-----------------------------|----------------|
| <b>Material</b>             | PP             |
| <b>Mounting location</b>    | Seatpost       |
| <b>Mounting system</b>      | Quick releases |
| <b>Wheel size (inch)</b>    | 27.5, 28       |
| <b>Max. tire width (mm)</b> | 55             |
| <b>Quick release type</b>   | Ringfix Aero   |
| <b>Weight (g)</b>           | 176            |
| <b>Color name</b>           | Black          |





### ROADPROTECTOR REAR | BFD-21R |

*Elegant rear fender for road bikes*

- » Protects against water spray and road grime
- » Easy and secure quick release system

|                             |                    |
|-----------------------------|--------------------|
| <b>Material</b>             | PP                 |
| <b>Mounting location</b>    | Rear brake bolt    |
| <b>Mounting system</b>      | Quick releases     |
| <b>Wheel size (inch)</b>    | 28                 |
| <b>Max. tire width (mm)</b> | 28                 |
| <b>Quick release type</b>   | Easy Quick-release |
| <b>Weight (g)</b>           | 100                |
| <b>Color name</b>           | Black              |



### ROADPROTECTOR FRONT | BFD-21F |

*Elegant front fender for road bikes*

- » Protects against water spray and road grime
- » Easy and secure quick release system

|                             |                    |
|-----------------------------|--------------------|
| <b>Material</b>             | PP                 |
| <b>Mounting location</b>    | Front brake bolt   |
| <b>Mounting system</b>      | Quick releases     |
| <b>Wheel size (inch)</b>    | 28                 |
| <b>Max. tire width (mm)</b> | 28                 |
| <b>Quick release type</b>   | Easy Quick-release |
| <b>Weight (g)</b>           | 91                 |
| <b>Color name</b>           | Black              |



### FATFENDER REAR | BFD-35R |

*Lightweight durable polypropylene rear fender special designed for fatbikes*

- » Ringfix quick release system One-joint adjustability

|                             |                  |
|-----------------------------|------------------|
| <b>Material</b>             | PP               |
| <b>Mounting location</b>    | Seatpost         |
| <b>Mounting system</b>      | Quick releases   |
| <b>Wheel size (inch)</b>    | 26, 27.5, 28, 29 |
| <b>Max. tire width (mm)</b> | 127              |
| <b>Quick release type</b>   | Ringfix          |
| <b>Weight (g)</b>           | 186              |
| <b>Color name</b>           | Black            |

**FATFENDER FRONT | BFD-35F |**

*Lightweight durable polypropylene fender special designed for fatbikes*

- » Downtube mounted fender
- » Dual elastomer strap attachment

|                             |                  |
|-----------------------------|------------------|
| <b>Material</b>             | PP               |
| <b>Mounting location</b>    | Downtube         |
| <b>Mounting system</b>      | Quick releases   |
| <b>Wheel size (inch)</b>    | 26, 27.5, 28, 29 |
| <b>Max. tire width (mm)</b> | 127              |
| <b>Quick release type</b>   | Rubber Strap     |
| <b>Weight (g)</b>           | 106              |
| <b>Color name</b>           | Black            |

**FLEXFENDER | BFD-31 |**

*Lightweight durable polypropylene fender*

- » Can be mounted both as front fender or rear fender
- » Extra coverage for front fork stanchions
- » 4 mounting tie wraps included

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Material</b>          | PP                                         |
| <b>Mounting location</b> | Front fork, Rear fork                      |
| <b>Mounting system</b>   | Fixed                                      |
| <b>Wheel size (inch)</b> | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| <b>Weight (g)</b>        | 38                                         |
| <b>Color name</b>        | Black                                      |

**MUDCATCHER XL | BFD-18 |**

*Downtube mounted fender*

- » Tapered design for better protection where needed
- » Can be mounted in multiple ways

|                           |                  |
|---------------------------|------------------|
| <b>Material</b>           | NBR, PP, TPR     |
| <b>Mounting location</b>  | Downtube         |
| <b>Mounting system</b>    | Quick releases   |
| <b>Wheel size (inch)</b>  | 26, 27.5, 28, 29 |
| <b>Quick release type</b> | Rubber Strap     |
| <b>Weight (g)</b>         | 130              |
| <b>Color name</b>         | Black            |



### MUDCATCHER II | BFD-03 |

*Easy to install downtube mounted fender due to two elastomer straps*

- » Made with composite material with softer TPR flap
- » Suited for extreme mountain biking

|                           |                      |
|---------------------------|----------------------|
| <b>Material</b>           | NBR, PP, TPR         |
| <b>Mounting location</b>  | Downtube             |
| <b>Mounting system</b>    | Quick releases       |
| <b>Wheel size (inch)</b>  | 22, 24, 26, 27.5, 28 |
| <b>Quick release type</b> | Rubber Strap         |
| <b>Weight (g)</b>         | 75                   |
| <b>Color name</b>         | Black                |



### CITYGUARD SET | BFD-40 |

*Set of front and rear fenders to provide full protection against water and debris*

- » Suitable for kids-, urban- and trekking bikes
- » Mounts to braze-on eyelets and brake bolt
- » Solid construction with stainless steel stays

|                             |                 |
|-----------------------------|-----------------|
| <b>Material</b>             | PA, PP, STS     |
| <b>Mounting location</b>    | Fork, Rear fork |
| <b>Mounting system</b>      | Fixed           |
| <b>Wheel size (inch)</b>    | 22, 24, 26, 28  |
| <b>Max. tire width (mm)</b> | 48              |
| <b>Weight (g)</b>           | 375, 446        |
| <b>Color name</b>           | Black           |



### RAINPROTECTORS SET | BFD-25 |

*A set with front and rear fender*

- » Two-tone composite material
- » Special geometry provides a wide area of protection against dirt and water in combination with a perfect fit on almost every bike, even with wider tires

|                             |                                   |
|-----------------------------|-----------------------------------|
| <b>Material</b>             | PP                                |
| <b>Mounting location</b>    | Front brake bolt, Rear brake bolt |
| <b>Mounting system</b>      | Fixed                             |
| <b>Wheel size (inch)</b>    | 26, 27.5, 28                      |
| <b>Max. tire width (mm)</b> | 48                                |
| <b>Weight (g)</b>           | 336                               |
| <b>Color name</b>           | Black                             |





### RAINWARRIORS | BFD-01 |

*A set of front and rear fender*



- » The specially engineered geometry provides a wide area of protection against dirt and water
- » Composite material

|                          |                                   |
|--------------------------|-----------------------------------|
| <b>Material</b>          | PP                                |
| <b>Mounting location</b> | Front brake bolt, Rear brake bolt |
| <b>Mounting system</b>   | Fixed                             |
| <b>Wheel size (inch)</b> | 24, 26, 27.5, 28                  |
| <b>Weight (g)</b>        | 340, 300                          |
| <b>Color name</b>        | Black                             |

### RINGFIX AERO | BFD-91A |

*RingFix quick release system for fast and easy installation on the seatpost*



- » Aero version fits seatpost diameters 25,0 - 57,3 mm
- » Includes an extra-long 185 mm strap to fit securely around aero seatposts

|                           |              |
|---------------------------|--------------|
| <b>Quick release type</b> | Ringfix Aero |
| <b>Weight (g)</b>         | 69           |
| <b>Color name</b>         | Black        |

### MINIFIX AERO | BFD-92 |

*MiniFix Aero quick release system*



- » Fits (aero) diameters of 10,0 - 35,0 mm
- » TPR inlay designed to fit around a wide variety of both aerodynamic and round seat-posts of different diameters.
- » Can accommodate a M5 nut for universal mounting purposes

|                           |                |
|---------------------------|----------------|
| <b>Material</b>           | TPR            |
| <b>Mounting system</b>    | Quick releases |
| <b>Quick release type</b> | Ringfix Aero   |
| <b>Weight (g)</b>         | 11             |
| <b>Color name</b>         | Black          |

ROADPROTECTOR FRONT BRACKET | BFD-21FB |

Extra long bracket for RoadProtector BFD-21F front fender



- » Protection cover and bolts included
- » Standard size bracket also separately available

|                   |               |
|-------------------|---------------|
| Material          | Aluminium     |
| Mounting location | Front fork    |
| Mounting system   | Fixed bracket |
| Weight (g)        | 6             |
| Color name        | Black         |

LIGHTBRIDGE | BFD-50B |

Rear fender bridge with light mount



- » Fender bridge with foldable and angle adjustable light bracket
- » Compatible with BFD-04/13R/16R/16XLR/51 rear fenders
- » The light mount works with strap mounted lights

|            |       |
|------------|-------|
| Material   | PA    |
| Color name | Black |

**NEW!**

**BARBANK** | BMP-201

# BarBank. Maximum power minimal size

Powerful electric  
pump that gets you  
back on your way  
immediately

Fast charging:  
Recharged within 30  
minutes

Fully inflates up  
to 3 bicycle tires



**BARBANK | BMP-201 |***Compact electric mini pump*

NEW

- » Powerful electric pump that gets you back on your way immediately
- » With a handy light for visibility
- » Fully inflates up to 3 bicycle tires
- » Credit card size
- » Fast charging: Recharged within 30 minutes

|                                |                                                     |
|--------------------------------|-----------------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 8                                                   |
| <b>Max. air pressure (PSI)</b> | 120                                                 |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive, CoreCap |
| <b>Material</b>                | Composite                                           |
| <b>Type gauge</b>              | Digital                                             |
| <b>Weight (g)</b>              | 160                                                 |
| <b>Color name</b>              | Black                                               |

**HIGHROAD | BMP-121 |***Small and simple, big and strong*

- » 192mm compact size can be easily stored using the bracket
- » 46cc per stroke for quick inflation
- » Fliphead that's compatible with all valves and perfect for tubeless usage
- » Integrated hose allows compact design, and easy usability
- » Aluminum body and shaft ensure durability and lightweight

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>  | With hose                                  |
| <b>Material</b>          | Aluminium                                  |
| <b>Pressure type</b>     | High pressure                              |
| <b>Type pumphead</b>     | Fliphead                                   |
| <b>Type gauge</b>        | None                                       |
| <b>Color name</b>        | Black                                      |

**DOUBLESHOT | BMP-102 |***World's smartest minipump!*

reddot winner 2023



- » 120mm short pump can be easily stored in any saddlebag or in your back pocket
- » Four chamber technology for an impressive pump volume of 35 cc per stroke
- » Easy to use due to the special tubeless friendly push-on pump head
- » Two handles and long hose for easy and comfortable operating despite its small size
- » The aluminum body and shaft provide optimal durability while maintaining a low weight for easy carrying

|                                |               |
|--------------------------------|---------------|
| <b>Max. air pressure (Bar)</b> | 8             |
| <b>Max. air pressure (PSI)</b> | 116           |
| <b>Compatible valves</b>       | Presta/French |
| <b>Valve connection</b>        | Direct        |
| <b>Material</b>                | Aluminium     |
| <b>Pressure type</b>           | High pressure |
| <b>Type pumphead</b>           | Push-On       |
| <b>Weight (g)</b>              | 83            |
| <b>Color name</b>              | Black         |




PRESTA

**SINGLESHOT | BMP-101 |***Lightweight and extremely small minipump for high pressure*

- » 160mm long, extremely small minipump for easy carrying in your back pocket
- » With dual chamber technology for an impressive pump volume of 30 cc per stroke
- » Easy to use due to the special tubeless friendly push-on pump head
- » The aluminum body and shaft provide optimal durability while maintaining a low weight for easy carrying



|                                |               |
|--------------------------------|---------------|
| <b>Max. air pressure (Bar)</b> | 8             |
| <b>Max. air pressure (PSI)</b> | 116           |
| <b>Compatible valves</b>       | Presta/French |
| <b>Valve connection</b>        | Direct        |
| <b>Material</b>                | Aluminium     |
| <b>Pressure type</b>           | High pressure |
| <b>Type pumphead</b>           | Push-On       |
| <b>Weight (g)</b>              | 51            |
| <b>Color name</b>              | Black         |

**SINGLESHOT MTB | BMP-103 |***Lightweight minipump for high volume tires*

- » 172mm long high-volume mini pump for easy carrying in your back pocket
- » Dual chamber technology gives 60CC pump volume per stroke, ideal for large volume tires
- » Easy to use due to the special tubeless friendly push-on pump head
- » Durable aluminium body and shaft give a low weight for easy carrying



|                                |               |
|--------------------------------|---------------|
| <b>Max. air pressure (Bar)</b> | 4             |
| <b>Max. air pressure (PSI)</b> | 60            |
| <b>Compatible valves</b>       | Presta/French |
| <b>Valve connection</b>        | Direct        |
| <b>Material</b>                | Aluminium     |
| <b>Pressure type</b>           | High volume   |
| <b>Type pumphead</b>           | Push-On       |
| <b>Color name</b>              | Black         |

**EASYROAD | BMP-49 |***Easy pumping of your road bike*

- » Lightweight 6063 T6 aluminium mini pump with extractable hose
- » Lock system prevents the handle from sliding down
- » TwistHead pumphead; Unique screw-on valve system



|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 9                                          |
| <b>Max. air pressure (PSI)</b> | 130                                        |
| <b>Compatible valves</b>       | Presta/French, Dunlop, Schrader/Automotive |
| <b>Valve connection</b>        | With hose                                  |
| <b>Material</b>                | Aluminium                                  |
| <b>Pressure type</b>           | High pressure, High volume                 |
| <b>Type pumphead</b>           | Twisthead                                  |
| <b>Weight (g)</b>              | 96                                         |
| <b>Color name</b>              | Black                                      |



**SAMURAI | BMP-50 |***Telescopic aluminium mini pump*

- » Lightweight 6061 T6 aluminium mini pump with extractable hose
- » Dual function, high volume and high pressure
- » Lock system prevents the handle from sliding down



|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 9                                          |
| <b>Max. air pressure (PSI)</b> | 130                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | With hose                                  |
| <b>Material</b>                | Aluminium                                  |
| <b>Pressure type</b>           | High pressure, High volume                 |
| <b>Type pumphead</b>           | Twisthead                                  |
| <b>Weight (g)</b>              | 123                                        |
| <b>Color name</b>              | Grey, Black                                |

**WINDWAVE | BMP-54 |***Lightweight mini pump with super comfortable handle to increase your power*

- » Durable and lightweight composite barrel
- » Metal piston shaft provides fast high-volume pumping
- » DualHead pumphead with thumblock lever



|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 7                                          |
| <b>Max. air pressure (PSI)</b> | 100                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | Direct                                     |
| <b>Material</b>                | Steel, Composite                           |
| <b>Pressure type</b>           | High volume                                |
| <b>Type pumphead</b>           | Thumblock                                  |
| <b>Weight (g)</b>              | 111                                        |
| <b>Color name</b>              | Black                                      |

**WINDRUSH S | BMP-55 |***Lightweight mini pump with super comfortable handle to increase your power*

- » Lightweight 6061 T6 aluminium barrel
- » Metal piston shaft provides fast high-volume pumping
- » DualHead pumphead with thumblock lever



|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 7                                          |
| <b>Max. air pressure (PSI)</b> | 100                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | Direct                                     |
| <b>Material</b>                | Aluminium, Steel                           |
| <b>Pressure type</b>           | High volume                                |
| <b>Type pumphead</b>           | Thumblock                                  |
| <b>Weight (g)</b>              | 121                                        |
| <b>Color name</b>              | Grey                                       |



**WINDGUN S | BMP-57 |**

*Lightweight mini pump with pressure gauge that displays bar and psi*



- » Lightweight 6061 T6 aluminium barrel
- » The integrated pressure gauge displays both bar and psi
- » Aluminium shaft provides fast high-volume pumping

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 7                                          |
| <b>Max. air pressure (PSI)</b> | 100                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | Direct                                     |
| <b>Material</b>                | Aluminium                                  |
| <b>Pressure type</b>           | High volume                                |
| <b>Type pumphead</b>           | Thumblock                                  |
| <b>Type gauge</b>              | Analog                                     |
| <b>Weight (g)</b>              | 136                                        |
| <b>Color name</b>              | Grey                                       |

**TRAVELLER TELESCOPIC | BMP-53 |**

*The best of both worlds*



- » Unique telescopic combination of a mini pump and floor pump
- » Twistable foot rest for stable and powerful pumping, integrated with precision pressure gauge
- » Lightweight 6061 T6 aluminium barrel

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 8                                          |
| <b>Max. air pressure (PSI)</b> | 116                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | With hose                                  |
| <b>Material</b>                | Aluminium                                  |
| <b>Pressure type</b>           | High volume                                |
| <b>Type pumphead</b>           | Twisthead                                  |
| <b>Type gauge</b>              | Analog                                     |
| <b>Weight (g)</b>              | 248                                        |
| <b>Color name</b>              | Black                                      |

**DUALPRESSURE | BMP-39 |**

*Fight against the pressure*



- » Special high pressure and low pressure function, which makes this pump usable for both shocks and forks as well as tires
- » Fine-tuning pressure bleeding valve for precise air regulation
- » Precision 1.5-inch analog gauge protected by a rubber housing

|                                |                                    |
|--------------------------------|------------------------------------|
| <b>Max. air pressure (Bar)</b> | 21                                 |
| <b>Max. air pressure (PSI)</b> | 300                                |
| <b>Compatible valves</b>       | Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | With hose                          |
| <b>Material</b>                | Aluminium                          |
| <b>Pressure type</b>           | High pressure, High volume         |
| <b>Type pumphead</b>           | Twisthead                          |
| <b>Type gauge</b>              | Analog                             |
| <b>Weight (g)</b>              | 206                                |
| <b>Color name</b>              | Black                              |



**AIRSHOCK | BMP-29 |***Air suspension pump*

- » Specifically designed for suspensions, fits most shocks and forks
- » Fine-tuning pressure bleeder valve for precise air regulation
- » Precision 1.5-inch analog gauge protected by a rubber housing



|                         |                     |
|-------------------------|---------------------|
| Max. air pressure (Bar) | 28                  |
| Max. air pressure (PSI) | 405                 |
| Compatible valves       | Schrader/Automotive |
| Valve connection        | With hose           |
| Material                | Aluminium           |
| Pressure type           | High pressure       |
| Type pumphead           | Twisthead           |
| Type gauge              | Analog              |
| Weight (g)              | 150                 |
| Color name              | Black / Silver      |



28 BAR  
405 PSI

SCHRADER

**PRESSUREGAUGE | BMP-90 |***Keep your head cool when the pressure is high*

- » Digital tire pressure meter
- » Turns off automatically to save power



|                         |                                    |
|-------------------------|------------------------------------|
| Max. air pressure (Bar) | 11                                 |
| Max. air pressure (PSI) | 160                                |
| Compatible valves       | Presta/French, Schrader/Automotive |
| Valve connection        | Direct                             |
| Type gauge              | Digital                            |
| Weight (g)              | 30                                 |
| Color name              | Black                              |



11 BAR  
160 PSI

PRESTA



SCHRADER

**GADGETGAUGE | BMP-92 |***Digital tire pressure meter*

- » Fine-tuning pressure bleeder valve for precise air delivery
- » Rotatable head for easy pressure reading
- » Turnable head for easy readability of the screen



|                         |                                    |
|-------------------------|------------------------------------|
| Max. air pressure (Bar) | 11                                 |
| Max. air pressure (PSI) | 160                                |
| Compatible valves       | Presta/French, Schrader/Automotive |
| Valve connection        | Direct                             |
| Type gauge              | Digital                            |
| Color name              | Black                              |



11 BAR  
160 PSI

PRESTA



SCHRADER

AIRPUSH | BMP-111 |

Push on CO2 pump



- » Contains easy to operate push system to release the air from the cartridge
- » Pumphead made of special anti-freeze material
- » Threadless valvehead and tubeless friendly
- » 16 gram cartridge and protective cover included

|                   |                                    |
|-------------------|------------------------------------|
| CO2 volume (gr)   | 16                                 |
| Compatible valves | Presta/French, Schrader/Automotive |
| Valve connection  | Direct                             |
| Pressure type     | High pressure                      |
| Type pumphead     | Push-On                            |
| Weight (g)        | 23                                 |
| Color name        | Black                              |

AIRPUSH | BMP-111D |

Display box with 20 AirPush Minipumps



- » Contains easy to operate push system to release the air from the cartridge
- » Threadless valvehead and tubeless friendly

|            |       |
|------------|-------|
| Color name | Black |
|------------|-------|

AIRSPEED | BMP-32 |

Inflate your tire in seconds with this CO2 pump



- » CO2 cartridge inflator
- » Simple and safe operation
- » 16 gram cartridge and protective cover included

|                   |                                    |
|-------------------|------------------------------------|
| CO2 volume (gr)   | 16                                 |
| Compatible valves | Presta/French, Schrader/Automotive |
| Valve connection  | Direct                             |
| Material          | Aluminium                          |
| Pressure type     | High pressure                      |
| Type pumphead     | Twisthead                          |
| Weight (g)        | 74                                 |
| Color name        | Black                              |



**EASYAIR | BMP-34 |**

*Inflate your tire in seconds with this CO2 pump*



- » CO2 cartridge inflator
- » Full aluminium pumphead
- » The pumphead can be mounted without opening the cartridge to regulate the air pressure in your tire easy

|                          |                                    |
|--------------------------|------------------------------------|
| <b>CO2 volume (gr)</b>   | 16                                 |
| <b>Compatible valves</b> | Presta/French, Schrader/Automotive |
| <b>Valve connection</b>  | Direct                             |
| <b>Material</b>          | Aluminium                          |
| <b>Pressure type</b>     | High pressure                      |
| <b>Type pumphead</b>     | Twisthead                          |
| <b>Weight (g)</b>        | 84                                 |
| <b>Color name</b>        | Black                              |

**CO2 BLASTER | BMP-33S |**

*Inflate your tire in seconds with this CO2 pump*



- » CO2 cartridge inflator and slim, elegant and lightweight aluminium mini pump combined
- » Simple and safe operation
- » 16 gram cartridge and protective cover included

|                                |                                    |
|--------------------------------|------------------------------------|
| <b>Max. air pressure (Bar)</b> | 8                                  |
| <b>Max. air pressure (PSI)</b> | 116                                |
| <b>CO2 volume (gr)</b>         | 16                                 |
| <b>Compatible valves</b>       | Presta/French, Schrader/Automotive |
| <b>Valve connection</b>        | Direct                             |
| <b>Material</b>                | Aluminium                          |
| <b>Pressure type</b>           | High pressure                      |
| <b>Type pumphead</b>           | Twisthead                          |
| <b>Weight (g)</b>              | 125                                |
| <b>Color name</b>              | Black                              |

**AIRTANK | BMP-35 |**

*Fast, easy and practical*



- » Replacement cartridges (threaded) for AirSpeed (BMP-32), EasyAir (BMP-34) and CO2Blaster (BMP-33S)
- » Volume of 16 gram
- » Available in packs of 2 or 10 cartridges
- » Perfect for inflating a road tire

|                        |          |
|------------------------|----------|
| <b>CO2 volume (gr)</b> | 16       |
| <b>Weight (g)</b>      | 116, 580 |
| <b>Color name</b>      | Silver   |





**AIRTANK DISPLAY BOX | BMP-36D |**

*30 cartridges per box*

- » Volume of 16 grams
- » Perfect to pump up a road bicycle tire. One cartridge can be used to inflate one road tire up to 8,2bar/125 PIS.
- » Also available: BMP-36OEM AirTank, 200 pieces
- » Fast, easy and practical
- » Also available: BMP-36OEM AirTank, 200 pieces

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 58     |
| <b>Color name</b> | Silver |



**AIRTANK XL | BMP-38 |**

*Fast, easy and practical*

- » Replacement cartridges (threaded) for AirSpeed (BMP-32), EasyAir (BMP-34) and CO2Blaster (BMP-33S)
- » Volume of 25 gram
- » Perfect for inflating a MTB tire
- » A single cartridge inflates one 29" x 245 MTB tire up to 2.2bar / 30psi

|                        |               |
|------------------------|---------------|
| <b>CO2 volume (gr)</b> | 25            |
| <b>Weight (g)</b>      | 99            |
| <b>Color name</b>      | Silver / Blue |



**AIRTANK XL DISPLAY BOX | BMP-38D |**

*30 cartridges per box*

- » Replacement cartridges (threaded) for AirSpeed (BMP-32), EasyAir (BMP-34) and CO2Blaster (BMP-33S)
- » Volume of 25 gram
- » Perfect for inflating a MTB tire
- » A single cartridge inflates one 29" x 245 MTB tire up to 2.2bar / 30psi
- » Fast, easy and practical

|                   |               |
|-------------------|---------------|
| <b>Weight (g)</b> | 99            |
| <b>Color name</b> | Silver / Blue |

**AIRWAVE | BFP-20 |**

*Lightweight floor pump with 70 cm high pressure rubber hose*

- » Compact floor pump
- » Accurate 2.5 Inch dual-tone pressure gauge with indicator displays both bar and psi
- » Ergonomic "boomerang" type handle, natural pumping position for increased pumping power

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 9                                          |
| <b>Max. air pressure (PSI)</b> | 130                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>                | Composite                                  |
| <b>Base material</b>           | Composite                                  |
| <b>Type pumphead</b>           | DualHead 3.0                               |
| <b>With gauge</b>              | Yes                                        |
| <b>Type gauge</b>              | Analog                                     |
| <b>Color name</b>              | Black                                      |



PRESTA



DUNLOP



SCHRADER

9 BAR  
130 PSI**AIRBOOST 2.0 | BFP-28 |**

*Compact floorpump with 90 cm high pressure rubber hose*

- » Accurate 3 Inch pressure gauge with indicator displays both Bar and PSI
- » Steel barrel with strong and stable composite base
- » Ergonomic "boomerang" type handle, natural pumping position for increased pumping power
- » Dualhead 3.0 pumphead with thumblock lever
- » 90 cm high-pressure rubber hose

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 11                                         |
| <b>Max. air pressure (PSI)</b> | 160                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>                | Steel, Composite                           |
| <b>Base material</b>           | Composite                                  |
| <b>Type pumphead</b>           | DualHead 3.0                               |
| <b>With gauge</b>              | Yes                                        |
| <b>Type gauge</b>              | Analog                                     |
| <b>Color name</b>              | Black, Red, Yellow                         |

11 BAR  
160 PSI

PRESTA



SCHRADER



DUNLOP

**AIRSTEEL | BFP-27 |**

*Extra long floor pump with 90 cm high pressure rubber hose*

- » Extra long floor pump
- » Accurate 3 Inch dual-tone pressure gauge displays both bar and psi
- » DualHead 3.0 pumphead with thumblock lever
- » Ergonomic "boomerang" type handle, natural pumping position for increased pumping power
- » Steel barrel and steel foot for extra stability

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 11                                         |
| <b>Max. air pressure (PSI)</b> | 160                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>                | Steel                                      |
| <b>Base material</b>           | Steel                                      |
| <b>Type pumphead</b>           | DualHead 3.0                               |
| <b>With gauge</b>              | Yes                                        |
| <b>Type gauge</b>              | Analog                                     |
| <b>Color name</b>              | Black, Yellow                              |



PRESTA



DUNLOP



SCHRADER

11 BAR  
160 PSI

**AIRSMART | BFP-42 |**

*The new generation of floor pumps*

- » High quality and easy-to-read pressure gauge
- » Pump with power in a natural position with ergonomic handle
- » With a 120cm high-pressure rubber hose and premium pump head
- » Steel barrel and foot for extra stability

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 8                                          |
| <b>Max. air pressure (PSI)</b> | 120                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>                | Steel, Aluminium, Composite                |
| <b>Base material</b>           | Steel                                      |
| <b>Type pumphead</b>           | Fliphead                                   |
| <b>With gauge</b>              | Yes                                        |
| <b>Type gauge</b>              | Analog                                     |
| <b>Color name</b>              | Black                                      |

**AIRSWITCH HP/HV | BFP-41 |**

*The next generation in floor pumps*

- » Two-in-one floorpump with high volume (HV) and high pressure (HP)
- » High-quality and easy-to-read pressure gauge with dual-scale pressure reading
- » Ergonomic boomerang type handle, natural pumping position for increased pumping power
- » Including a 120cm high-pressure rubber hose and high-end pump head.

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Max. air pressure (Bar)</b> | 11                                         |
| <b>Max. air pressure (PSI)</b> | 160                                        |
| <b>Compatible valves</b>       | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>                | Aluminium, Steel                           |
| <b>Base material</b>           | Steel                                      |
| <b>Type pumphead</b>           | Fliphead Pro                               |
| <b>With gauge</b>              | Yes                                        |
| <b>Type gauge</b>              | Two-stage                                  |
| <b>Color name</b>              | Orange Anodized                            |

**HOSEKIT 3.0 | BFP-97 |**

*Replacement pumphead with 120 cm high pressure rubber hose*

- » 120 cm high pressure rubber hose
- » Dualhead 3.0 pumphead with thumblock lever

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Type pumphead</b>     | DualHead 3.0                               |
| <b>Color name</b>        | Black                                      |





### DUALHEAD 3.0 | BFP-96 |

*Replacement pumphead for all our floorpumps*

- » Replacement pumphead for all floorpumps (except BFP-31/35)
- » Thumblock lever for easier and faster mounting on the valve
- » Compatible with Presta, Schröder and Dunlop valves

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>          | Composite                                  |
| <b>Type pumphead</b>     | DualHead 3.0                               |
| <b>Weight (g)</b>        | 73                                         |
| <b>Color name</b>        | Black                                      |



### DUALHEAD 2.0 | BFP-93 |

*Reserve pumphead for your floorpumps*

- » Fits Presta, Schröder and Dunlop valves

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>          | Composite                                  |
| <b>Type pumphead</b>     | Thumblock                                  |
| <b>Weight (g)</b>        | 28                                         |
| <b>Color name</b>        | Black                                      |



### VALVEKIT | BFP-90 |

*Valve kit for our DualHead, ThreadHead and AutoHead floor pumps*

- » Valve kit for DualHead, ThreadHead and AutoHead floor pumps
- » Valve adapters for: sports balls, inflatable boats, inflatable swimming pools, etc.
- » Dunlop valve adapter included
- » Kit mounts conveniently on the hose of all BBB floor pumps



|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Weight (g)</b>        | 9                                          |
| <b>Color name</b>        | Black                                      |



**AIRPIPE | BFP-94 |**

*Pumphead specifically designed for difficult-to-reach places*

- » 90° pumphead adapter for all floorpumps
- » Easy and quick in use
- » Specifically designed for difficult-to-reach places (for example road cycling disc wheels)

|                          |               |
|--------------------------|---------------|
| <b>Compatible valves</b> | Presta/French |
| <b>Material</b>          | Aluminium     |
| <b>Weight (g)</b>        | 12            |
| <b>Color name</b>        | Black         |

**DUNLOPCLIP | BFP-95 |**

*Adapter for the Dunlop valve*

- » Specifically designed to create a perfect and quick fit between pumphead and Dunlop valve
- » Easy and quick in use

|                          |           |
|--------------------------|-----------|
| <b>Compatible valves</b> | Dunlop    |
| <b>Material</b>          | Composite |
| <b>Weight (g)</b>        | 16        |
| <b>Color name</b>        | Black     |

**FLIPHEAD PRO | BFP-99 |**

*High-end aluminum FlipHead for bicycle pumps*

- » 120 cm high pressure hose
- » Easy to use thumblock lever

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Compatible valves</b> | Dunlop, Presta/French, Schrader/Automotive |
| <b>Material</b>          | Aluminium, Composite                       |
| <b>Type pumphead</b>     | Fliphead Pro                               |
| <b>Weight (g)</b>        | 250                                        |
| <b>Color name</b>        | Black                                      |



**COMPTANK | BWB-01 |**UP  
DATE*Always stay hydrated*

- » Dishwasher safe and BPA free polypropylene (PP) material
- » SoftLock valve, comfortable and with rotation lock closure
- » Wide opening for easy cleaning and filling



|                             |                                                                                                                                |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Bottle volume</b>        | 550 ml / 18.6 oz                                                                                                               |
| <b>Material</b>             | PP                                                                                                                             |
| <b>Valve</b>                | SoftLock                                                                                                                       |
| <b>Cap closure system</b>   | Twist                                                                                                                          |
| <b>Dust cap</b>             | No                                                                                                                             |
| <b>BPA free</b>             | Yes                                                                                                                            |
| <b>Odour and taste free</b> | Yes                                                                                                                            |
| <b>Thermal</b>              | No                                                                                                                             |
| <b>Dishwasher safe</b>      | Yes                                                                                                                            |
| <b>Weight (g)</b>           | 57                                                                                                                             |
| <b>Color name</b>           | Sage Green, Bright Red, Nardo Grey, Navy Blue, Sand, Peach Fuzz, Royal Purple, White, Black / Grey, Transparent / Black, Smoke |

**COMPTANK XL | BWB-05 |**UP  
DATE*Always stay hydrated*

- » Dishwasher safe and BPA free polypropylene (PP) material
- » SoftLock valve, comfortable and with rotation lock closure
- » Wide opening for easy cleaning and filling



|                             |                                                                                                                         |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Bottle volume</b>        | 750 ml / 26.4 oz                                                                                                        |
| <b>Material</b>             | PP                                                                                                                      |
| <b>Valve</b>                | SoftLock                                                                                                                |
| <b>Cap closure system</b>   | Twist                                                                                                                   |
| <b>Dust cap</b>             | No                                                                                                                      |
| <b>BPA free</b>             | Yes                                                                                                                     |
| <b>Odour and taste free</b> | Yes                                                                                                                     |
| <b>Thermal</b>              | No                                                                                                                      |
| <b>Dishwasher safe</b>      | Yes                                                                                                                     |
| <b>Weight (g)</b>           | 62                                                                                                                      |
| <b>Color name</b>           | Peach Fuzz, Nardo Grey, Navy Blue, Sand, Sage Green, Royal Purple, Red, White, Black / Grey, Transparent / Black, Smoke |

**AUTOTANK | BWB-11 |***Bottle with special AutoClose valve, always open and still closed on the bike*

- » Easy drinking, no spills on the bike, lockable when needed
- » Dishwasher safe and BPA free polypropylene (PP) material



|                             |                                                                     |
|-----------------------------|---------------------------------------------------------------------|
| <b>Bottle volume</b>        | 550 ml / 18.6 oz                                                    |
| <b>Material</b>             | PP                                                                  |
| <b>Valve</b>                | AutoClose                                                           |
| <b>Cap closure system</b>   | Twist                                                               |
| <b>Dust cap</b>             | No                                                                  |
| <b>BPA free</b>             | Yes                                                                 |
| <b>Odour and taste free</b> | Yes                                                                 |
| <b>Thermal</b>              | No                                                                  |
| <b>Dishwasher safe</b>      | Yes                                                                 |
| <b>Weight (g)</b>           | 62                                                                  |
| <b>Color name</b>           | Neon yellow, White / Black, Transparent / Black, Black, Black / Red |



**AUTOTANK MUDCAP AUTOCLOSE | BWB-12 |**

*Bottle with special AutoClose valve, always open and still closed on the bike*

- » Easy drinking, no spills on the bike, lockable when needed
- » Dishwasher safe and BPA free polypropylene (PP) material
- » Including Mudcap to keep mouthpiece clean
- » Easy drinking, no spills on the bike, lockable when needed

|                             |                    |
|-----------------------------|--------------------|
| <b>Bottle volume</b>        | 550 ml / 18.6 oz   |
| <b>Material</b>             | PP                 |
| <b>Valve</b>                | AutoClose          |
| <b>Cap closure system</b>   | Twist              |
| <b>Dust cap</b>             | Yes                |
| <b>BPA free</b>             | Yes                |
| <b>Odour and taste free</b> | Yes                |
| <b>Thermal</b>              | No                 |
| <b>Dishwasher safe</b>      | Yes                |
| <b>Weight (g)</b>           | 67                 |
| <b>Color name</b>           | Transparent, Black |

**AUTOTANK XL | BWB-15 |**

*Bottle with special AutoClose valve, always open and still closed on the bike*

- » Easy drinking, no spills on the bike, lockable when needed
- » Dishwasher safe and BPA free polypropylene (PP) material



|                             |                                                                     |
|-----------------------------|---------------------------------------------------------------------|
| <b>Bottle volume</b>        | 750 ml / 26.4 oz                                                    |
| <b>Material</b>             | PP                                                                  |
| <b>Valve</b>                | AutoClose                                                           |
| <b>Cap closure system</b>   | Twist                                                               |
| <b>Dust cap</b>             | No                                                                  |
| <b>BPA free</b>             | Yes                                                                 |
| <b>Odour and taste free</b> | Yes                                                                 |
| <b>Thermal</b>              | No                                                                  |
| <b>Dishwasher safe</b>      | Yes                                                                 |
| <b>Weight (g)</b>           | 68                                                                  |
| <b>Color name</b>           | Neon yellow, White / Black, Transparent / Black, Black, Black / Red |

**AUTOTANK XL MUDCAP AUTOCLOSE | BWB-16 |**

*Bottle with special AutoClose valve, always open and still closed on the bike*

- » Easy drinking, no spills on the bike, lockable when needed
- » Dishwasher safe and BPA free polypropylene (PP) material
- » Including Mudcap to keep mouthpiece clean
- » Easy drinking, no spills on the bike, lockable when needed



|                             |                    |
|-----------------------------|--------------------|
| <b>Bottle volume</b>        | 750 ml / 26.4 oz   |
| <b>Material</b>             | PP                 |
| <b>Valve</b>                | AutoClose          |
| <b>Cap closure system</b>   | Twist              |
| <b>Dust cap</b>             | Yes                |
| <b>BPA free</b>             | Yes                |
| <b>Odour and taste free</b> | Yes                |
| <b>Thermal</b>              | No                 |
| <b>Dishwasher safe</b>      | Yes                |
| <b>Weight (g)</b>           | 73                 |
| <b>Color name</b>           | Transparent, Black |



### THERMOTANK | BWB-52 |

*Thermo bottle with double wall construction and 3M insulation material*

- » Keeps your drink cool up to twice as long as a normal bottle
- » Bottle with special AutoClose valve, always open and still closed on the bike

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Material</b>             | PP             |
| <b>Valve</b>                | AutoClose      |
| <b>Cap closure system</b>   | Twist          |
| <b>Dust cap</b>             | No             |
| <b>BPA free</b>             | Yes            |
| <b>Odour and taste free</b> | Yes            |
| <b>Thermal</b>              | Yes            |
| <b>Dishwasher safe</b>      | Yes            |
| <b>Weight (g)</b>           | 82             |
| <b>Color name</b>           | Black, White   |

### THERMOTANK REFLECTIVE | BWB-53 |

*Thermo bottle with double wall construction, 3M insulation and highly reflective material*

- » Keeps your drink cool up to twice as long as a normal bottle
- » Bottle with special AutoClose valve, always open and still closed on the bike
- » Adding high visibility in low light conditions



|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Material</b>             | PP             |
| <b>Valve</b>                | AutoClose      |
| <b>Cap closure system</b>   | Twist          |
| <b>BPA free</b>             | Yes            |
| <b>Odour and taste free</b> | Yes            |
| <b>Thermal</b>              | Yes            |
| <b>Dishwasher safe</b>      | Yes            |
| <b>Weight (g)</b>           | 82             |
| <b>Color name</b>           | Silver         |

**NEW!**

**HALO ATTACK** | BBC-46R

# Super lightweight Carbon Infused side cage

Ultra-Lightweight,  
weighing only  
25 grams

Carbon-Infused strength  
and reliability, ensuring a  
secure hold

Effortless side access,  
easy bottle retrieval

Streamlined design,  
minimalist, functional,  
enhancing the aesthetic  
of any bike





### HALOATTACK SIDE CAGE | BBC-46R |

*Super lightweight Carbon Infused side cage*

NEW

- » HaloAttack carbon infused bottle cage
- » Ultra-Lightweight, weighing only 25 grams
- » Carbon-Infused strength and reliability, ensuring a secure hold
- » Streamlined design, minimalist, functional, enhancing the aesthetic of any bike
- » Effortless side access, easy bottle retrieval

|                         |                         |
|-------------------------|-------------------------|
| <b>Bottle cage type</b> | Side load               |
| <b>Material</b>         | PA+CF                   |
| <b>Bolt type</b>        | Aluminium               |
| <b>Color name</b>       | Glossy Nado Grey, Black |



### CARBONCAGE | BBC-55 |

*Ultra lightweight carbon bottle cage*

NEW

- » UD Carbon Bottle Cage
- » Unique design that holds the bottle securely, yet keeps it easily accessible.
- » Super strong and super light, only 19 grams.

|                   |                          |
|-------------------|--------------------------|
| <b>Material</b>   | Carbon                   |
| <b>Weight (g)</b> | 19                       |
| <b>Color name</b> | Matt Black, Glossy Black |



### HALOCAGE CARBON | BBC-45 |

*HaloCage carbon infused bottle cage*

- » Ultra-Lightweight, weighing only 19 grams
- » Carbon-Infused strength and reliability, ensuring a secure hold
- » Streamlined design, minimalist, functional, enhancing the aesthetic of any bike
- » Effortless access, easy bottle retrieval
- » Ideal for performance-oriented cyclists seeking high-quality, lightweight equipment

|                         |           |
|-------------------------|-----------|
| <b>Bottle cage type</b> | Top load  |
| <b>Material</b>         | PA+CF     |
| <b>Sizes</b>            | Universal |
| <b>Color name</b>       | Black     |



DUALCAGE 2.0 COMPOSITE | BBC-42 |

*A classic re-invented*

- » Lightweight composite bottle cage
- » Easy side access or storage, as well as from the top
- » Sturdy grip for safekeeping of your bottles

|                  |                                |
|------------------|--------------------------------|
| Bottle cage type | Side load, Top load            |
| Material         | PA+GF                          |
| Sizes            | Universal                      |
| Color name       | Black, Sand, Pastel Green, Red |



DUALATTACK 2.0 COMPOSITE | BBC-43 |

*DualAttack bottle cage, flipable design for easy access from either left or right!*

- » Light weight composite bottle cage
- » Especially suited for smaller-sized and full-suspension frames
- » Easy dual access to water bottle, from the front as well as the sides
- » Adjustable for right side as well as left side water bottle access

|            |                                      |
|------------|--------------------------------------|
| Material   | PA+GF                                |
| Weight (g) | 53,                                  |
| Color name | Dark Grey, Forrest Green, Red, Black |



STEELCAGE | BBC-51 |

*Classic bottle cage with a modern touch, made to last*

- » Two slits provided for additional strap attachment options.
- » Durable and strong 4.5mm Stainless Steel tubing
- » Fully open design backplate allows for 30mm mounting range

|                  |                     |
|------------------|---------------------|
| Bottle cage type | Side load, Top load |
| Material         | Stainless steel     |
| Bolt type        | Stainless Steel     |
| Weight (g)       | 62, 59              |
| Color name       | Black, Silver       |



**FASTCAGE | BBC-41 |***Glassfiber reinforced composite bottle cage*

» Secure bottle retention system

|                         |              |
|-------------------------|--------------|
| <b>Bottle cage type</b> | Top load     |
| <b>Material</b>         | PA+GF        |
| <b>Weight (g)</b>       | 42           |
| <b>Sizes</b>            | Universal    |
| <b>Color name</b>       | White, Black |

**FLEXCAGE | BBC-36 |***Lightweight composite bottle cage*

» Secure tight fit due to the auto-adjust flex system

|                         |                                  |
|-------------------------|----------------------------------|
| <b>Bottle cage type</b> | Top load                         |
| <b>Material</b>         | PA+GF                            |
| <b>Bolt type</b>        | Stainless Steel                  |
| <b>Weight (g)</b>       | 42                               |
| <b>Sizes</b>            | Universal                        |
| <b>Color name</b>       | Black / Grey, Black / Red, Black |

**ECOTANK | BBC-01 |***Classic bottle cage*

» Durable and lightweight aluminium

|                         |                 |
|-------------------------|-----------------|
| <b>Bottle cage type</b> | Top load        |
| <b>Material</b>         | Aluminium       |
| <b>Bolt type</b>        | Stainless Steel |
| <b>Weight (g)</b>       | 67              |
| <b>Sizes</b>            | Universal       |
| <b>Color name</b>       | Silver, Black   |



**FUEL TANK | BBC-03 |***Standard version bottle cage*

- » Durable and lightweight aluminium
- » Special dampers for more grip and to prevent scuff marks on your bottle

|                         |                                                                                           |
|-------------------------|-------------------------------------------------------------------------------------------|
| <b>Bottle cage type</b> | Top load                                                                                  |
| <b>Material</b>         | Aluminium                                                                                 |
| <b>Bolt type</b>        | Stainless Steel                                                                           |
| <b>Weight (g)</b>       | 72                                                                                        |
| <b>Sizes</b>            | Universal                                                                                 |
| <b>Color name</b>       | Glossy black, Blue, Red, White, Silver, Black, Matt titanium, Blue anodised, Red anodised |

**ADAPTRAIL | BBC-120 |***Fitting and measuring*

- » Relocate bottle cages for easier accessibility and use your frame space efficiently
- » Mount AdaptRail accessories like StrapPlate or DualMount
- » Size S gives you the option to position your bottle cage up or down
- » Size M and L allow to mount a bottle cage combined with a StrapPlate
- » Size L allows mounting two bottle cages below each other



|                   |                 |
|-------------------|-----------------|
| <b>Material</b>   | Aluminium       |
| <b>Bolt type</b>  | Stainless Steel |
| <b>Weight (g)</b> | 53, 72, 97      |
| <b>Sizes</b>      | S, M, L         |
| <b>Color name</b> | Black           |

**STRAPPLATE | BBC-112 |***Versatile mounting strap*

- » Versatile strap down accessory solution for quick access
- » Wide velcro strap with friction material on inside to hold items in place
- » Allows to bring extra items like spare inner tube on a ride



|                   |                 |
|-------------------|-----------------|
| <b>Material</b>   | Aluminium       |
| <b>Bolt type</b>  | Stainless Steel |
| <b>Weight (g)</b> | 57              |
| <b>Sizes</b>      | Universal       |
| <b>Color name</b> | Black           |

**DUALMOUNT | BBC-113 |***Easily carry more water*

- » Fits directly on AdaptRail system or on fork mounts with the included MiniRail
- » Mounts two bottle cages side by side or a bottle cage and StackRack
- » Bikepacking specific solution to bring extra bottles or other accessories

|                   |                 |
|-------------------|-----------------|
| <b>Material</b>   | Aluminium       |
| <b>Bolt type</b>  | Stainless Steel |
| <b>Weight (g)</b> | 58              |
| <b>Sizes</b>      | Universal       |
| <b>Color name</b> | Black           |

**STACKRACK | BBC-81 |***Lightweight cargo carrying rack*

- » Multiple mounting options possible
- » Smart shaped rack holds a wide variety of cargo shapes
- » Including two cargo straps

|                   |           |
|-------------------|-----------|
| <b>Material</b>   | Aluminium |
| <b>Weight (g)</b> | 169       |
| <b>Sizes</b>      | Universal |
| <b>Color name</b> | Black     |

**HAULERMOUNT | BBC-111 |***Add an extra bottle cage to your bike*

- » Fits on AdaptRail system or mounts directly on bottle cage mounting points
- » Versatile strap down accessory solution for quick access
- » Wide velcro strap with friction material on inside to hold items in place
- » Allows to bring extra items like spare inner tube on a ride

|                   |           |
|-------------------|-----------|
| <b>Weight (g)</b> | 54        |
| <b>Sizes</b>      | Universal |
| <b>Color name</b> | Grey      |

**CAGEFIX | BBC-110 |**

*Set of 2 brackets to mount your bottle cage anywhere you want*

- » TPR inlay designed to fit around a wide variety of aero tubes as well as round tubes
- » Fits on tubes up to 80mm in diameter

|                   |           |
|-------------------|-----------|
| <b>Material</b>   | PP        |
| <b>Weight (g)</b> | 26        |
| <b>Sizes</b>      | Universal |
| <b>Color name</b> | Black     |

**CO2HOLD | BBC-90 |**

*Bracket with mounts for two CO2 cartridges to store them both safely and within reach*

- » Can be mounted under the bottle cage

|                   |           |
|-------------------|-----------|
| <b>Weight (g)</b> | 11        |
| <b>Sizes</b>      | Universal |
| <b>Color name</b> | Black     |

**UNIHOLD | BBC-95 |**

*Universal aluminium seatpost and handlebar clamp*

- » Can be used to mount a bottle cage on your bike
- » Available in 25,4 - 31,8 mm
- » Rotatable; can be mounted in two positions

|                   |                 |
|-------------------|-----------------|
| <b>Material</b>   | Aluminium       |
| <b>Bolt type</b>  | Stainless Steel |
| <b>Weight (g)</b> | 20              |
| <b>Sizes</b>      | Universal       |
| <b>Color name</b> | Black           |



### BARRELPACK M | BSB-151M |

*Practical and solid handlebar bag made of durable water repellent tarpaulin and polyester fabric*

- » Taped waterproof zippers with easy to use zipper pullers
- » Mesh side pocket for quick storage for items like gloves
- » Stiff polyester handlebar straps fits both small round bars and wide aero handlebars
- » Key clip inside to attach your keys or other item for extra security.

|                             |                                                   |
|-----------------------------|---------------------------------------------------|
| <b>Waterproofness</b>       | Weatherproof                                      |
| <b>Bag position</b>         | Handlebar                                         |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline, PU Coated Polyester |
| <b>Closing system</b>       | Zipper                                            |
| <b>Mounting type</b>        | Elastic cord, Hook and loop strap                 |
| <b>Easy-to-mount/remove</b> | Yes                                               |
| <b>Reflection</b>           | Yes                                               |
| <b>Height (mm)</b>          | 100 x 100 x 200                                   |
| <b>Volume (L)</b>           | 1.5                                               |
| <b>Weight (g)</b>           | 203                                               |
| <b>Color name</b>           | Black                                             |



### BARRELPACK L | BSB-151L |

*Practical and solid handlebar bag made of durable water repellent tarpaulin and polyester fabric*

- » Taped waterproof zippers with easy to use zipper pullers
- » Side pocket with taped zipper and mesh side pocket for quick storage for items like gloves
- » Stiff polyester handlebar straps fits both small round bars and wide aero handlebars
- » Mesh pocket and key clip inside to attach your keys or other item for extra security.
- » Bungee cord enables you to store items on the outside of the bag

|                             |                                                   |
|-----------------------------|---------------------------------------------------|
| <b>Waterproofness</b>       | Weatherproof                                      |
| <b>Bag position</b>         | Handlebar                                         |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline, PU Coated Polyester |
| <b>Closing system</b>       | Zipper                                            |
| <b>Mounting type</b>        | Elastic cord, Hook and loop strap                 |
| <b>Easy-to-mount/remove</b> | Yes                                               |
| <b>Reflection</b>           | Yes                                               |
| <b>Height (mm)</b>          | 140 x 140 x 220                                   |
| <b>Volume (L)</b>           | 3                                                 |
| <b>Weight (g)</b>           | 240                                               |
| <b>Color name</b>           | Black                                             |



### SEALTANK M | BSB-62M |

*A top tube bag for all weather conditions*

- » Mount the bag with hook and loop straps or the bolts
- » Blue interior makes all your contents in the bag visible
- » Waterproof fabric and welded seams for optimal protection of the contents
- » Waterproof zipper for extra protection against the water

|                             |                            |
|-----------------------------|----------------------------|
| <b>Waterproofness</b>       | Waterproof                 |
| <b>Bag position</b>         | Toptube                    |
| <b>Bag material</b>         | 600D TPU coated Nylon      |
| <b>Closing system</b>       | Zipper                     |
| <b>Mounting type</b>        | Bolts, Hook and loop strap |
| <b>Easy-to-mount/remove</b> | Yes                        |
| <b>Height (mm)</b>          | 75 x 51 x 210              |
| <b>Volume (L)</b>           | 0.55                       |
| <b>Weight (g)</b>           | 62                         |
| <b>Color name</b>           | Black                      |



**SEALTANK L | BSB-62L |***A top tube bag for all weather conditions*

- » Toptube bag with hook and loop straps or bolt mounting options
- » Waterproof fabric and waterproof zipper ensure optimal protection against water
- » Blue interior makes all your contents in the bag visible
- » Convenient mesh pocket inside for storing phone or small items
- » Covered cable port enables charging or device connectivity on the go

|                             |                            |
|-----------------------------|----------------------------|
| <b>Waterproofness</b>       | Waterproof                 |
| <b>Bag position</b>         | Toptube                    |
| <b>Bag material</b>         | 600D TPU coated Nylon      |
| <b>Closing system</b>       | Zipper                     |
| <b>Mounting type</b>        | Bolts, Hook and loop strap |
| <b>Easy-to-mount/remove</b> | Yes                        |
| <b>Height (mm)</b>          | 100 x 60 x 225             |
| <b>Volume (L)</b>           | 1.1                        |
| <b>Weight (g)</b>           | 92                         |
| <b>Color name</b>           | Black                      |

**SEALMATE M | BSB-65M |***Two liter frame bag for all weather conditions*

- » Waterproof fabric and welded construction for optimal waterproof protection
- » Mudflaps protects the taped zippers against mud and sand
- » Covered cable port for charging or connecting your devices
- » Big main compartment with tether cord inside for e.g. pump, and smaller document compartment
- » Mounting by durable hook & loop straps with anti-slip and anti-scratch velcro

|                             |                       |
|-----------------------------|-----------------------|
| <b>Waterproofness</b>       | Waterproof            |
| <b>Bag position</b>         | Frame                 |
| <b>Bag material</b>         | 600D TPU coated Nylon |
| <b>Closing system</b>       | Zipper                |
| <b>Mounting type</b>        | Hook and loop strap   |
| <b>Easy-to-mount/remove</b> | Yes                   |
| <b>Height (mm)</b>          | 140 x 60 x 300        |
| <b>Volume (L)</b>           | 2                     |
| <b>Weight (g)</b>           | 143                   |
| <b>Color name</b>           | Black                 |

**SEALMATE L | BSB-65L |***Three liter framebag for all weather conditions*

- » Easy to mount frame bag with durable hook and loop straps
- » Mudflaps protects the taped zippers against mud and sand
- » Covered cable port for charging or connecting your devices
- » Big main compartment with tether cord inside for e.g. pump, and smaller document compartment
- » Durable hook and loop straps with anti-slip and velcro for secure mounting

|                             |                       |
|-----------------------------|-----------------------|
| <b>Waterproofness</b>       | Waterproof            |
| <b>Bag position</b>         | Frame                 |
| <b>Bag material</b>         | 600D TPU coated Nylon |
| <b>Closing system</b>       | Zipper                |
| <b>Mounting type</b>        | Hook and loop strap   |
| <b>Easy-to-mount/remove</b> | Yes                   |
| <b>Height (mm)</b>          | 140 x 60 x 420        |
| <b>Volume (L)</b>           | 3                     |
| <b>Weight (g)</b>           | 193                   |
| <b>Color name</b>           | Black                 |

**SEALPACK M | BSB-61M |**

*High-end curved saddlebag for all weather conditions*



- » Curved design for the best and most natural position under the saddle
- » Blue interior makes all your contents in the bag visible
- » Waterproof fabric and welded seams for optimal protection of the contents
- » Waterproof zipper for extra protection against the water

|                             |                         |
|-----------------------------|-------------------------|
| <b>Waterproofness</b>       | Waterproof              |
| <b>Bag position</b>         | Saddle                  |
| <b>Bag material</b>         | 600D TPU coated Nylon   |
| <b>Closing system</b>       | Zipper                  |
| <b>Mounting type</b>        | T-buckle, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                     |
| <b>Height (mm)</b>          | 85 x 75 x 140           |
| <b>Volume (L)</b>           | 0.6                     |
| <b>Weight (g)</b>           | 80                      |
| <b>Color name</b>           | Black                   |

**SEALPACK L | BSB-61L |**

*High-end curved saddlebag for all weather conditions*



- » Waterproof fabric and welded seams for optimal protection of the contents
- » Waterproof zipper for extra protection against the water
- » Curved design for the best and most natural position under the saddle
- » Blue interior enhances visibility of contents inside the bag
- » Mesh pocket inside to store small items

|                             |                         |
|-----------------------------|-------------------------|
| <b>Waterproofness</b>       | Waterproof              |
| <b>Bag position</b>         | Saddle                  |
| <b>Bag material</b>         | 600D TPU coated Nylon   |
| <b>Closing system</b>       | Zipper                  |
| <b>Mounting type</b>        | T-buckle, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                     |
| <b>Height (mm)</b>          | 100 x 75 x 185          |
| <b>Volume (L)</b>           | 0.8                     |
| <b>Weight (g)</b>           | 113                     |
| <b>Color name</b>           | Black                   |

**FRONT FELLOW | BSB-141 |**

*Lightweight nylon handlebar harness with waterproof carry bag*



- » Three mounting points for optimal stability during rides
- » Quick release buckles for the carry bag, leaving the harness perfectly attached
- » Spacers for the handlebars that provide space around the brakes, gears and cables
- » Works well with various dry bags and tent rolls

|                               |                              |
|-------------------------------|------------------------------|
| <b>Waterproofness</b>         | Waterproof                   |
| <b>Bag position</b>           | Handlebar                    |
| <b>Bag material</b>           | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>         | Buckle, Folding              |
| <b>Mounting type</b>          | Strap                        |
| <b>Easy-to-mount/remove</b>   | Yes                          |
| <b>Reflection</b>             | Yes                          |
| <b>Shoulderstrap included</b> | Yes                          |
| <b>Height (mm)</b>            | 280 x 160 x 160              |
| <b>Volume (L)</b>             | 10                           |
| <b>Weight (g)</b>             | 305                          |
| <b>Color name</b>             | Black                        |

**MIDDLE MATE | BSB-142 |***Lightweight nylon frame bag*

- » Adjustable loop fasteners for modular frame compatibility
- » Two water resistant zippers
- » Blue interior for optimal visibility of the contents



|                       |                                                |
|-----------------------|------------------------------------------------|
| <b>Waterproofness</b> | Water resistant                                |
| <b>Bag position</b>   | Frame                                          |
| <b>Bag material</b>   | Nylon, Polyester, Tarpauline                   |
| <b>Closing system</b> | Zipper                                         |
| <b>Mounting type</b>  | Hook and loop strap                            |
| <b>Reflection</b>     | Yes                                            |
| <b>Height (mm)</b>    | 120 x 70 x 400, 140 x 70 x 440, 160 x 70 x 500 |
| <b>Volume (L)</b>     | 3, 4, 5                                        |
| <b>Weight (g)</b>     | 140, 155, 170                                  |
| <b>Sizes</b>          | S, M, L                                        |
| <b>Color name</b>     | Black                                          |

**SEAT SIDEKICK | BSB-143 |***Lightweight nylon seat harness with weatherproof carry bag*

- » Easily mounts to saddle rails & seatpost
- » Single quick release buckle for carry bag, leaving the harness perfectly attached
- » Durable, easy-to-clean bottom. Also serves as a mudguard



|                               |                              |
|-------------------------------|------------------------------|
| <b>Waterproofness</b>         | Waterproof                   |
| <b>Bag position</b>           | Saddle                       |
| <b>Bag material</b>           | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>         | Buckle, Folding              |
| <b>Mounting type</b>          | Buckle, Hook and loop strap  |
| <b>Easy-to-mount/remove</b>   | Yes                          |
| <b>Reflection</b>             | Yes                          |
| <b>Shoulderstrap included</b> | Yes                          |
| <b>Height (mm)</b>            | 160 x 160 x 440              |
| <b>Volume (L)</b>             | 10                           |
| <b>Weight (g)</b>             | 450                          |
| <b>Color name</b>             | Black                        |

**SEATSUPPLY | BSB-146 |***Bikepacking saddlebag with a five liter drybag*

- » Quick and simple installation
- » Durable lightweight construction
- » Water repellent and easy-to-clean harness
- » Waterproof five liter drybag with taped seams



|                             |                             |
|-----------------------------|-----------------------------|
| <b>Waterproofness</b>       | Waterproof                  |
| <b>Bag position</b>         | Saddle                      |
| <b>Closing system</b>       | Buckle                      |
| <b>Mounting type</b>        | Buckle, Hook and loop strap |
| <b>Easy-to-mount/remove</b> | Yes                         |
| <b>Height (mm)</b>          | 150 x 150 x 250             |
| <b>Volume (L)</b>           | 5                           |
| <b>Weight (g)</b>           | 223                         |
| <b>Color name</b>           | Black                       |



**BAGBRACE | BSB-148 |**

*Universal bikepacking saddlebag stabilizer*

- » Durable aluminum construction for horizontal stabilization
- » Tighten the adjustable strap for vertical stabilization
- » Rubber anti-slip and anti-scratch saddle rail mount
- » Quick and easy installation
- » Special design ensures great fit for all bikepacking saddlebags

|                      |                |
|----------------------|----------------|
| <b>Mounting type</b> | Bolts          |
| <b>Height (mm)</b>   | 30 x 145 x 112 |
| <b>Weight (g)</b>    | 102            |
| <b>Color name</b>    | Black          |

**CORNERCADDY | BSB-144 |**

*Lightweight nylon frame bag for several positions on your frame*

- » Blue interior for optimal visibility of the contents
- » With a compartment to store tires, tools, tire levers etc.
- » Soft velcro straps
- » Easy and quick-to-reach by zipper at the side
- » Elastic band on the inside to keep the tools in place

|                             |                     |
|-----------------------------|---------------------|
| <b>Waterproofness</b>       | Water resistant     |
| <b>Bag position</b>         | Frame               |
| <b>Bag material</b>         | Nylon               |
| <b>Closing system</b>       | Zipper              |
| <b>Mounting type</b>        | Hook and loop strap |
| <b>Easy-to-mount/remove</b> | Yes                 |
| <b>Reflection</b>           | Yes                 |
| <b>Height (mm)</b>          | 100 x 70 x 200      |
| <b>Volume (L)</b>           | 1                   |
| <b>Weight (g)</b>           | 200                 |
| <b>Color name</b>           | Black               |

**BARBUDDY | BSB-20 |**

*Versatile handlebar bag for convenient storage of your essentials*

- » Blue interior for optimal visibility of the contents
- » One big compartment to store energy bars, wallet, keys etc.
- » Two Velcro straps to secure the position of the bag

|                       |                              |
|-----------------------|------------------------------|
| <b>Waterproofness</b> | Water resistant              |
| <b>Bag position</b>   | Handlebar                    |
| <b>Bag material</b>   | Nylon, Polyester, Tarpauline |
| <b>Closing system</b> | Elastic                      |
| <b>Mounting type</b>  | Hook and loop strap          |
| <b>Reflection</b>     | Yes                          |
| <b>Height (mm)</b>    | 150 x 80 x 80                |
| <b>Volume (L)</b>     | 0.95                         |
| <b>Weight (g)</b>     | 72                           |
| <b>Color name</b>     | Black                        |

**ADAPTCASE | BSB-147 |**

*Storage case for all your necessary items*

- » Insert of EVA material with storage compartments for necessary tools
- » Mesh inner pocket for smaller items like the QuickLink, LeakFix or keys
- » Effortlessly installation with tool-free bolts or optional hook & loop straps
- » Water repellent and easy-to-clean outer material
- » To use in combination with BBC-120 AdaptRail

|                             |                                      |
|-----------------------------|--------------------------------------|
| <b>Waterproofness</b>       | Water repellent                      |
| <b>Bag position</b>         | Frame                                |
| <b>Bag material</b>         | PU                                   |
| <b>Closing system</b>       | Zipper                               |
| <b>Mounting type</b>        | Hook and loop strap, Tool-free bolts |
| <b>Easy-to-mount/remove</b> | Yes                                  |
| <b>Height (mm)</b>          | 90 x 70 x 117                        |
| <b>Volume (L)</b>           | 0.46                                 |
| <b>Weight (g)</b>           | 84                                   |
| <b>Color name</b>           | Black                                |

**STACKPACK | BSB-145 |**

*Waterproof dry bag with taped seams*



- » Comes with Stack Rack BBC-81
- » With roll-top closure system

|                       |                 |
|-----------------------|-----------------|
| <b>Waterproofness</b> | Waterproof      |
| <b>Bag position</b>   | Cargo Cage      |
| <b>Bag material</b>   | Nylon           |
| <b>Closing system</b> | Folding         |
| <b>Mounting type</b>  | Bolts, Strap    |
| <b>Height (mm)</b>    | 140 x 140 x 300 |
| <b>Volume (L)</b>     | 4               |
| <b>Weight (g)</b>     | 236             |
| <b>Color name</b>     | Black           |

**CARGOSTRAPS | BSB-161S |**

*Practical 25, 36, 50 or 70cm TPU straps for impressive grip, stretch, and strength*

- » UV and weather resistant
- » Quick and easy to tighten
- » Extra strong nylon buckle
- » Strap keeper to fasten the excess strap



|                             |                                                                     |
|-----------------------------|---------------------------------------------------------------------|
| <b>Bag position</b>         | Carrier, Frame, Handlebar, Saddle, Tuptube, Bottle Cage, Cargo Cage |
| <b>Bag material</b>         | TPU                                                                 |
| <b>Closing system</b>       | Buckle                                                              |
| <b>Mounting type</b>        | Strap                                                               |
| <b>Easy-to-mount/remove</b> | Yes                                                                 |
| <b>Height (mm)</b>          | 2 x 13 x 250, 3 x 19 x 360, 3 x 19 x 500, 3 x 19 x 700              |
| <b>Weight (g)</b>           | 22, 48, 70, 84                                                      |
| <b>Sizes</b>                | 25cm, 36cm, 50cm, 70cm                                              |
| <b>Color name</b>           | Black                                                               |



**TOPTANK | BSB-18 |**

*Bag specifically designed to mount on the top tube*



- » Fits smartphones up to 7"
- » Blue interior for optimal visibility of the contents
- » Large compartment to store energy bars, wallet, keys, telephone, etc.
- » Bottom of anti-slip material
- » With mesh side pockets

|                       |                              |
|-----------------------|------------------------------|
| <b>Waterproofness</b> | Water resistant              |
| <b>Bag position</b>   | Toptube                      |
| <b>Bag material</b>   | Nylon, Polyester, Tarpauline |
| <b>Closing system</b> | Zipper                       |
| <b>Mounting type</b>  | Hook and loop strap          |
| <b>Reflection</b>     | Yes                          |
| <b>Height (mm)</b>    | 85 x 95 x 200                |
| <b>Volume (L)</b>     | 0.75                         |
| <b>Weight (g)</b>     | 136                          |
| <b>Color name</b>     | Black                        |

**FUELPACK | BSB-17 |**

*Bag specifically designed to mount on the top tube*



- » Angled front for alignment with stem and headset
- » Hook & loop top access for easy entry
- » Large compartment to store energy bars, wallet, keys, telephone, etc.
- » With two mesh pockets inside, a hook for your keys and a cable entry
- » With a transparent cover for maps

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water repellent              |
| <b>Bag position</b>         | Toptube                      |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | Bolts, Hook and loop strap   |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Reflection</b>           | Yes                          |
| <b>Height (mm)</b>          | 80 x 55 x 210                |
| <b>Weight (g)</b>           | 110                          |
| <b>Color name</b>           | Black                        |

**RACEPACK | BSB-14 |**

*Compact saddlebag for direct mount under the saddle*



- » Easy strap system for a tight fit
- » Special design, hardly visible on the bike, yet big enough to contain a road inner tube and tire levers

|                                |                     |
|--------------------------------|---------------------|
| <b>Waterproofness</b>          | Water repellent     |
| <b>Bag position</b>            | Saddle              |
| <b>Bag material</b>            | Nylon, Vinyl        |
| <b>Closing system</b>          | Zipper              |
| <b>Mounting type</b>           | Hook and loop strap |
| <b>Easy-to-mount/remove</b>    | Yes                 |
| <b>Reflection</b>              | Yes                 |
| <b>Dropper post compatible</b> | Yes                 |
| <b>Height (mm)</b>             | 50 x 80 x 125       |
| <b>Volume (L)</b>              | 0.18                |
| <b>Weight (g)</b>              | 64                  |
| <b>Color name</b>              | Black               |



### COMPACTED R | BSB-41RM |

*Compact saddle bag with new color and sustainable design. Made from the same high-quality material as the Echelon Pro, dropper-proof and eco-friendly*

- » Water resistant saddle bag
- » Dropper post compatible
- » Renewed design
- » Tarpaulin strap with Velcro
- » Made with recycled materials

|                                |            |
|--------------------------------|------------|
| <b>Waterproofness</b>          | Waterproof |
| <b>Bag position</b>            | Saddle     |
| <b>Bag material</b>            | Nylon      |
| <b>Closing system</b>          | Zipper     |
| <b>Mounting type</b>           | Strap      |
| <b>Easy-to-mount/remove</b>    | Yes        |
| <b>Reflection</b>              | Yes        |
| <b>Dropper post compatible</b> | Yes        |
| <b>Sizes</b>                   | M          |
| <b>Color name</b>              | Black      |



### CURVEPACK S | BSB-13S |

*High-quality curved Tarpaulin saddlebag with T-buckle mounting for the best and most natural position under the saddle*



- » Fully made of Tarpaulin material for protection against water and dirt.
- » With reflective elements to ensure you are more visible in the dark.
- » Blue interior for optimal visibility of the contents
- » Lockable waterproof zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Reflection</b>           | Yes                          |
| <b>Height (mm)</b>          | 75 x 75 x 140                |
| <b>Volume (L)</b>           | 0.36                         |
| <b>Weight (g)</b>           | 121                          |
| <b>Sizes</b>                | S                            |
| <b>Color name</b>           | Black                        |



### CURVEPACK M | BSB-13M |

*High-quality curved Tarpaulin saddlebag with T-buckle mounting for the best and most natural position under the saddle*



- » Fully made of Tarpaulin material for protection against water and dirt.
- » With reflective elements to ensure you are more visible in the dark.
- » Blue interior for optimal visibility of the contents
- » Lockable waterproof zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Reflection</b>           | Yes                          |
| <b>Height (mm)</b>          | 85 x 85 x 160                |
| <b>Volume (L)</b>           | 0.52                         |
| <b>Weight (g)</b>           | 141                          |
| <b>Sizes</b>                | M                            |
| <b>Color name</b>           | Black                        |



### CURVEPACK L | BSB-13L |

*High-quality curved Tarpaulin saddlebag with T-buckle mounting for the best and most natural position under the saddle*

- » Fully made of Tarpaulin material for protection against water and dirt.
- » With reflective elements to ensure you are more visible in the dark.
- » Blue interior for optimal visibility of the contents
- » Lockable waterproof zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Reflection</b>           | Yes                          |
| <b>Height (mm)</b>          | 90 x 100 x 160               |
| <b>Volume (L)</b>           | 0.69                         |
| <b>Weight (g)</b>           | 161                          |
| <b>Sizes</b>                | L                            |
| <b>Color name</b>           | Black                        |



### STOREPACK S | BSB-12S |

*Polyester saddlebag with T-buckle mounting and Tarpaulin bottom for protection against water and mud*

- » High-end saddlebag with top of the line materials and features
- » Blue interior for optimal visibility of the contents
- » Elastic strap and inside pocket for easy organization of your cargo
- » With mounting strap for a LED rear light

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Height (mm)</b>          | 70 x 70 x 130                |
| <b>Volume (L)</b>           | 0.37                         |
| <b>Weight (g)</b>           | 70                           |
| <b>Sizes</b>                | S                            |
| <b>Color name</b>           | Black                        |



### STOREPACK M | BSB-12M |

*Polyester saddlebag with T-buckle mounting and Tarpaulin bottom for protection against water and mud*

- » High-end saddlebag with top of the line materials and features
- » Blue interior for optimal visibility of the contents
- » Elastic strap and inside pocket for easy organization of your cargo
- » With mounting strap for a LED rear light
- » Top compartment is perfect for storage of a wallet, keys or documents

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Height (mm)</b>          | 85 x 80 x 145                |
| <b>Volume (L)</b>           | 0.64                         |
| <b>Weight (g)</b>           | 80                           |
| <b>Sizes</b>                | M                            |
| <b>Color name</b>           | Black                        |

**STOREPACK L | BSB-12L |**

*Polyester saddlebag with T-buckle mounting and Tarpaulin bottom for protection against water and mud*

- » High-end saddlebag with top of the line materials and features
- » Blue interior for optimal visibility of the contents
- » Elastic strap and inside pocket for easy organization of your cargo
- » With mounting strap for a LED rear light
- » Top compartment is perfect for storage of a wallet, keys or documents

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Height (mm)</b>          | 90 x 100 x 160               |
| <b>Volume (L)</b>           | 0.75                         |
| <b>Weight (g)</b>           | 90                           |
| <b>Sizes</b>                | L                            |
| <b>Color name</b>           | Black                        |

**SPEEDPACK S | BSB-33S |**

*High-end curved saddlebag for the best and most natural position under the saddle*

- » Blue interior for optimal visibility of the contents
- » Lockable zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Reflection</b>           | Yes                                |
| <b>Height (mm)</b>          | 75 x 75 x 140                      |
| <b>Volume (L)</b>           | 0.36                               |
| <b>Weight (g)</b>           | 80                                 |
| <b>Sizes</b>                | S                                  |
| <b>Color name</b>           | Black                              |

**SPEEDPACK M | BSB-33M |**

*High-end curved saddlebag for the best and most natural position under the saddle*

- » Blue interior for optimal visibility of the contents
- » Lockable zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Reflection</b>           | Yes                                |
| <b>Height (mm)</b>          | 85 x 85 x 160                      |
| <b>Volume (L)</b>           | 0.52                               |
| <b>Weight (g)</b>           | 98                                 |
| <b>Sizes</b>                | M                                  |
| <b>Color name</b>           | Black                              |

**SPEEDPACK L | BSB-33L |**

*High-end curved saddlebag for the best and most natural position under the saddle*

- » Blue interior for optimal visibility of the contents
- » Lockable zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Reflection</b>           | Yes                                |
| <b>Height (mm)</b>          | 90 x 100 x 160                     |
| <b>Volume (L)</b>           | 0.69                               |
| <b>Weight (g)</b>           | 113                                |
| <b>Sizes</b>                | L                                  |
| <b>Color name</b>           | Black                              |

**EASYPACK S | BSB-31S |**

*High-end saddlebag with top of the line materials and features*

- » Blue interior for optimal visibility of the contents
- » Lockable waterproof zipper for extra security and absolutely rattle-free
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                                |                                    |
|--------------------------------|------------------------------------|
| <b>Waterproofness</b>          | Water resistant                    |
| <b>Bag position</b>            | Saddle                             |
| <b>Bag material</b>            | Nylon, Polyester                   |
| <b>Closing system</b>          | Zipper                             |
| <b>Mounting type</b>           | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b>    | Yes                                |
| <b>Shoulder strap included</b> | Yes                                |
| <b>Height (mm)</b>             | 70 x 70 x 130                      |
| <b>Volume (L)</b>              | 0.37                               |
| <b>Weight (g)</b>              | 86                                 |
| <b>Sizes</b>                   | S                                  |
| <b>Color name</b>              | Black                              |

**EASYPACK M | BSB-31M |**

*High-end saddlebag with top of the line materials and features*

- » Blue interior for optimal visibility of the contents
- » Elastic strap and inside pocket for easy organization of your cargo
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Reflection</b>           | Yes                                |
| <b>Height (mm)</b>          | 85 x 80 x 145                      |
| <b>Volume (L)</b>           | 0.64                               |
| <b>Weight (g)</b>           | 119                                |
| <b>Sizes</b>                | M                                  |
| <b>Color name</b>           | Black                              |

**EASYPACK L | BSB-31L |**

*High-end saddlebag with top of the line materials and features*

- » Blue interior for optimal visibility of the contents
- » Elastic strap and inside pocket for easy organization of your cargo
- » With mounting strap for a LED rear light
- » Works well with BBB light Spot BLS-147

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Height (mm)</b>          | 100 x 90 x 160                     |
| <b>Volume (L)</b>           | 0.75                               |
| <b>Weight (g)</b>           | 129                                |
| <b>Sizes</b>                | L                                  |
| <b>Color name</b>           | Black                              |

**ROLLPACK | BSB-45 |**

*Durable rollup saddlebag for direct mount under the saddle*

- » Three compartments for innertube and tools
- » Durable water repellent and stain resistant fabric
- » High-end secure strap
- » Lightweight and compact

|                                |                     |
|--------------------------------|---------------------|
| <b>Waterproofness</b>          | Water repellent     |
| <b>Bag position</b>            | Frame, Saddle       |
| <b>Bag material</b>            | PU Coated Polyester |
| <b>Closing system</b>          | Elastic, Folding    |
| <b>Mounting type</b>           | Hook and loop strap |
| <b>Easy-to-mount/remove</b>    | Yes                 |
| <b>Dropper post compatible</b> | Yes                 |
| <b>Height (mm)</b>             | 20 x 90 x 140       |
| <b>Volume (L)</b>              | 0.55                |
| <b>Weight (g)</b>              | 51                  |
| <b>Color name</b>              | Black               |

**CARRIERPACK | BSB-137 |**

*High-volume carrier rack bag*

- » Two side compartments with expanding pannier side pouches
- » Backside equipped with strap for LED attachment. Works well with BBB light Spot BLS-147
- » Four velcro straps to secure the bag to the rack, cannot move forwards or sideways
- » Adjustable shoulder strap which can be removed
- » Compatible with RainCover (BSB-97), to protect against rain and dirt

|                               |                     |
|-------------------------------|---------------------|
| <b>Waterproofness</b>         | Water repellent     |
| <b>Bag position</b>           | Carrier             |
| <b>Bag material</b>           | Nylon               |
| <b>Closing system</b>         | Zipper              |
| <b>Mounting type</b>          | Hook and loop strap |
| <b>Easy-to-mount/remove</b>   | Yes                 |
| <b>Reflection</b>             | Yes                 |
| <b>Rain cover included</b>    | No                  |
| <b>Shoulderstrap included</b> | Yes                 |
| <b>Height (mm)</b>            | 210 x 160 x 360     |
| <b>Volume (L)</b>             | 11.5                |
| <b>Weight (g)</b>             | 615                 |
| <b>Color name</b>             | Grey                |

**FRONTPACK | BSB-139 |***Front bag with handlebar mount click system*

- » Large storage compartment with protection foam inner lining
- » Front equipped with strap for LED attachment. Works well with BBB light Spot BLS-146
- » Handlebar mount system suitable for e-bikes with easy on/off click system
- » Adjustable shoulder strap which can be removed
- » Compatible with RainCover (BSB-97), to protect against rain and dirt

|                               |                       |
|-------------------------------|-----------------------|
| <b>Waterproofness</b>         | Water repellent       |
| <b>Bag position</b>           | Handlebar             |
| <b>Bag material</b>           | Nylon                 |
| <b>Closing system</b>         | Zipper                |
| <b>Mounting type</b>          | Bolts, Quick releases |
| <b>Easy-to-mount/remove</b>   | Yes                   |
| <b>Reflection</b>             | Yes                   |
| <b>Rain cover included</b>    | No                    |
| <b>Shoulderstrap included</b> | Yes                   |
| <b>Height (mm)</b>            | 260 x 180 x 160       |
| <b>Volume (L)</b>             | 5.5                   |
| <b>Weight (g)</b>             | 776                   |
| <b>Color name</b>             | Grey                  |

**TRUNKPACK | BSB-134 |***High-volume carrier rack bag*

- » Large storage compartment with protection foam inner lining
- » LED tail light mounting strap. Works well with BBB light Spot BLS-147
- » Four velcro straps to secure the bag to the rack, cannot move forwards or sideways
- » Adjustable shoulder strap which can be removed
- » Compatible with RainCover (BSB-97), to protect against rain and dirt

|                               |                     |
|-------------------------------|---------------------|
| <b>Waterproofness</b>         | Water resistant     |
| <b>Bag position</b>           | Carrier             |
| <b>Bag material</b>           | Nylon               |
| <b>Closing system</b>         | Zipper              |
| <b>Mounting type</b>          | Hook and loop strap |
| <b>Easy-to-mount/remove</b>   | Yes                 |
| <b>Reflection</b>             | Yes                 |
| <b>Rain cover included</b>    | No                  |
| <b>Shoulderstrap included</b> | Yes                 |
| <b>Height (mm)</b>            | 160 x 160 x 360     |
| <b>Volume (L)</b>             | 6                   |
| <b>Weight (g)</b>             | 308                 |
| <b>Color name</b>             | Black               |

**CARRIERPACK | BSB-138 |***High-volume carrier rack bag*

- » Large storage compartment with protection foam inner lining
- » Backside equipped with strap for LED attachment. Works well with BBB light Spot BLS-147
- » Four velcro straps to secure the bag to the rack, cannot move forwards or sideways
- » Adjustable shoulder strap which can be removed
- » Compatible with RainCover (BSB-97), to protect against rain and dirt

|                               |                     |
|-------------------------------|---------------------|
| <b>Waterproofness</b>         | Water repellent     |
| <b>Bag position</b>           | Carrier             |
| <b>Bag material</b>           | Nylon               |
| <b>Closing system</b>         | Zipper              |
| <b>Mounting type</b>          | Hook and loop strap |
| <b>Easy-to-mount/remove</b>   | Yes                 |
| <b>Reflection</b>             | Yes                 |
| <b>Rain cover included</b>    | No                  |
| <b>Shoulderstrap included</b> | Yes                 |
| <b>Height (mm)</b>            | 160 x 160 x 360     |
| <b>Volume (L)</b>             | 6                   |
| <b>Weight (g)</b>             | 332                 |
| <b>Color name</b>             | Grey                |

**PORTOVAULT | BSB-132 |***Folding top waterproof pannier bag*

- » High-frequency welded seams
- » Mounting system which accommodates up to 16 mm diameter bars

|                             |                        |
|-----------------------------|------------------------|
| <b>Waterproofness</b>       | Waterproof             |
| <b>Bag position</b>         | Carrier                |
| <b>Bag material</b>         | Nylon, Tarpauline, TPU |
| <b>Closing system</b>       | Folding                |
| <b>Mounting type</b>        | Quick releases         |
| <b>Easy-to-mount/remove</b> | Yes                    |
| <b>Reflection</b>           | Yes                    |
| <b>Height (mm)</b>          | 500 x 320 x 220        |
| <b>Volume (L)</b>           | 25                     |
| <b>Weight (g)</b>           | 760                    |
| <b>Color name</b>           | Black                  |

**RAINCOVER | BSB-96 |***Rain cover for backpacks*

- » Fluorescent yellow for increased visibility

|                       |                 |
|-----------------------|-----------------|
| <b>Waterproofness</b> | Waterproof      |
| <b>Bag material</b>   | Nylon           |
| <b>Closing system</b> | Elastic         |
| <b>Height (mm)</b>    | 250 x 380 x 500 |
| <b>Weight (g)</b>     | 33              |
| <b>Color name</b>     | Neon yellow     |

**CARRIERCOVER | BSB-97 |***Rain cover for Trunkpacks BSB-133/134, Carrierpacks BBW-137/138 and Frontpack BBW-139*

- » Fluorescent yellow for increased visibility

|                       |                 |
|-----------------------|-----------------|
| <b>Waterproofness</b> | Waterproof      |
| <b>Bag material</b>   | Nylon           |
| <b>Closing system</b> | Elastic         |
| <b>Height (mm)</b>    | 220 x 240 x 400 |
| <b>Volume (L)</b>     | 20              |
| <b>Weight (g)</b>     | 40              |
| <b>Color name</b>     | Neon yellow     |

**SECURERACK | BCA-90 |***Universal elastic straps for securing luggage on a carrier*

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 47    |
| <b>Color name</b> | Black |

**COMBISET RACEPACK | BSB-55 |***RacePack basic toolkit with the most essential items for your ride*

- » RacePack (BSB-14) saddlebag with velcro strap system
- » MiniFold S (BTL-40S) tool with 9 functions
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                                |                              |
|--------------------------------|------------------------------|
| <b>Waterproofness</b>          | Water repellent              |
| <b>Bag position</b>            | Saddle                       |
| <b>Bag material</b>            | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>          | Zipper                       |
| <b>Mounting type</b>           | Hook and loop strap          |
| <b>Easy-to-mount/remove</b>    | Yes                          |
| <b>Reflection</b>              | Yes                          |
| <b>Dropper post compatible</b> | Yes                          |
| <b>Height (mm)</b>             | 50 x 80 x 125                |
| <b>Volume (L)</b>              | 0.18                         |
| <b>Weight (g)</b>              | 335                          |
| <b>Color name</b>              | Black                        |

**COMBISET EASYPACK | BSB-56 |***The comprehensive EasyPack toolkit with everything you need on your ride*

- » EasyPack S (BSB-31S) saddlebag with dual strap system
- » MiniFold S (BTL-40S) tool with 9 functions
- » WindWave (BMP-54) minipump
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Reflection</b>           | Yes                                |
| <b>Height (mm)</b>          | 70 x 70 x 130                      |
| <b>Volume (L)</b>           | 0.37                               |
| <b>Weight (g)</b>           | 335                                |
| <b>Color name</b>           | Black                              |

**COMBISET STOREPACK | BSB-57 |**

*The complete StorePack toolkit prepares you for all situations*



- » StorePack M (BSB-12M) saddlebag with T-buckle system
- » MaxiFold S (BTL-141S) tool with 10 functions
- » WindWave (BMP-54) minipump
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                             |                              |
|-----------------------------|------------------------------|
| <b>Waterproofness</b>       | Water resistant              |
| <b>Bag position</b>         | Saddle                       |
| <b>Bag material</b>         | Nylon, Polyester, Tarpauline |
| <b>Closing system</b>       | Zipper                       |
| <b>Mounting type</b>        | T-buckle, Silicon strap      |
| <b>Easy-to-mount/remove</b> | Yes                          |
| <b>Reflection</b>           | Yes                          |
| <b>Height (mm)</b>          | 85 x 80 x 145                |
| <b>Volume (L)</b>           | 0.64                         |
| <b>Weight (g)</b>           | 335                          |
| <b>Color name</b>           | Black                        |

**COMBISET SPEEDPACK CO2 | BSB-58 |**

*Comprehensive SpeedPack toolkit with a complete CO2 kit*



- » SpeedPack S (BSB-33S) saddlebag with dual strap system
- » MiniFold S (BTL-40S) tool with 9 functions
- » AirSpeed (BMP-32) with CO2-cartridge and protection sleeve
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Waterproofness</b>       | Water resistant                    |
| <b>Bag position</b>         | Saddle                             |
| <b>Bag material</b>         | Nylon, Polyester                   |
| <b>Closing system</b>       | Zipper                             |
| <b>Mounting type</b>        | Hook and loop strap, Silicon strap |
| <b>Easy-to-mount/remove</b> | Yes                                |
| <b>Height (mm)</b>          | 75 x 75 x 140                      |
| <b>Volume (L)</b>           | 0.36                               |
| <b>Weight (g)</b>           | 335                                |
| <b>Color name</b>           | Black                              |

**COMBISET ROLLPACK CO2 | BSB-59 |**

*RollPack toolkit with a complete CO2 kit for all your offroad adventures*



- » RollPack (BSB-45) saddlebag with velcro strap system
- » MaxiFold S (BTL-141S) tool with 10 functions
- » AirSpeed (BMP-32) with CO2-cartridge and protection sleeve
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                                |                     |
|--------------------------------|---------------------|
| <b>Waterproofness</b>          | Water repellent     |
| <b>Bag position</b>            | Saddle              |
| <b>Closing system</b>          | Elastic, Folding    |
| <b>Mounting type</b>           | Hook and loop strap |
| <b>Easy-to-mount/remove</b>    | Yes                 |
| <b>Dropper post compatible</b> | Yes                 |
| <b>Height (mm)</b>             | 20 x 90 x 140       |
| <b>Volume (L)</b>              | 0.55                |
| <b>Weight (g)</b>              | 335                 |
| <b>Color name</b>              | Black               |

**COMBISET TOOLS & TUBES S | BSB-63 |**

*Comprehensive tool bottle with everything you need on your ride*



- » Tools & Tubes S (BTL-18S) tool bottle
- » MaxiFold S (BTL-141S) tool with 10 functions
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                             |                |
|-----------------------------|----------------|
| <b>Waterproofness</b>       | Waterproof     |
| <b>Bag position</b>         | Bottle Cage    |
| <b>Mounting type</b>        | Quick releases |
| <b>Easy-to-mount/remove</b> | Yes            |
| <b>Height (mm)</b>          | 135 x 75 x 75  |
| <b>Volume (L)</b>           | 0.45           |
| <b>Weight (g)</b>           | 335            |
| <b>Sizes</b>                | S              |
| <b>Color name</b>           | Black          |

**COMBISET TOOLS & TUBES L | BSB-64 |**

*Tool bottle for the most essential items for your ride*



- » Tools & Tubes L (BTL-18L) tool bottle
- » MaxiFold S (BTL-141S) tool with 10 functions
- » WindWave (BMP-54) minipump
- » EasyLift (BTL-81) tire levers (2pc)
- » LeakFix (BTL-80) repair patches

|                             |                |
|-----------------------------|----------------|
| <b>Waterproofness</b>       | Waterproof     |
| <b>Bag position</b>         | Bottle Cage    |
| <b>Mounting type</b>        | Quick releases |
| <b>Easy-to-mount/remove</b> | Yes            |
| <b>Height (mm)</b>          | 190 x 75 x 75  |
| <b>Volume (L)</b>           | 0.63           |
| <b>Weight (g)</b>           | 335            |
| <b>Sizes</b>                | L              |
| <b>Color name</b>           | Black          |

**SECUREFOLD | BBL-73 |**

*Our most safe folding lock with 8 mm thick hardened steel bars*

- » ART-2 and Sold Secure Gold certified
- » With 8 mm x 25 mm hardened steel bars to make it extremely strong
- » Bracket system allows you to mount the lock almost anywhere on your bicycle frame
- » Soft coating protects your bicycle's paint from chips and scratches

|                                  |              |
|----------------------------------|--------------|
| <b>Locktype</b>                  | Folding lock |
| <b>Safety level</b>              | 11           |
| <b>Thickness Lock (mm)</b>       | 8            |
| <b>Locking system</b>            | Key          |
| <b>Mounting bracket</b>          | Yes          |
| <b>Keys included</b>             | 3            |
| <b>ART certification</b>         | ART-2        |
| <b>Sold Secure certification</b> | Gold         |
| <b>Length (mm)</b>               | 900          |
| <b>Weight (g)</b>                | 1600         |
| <b>Color name</b>                | Black        |

**POWERFOLD | BBL-71 |**

*High security foldable bicycle lock*

- » With 7,5 mm x 22,5 mm hardened steel bars to make it extremely strong
- » The cover provides easy carrying and protects your bicycle's paint from scratches and chips
- » Lock cover prevents dust and dirt from entering your lock through the keyhole
- » The smart bracket system allows you to mount the lock almost anywhere on your bicycle frame

|                            |              |
|----------------------------|--------------|
| <b>Locktype</b>            | Folding lock |
| <b>Safety level</b>        | 9            |
| <b>Thickness Lock (mm)</b> | 7.5          |
| <b>Locking system</b>      | Key          |
| <b>Mounting bracket</b>    | Yes          |
| <b>Keys included</b>       | 3            |
| <b>Length (mm)</b>         | 700          |
| <b>Weight (g)</b>          | 1072         |
| <b>Color name</b>          | Black        |

**CODEFOLD | BBL-72 |**

*High security foldable bicycle code lock*

- » With 5 mm x 22 mm hardened steel bars to make it extremely strong
- » 4-combination numerical changeable code
- » Soft coating protects your bicycle's paint from chips and scratches
- » Bracket system allows you to mount the lock almost anywhere on your bicycle frame

|                            |              |
|----------------------------|--------------|
| <b>Locktype</b>            | Folding lock |
| <b>Safety level</b>        | 8            |
| <b>Thickness Lock (mm)</b> | 5            |
| <b>Locking system</b>      | Code         |
| <b>Adjustable code</b>     | Yes          |
| <b>Mounting bracket</b>    | Yes          |
| <b>Length (mm)</b>         | 975          |
| <b>Weight (g)</b>          | 675          |
| <b>Color name</b>          | Black        |



**SECURE U | BBL-78 |***Our most safe bicycle lock*

- » ART-3 and Sold Secure Gold certified
- » Cover prevents dust and dirt from entering your lock through the keyhole
- » Soft coating protects your bicycle's paint from chips and scratches
- » Bracket system allows you to mount the lock almost anywhere on your bicycle frame
- » Anti-pick and anti-drill disc cylinder

|                                  |                 |
|----------------------------------|-----------------|
| <b>Locktype</b>                  | D-lock (U-lock) |
| <b>Safety level</b>              | 12              |
| <b>Thickness Lock (mm)</b>       | 16              |
| <b>Locking system</b>            | Key             |
| <b>Mounting bracket</b>          | Yes             |
| <b>Keys included</b>             | 3               |
| <b>ART certification</b>         | ART-3           |
| <b>Sold Secure certification</b> | Gold            |
| <b>Length (mm)</b>               | 295             |
| <b>Weight (g)</b>                | 1500            |
| <b>Color name</b>                | Black           |

**U-VAULT 2.0 | BBL-28B |***Thick hardened steel U-lock with strong adjustable bracket*

- » 12 mm thick hardened steel U-shackle
- » Soft coating protects your bicycle's paint from chips and scratches
- » Rotational cover prevents dust and dirt from entering your lock through the keyhole
- » Bracket for mounting on your bike included
- » Secure the bike on anything with a maximum diameter of 116 mm

|                            |                 |
|----------------------------|-----------------|
| <b>Locktype</b>            | D-lock (U-lock) |
| <b>Safety level</b>        | 8               |
| <b>Thickness Lock (mm)</b> | 14              |
| <b>Locking system</b>      | Key             |
| <b>Mounting bracket</b>    | Yes             |
| <b>Keys included</b>       | 3               |
| <b>Length (mm)</b>         | 253             |
| <b>Weight (g)</b>          | 900             |
| <b>Color name</b>          | Black           |

**SECURECHAIN | BBL-75 |***Our most safe chain lock with 9 mm thick hardened steel shackles*

- » ART-2 and Sold Secure Silver certified
- » Nylon cover protects your bicycle's paint from chips and scratches
- » Cover prevents dust and dirt from entering your lock through the keyhole
- » Anti-pick and anti-drill disc cylinder
- » 360 degrees rotatable lock body for easy accessibility

|                                  |            |
|----------------------------------|------------|
| <b>Locktype</b>                  | Chain lock |
| <b>Safety level</b>              | 11         |
| <b>Thickness Lock (mm)</b>       | 9          |
| <b>Locking system</b>            | Key        |
| <b>Adjustable code</b>           | No         |
| <b>Keys included</b>             | 3          |
| <b>ART certification</b>         | ART-2      |
| <b>Sold Secure certification</b> | Silver     |
| <b>Length (mm)</b>               | 900        |
| <b>Weight (g)</b>                | 2000       |
| <b>Color name</b>                | Black      |





### CODEGUARD CHAIN 5/100 | BBL-105 |

*Secure 4-digit chain lock with a 1000mm length, designed for urban cyclists seeking reliable daily protection.*

- » Durable protection sleeve
- » 5mm shackles
- » Length 100cm
- » 4-digit Code lock

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Chain lock |
| <b>Safety level</b>        | 8          |
| <b>Thickness Lock (mm)</b> | 5          |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Color name</b>          | Black      |



### KEYGUARD CHAIN 5/100 | BBL-115 |

*Easy to use chainlock for securing your bike*

- » Durable protection sleeve
- » Comes with 2 extra keys
- » 5mm shackles
- » Length 1000mm

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Chain lock |
| <b>Safety level</b>        | 8          |
| <b>Thickness Lock (mm)</b> | 5          |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | No         |
| <b>Keys included</b>       | 3          |
| <b>Color name</b>          | Black      |



### QUICKCHAIN | BBL-67 |

*High security bicycle lock with 4.5 mm thick heavy-duty steel chain*

- » Nylon cover provides for easy carrying and protects your bicycle's paint from chips and scratches
- » Compatible with BBL-92 CableFix and BBL-93 CableTie

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Chain lock |
| <b>Safety level</b>        | 7          |
| <b>Thickness Lock (mm)</b> | 4.5        |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | No         |
| <b>Keys included</b>       | 3          |
| <b>Length (mm)</b>         | 1000       |
| <b>Weight (g)</b>          | 507        |
| <b>Color name</b>          | Black      |



**CODEGUARD CABLE 12/120 | BBL-101 |**

*Compact and secure cable lock ideal for daily urban use.*

- » Keyless mounting solution
- » 4-digit code lock
- » Compatible with BBL-119 Lock bracket
- » 120cm length
- » 12mm thick cable

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 5          |
| <b>Thickness Lock (mm)</b> | 12         |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Color name</b>          | Black      |

**CODEGUARD CABLE 12/180 | BBL-101B |**

*Compact and secure cable lock ideal for daily urban use. Features an innovative mounting system compatible with any bike frame.*

- » Keyless mounting solution
- » Innovative bracket included
- » 4-digit code lock
- » 180cm length
- » 12mm thick cable

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 5          |
| <b>Thickness Lock (mm)</b> | 12         |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | Yes        |
| <b>Color name</b>          | Black      |

**KEYGUARD CABLE 12/120 | BBL-111 |**

*Sleek and durable BBL-111 KeyGuard Cable lock designed for everyday use*

- » Mounting solution w/ key
- » 12mm thick cable
- » 120cm length
- » Compatible with innovative mounting bracket

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 5          |
| <b>Thickness Lock (mm)</b> | 12         |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | No         |
| <b>Keys included</b>       | 3          |
| <b>Color name</b>          | Black      |



**KEYGUARD CABLE 12/180 | BBL-111B |**

*The BBL-111B KeyGuard Cable Lock is a sleek and durable solution with cable for added safety.*

- » Mounting solution w/ key
- » Mounting bracket included
- » 12mm thick cable
- » 180cm length

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 5          |
| <b>Thickness Lock (mm)</b> | 12         |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | Yes        |
| <b>Keys included</b>       | 3          |
| <b>Color name</b>          | Black      |

**CODEGUARD CABLE 15/120 | BBL-102 |**

*Compact and secure cable lock ideal for daily urban use.*

- » Keyless mounting solution
- » 4-digid Code lock
- » Compatible with BBL-119 Lock bracket
- » Thicker cable, 15mm
- » 120cm length

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 6          |
| <b>Thickness Lock (mm)</b> | 15         |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Color name</b>          | Black      |

**CODEGUARD CABLE 15/180 | BBL-102B |**

*Compact and secure cable lock ideal for daily urban use. Features an innovative mounting system compatible with any bike frame.*

- » Keyless mounting solution
- » 4-digid Code lock
- » Innovative BBL-119 Lock bracket included
- » Thicker cable, 15mm
- » 180cm length

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 6          |
| <b>Thickness Lock (mm)</b> | 15         |
| <b>Locking system</b>      | Code       |
| <b>Mounting bracket</b>    | Yes        |
| <b>Color name</b>          | Black      |



**KEYGUARD CABLE 15/120 | BBL-112 |**

*The BBL-112 KeyGuard Cable Lock is a sleek and durable solution with cable for added safety.*

- » Mounting solution w/ key
- » 15mm thicker Cable
- » Length 120cm
- » Compatible with innovative mounting system

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 6          |
| <b>Thickness Lock (mm)</b> | 15         |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | No         |
| <b>Keys included</b>       | 3          |
| <b>Color name</b>          | Black      |

**KEYGUARD CABLE 15/180 | BBL-112B |**

*The BBL-112 KeyGuard Cable Lock is a sleek and durable solution with cable for added safety.*

- » Mounting solution w/ key
- » Updated Design
- » 15mm thicker cable
- » 180cm length
- » Innovative mounting system. Bracket included with

|                         |            |
|-------------------------|------------|
| <b>Locktype</b>         | Cable lock |
| <b>Safety level</b>     | 6          |
| <b>Locking system</b>   | Key        |
| <b>Mounting bracket</b> | Yes        |
| <b>Keys included</b>    | 3          |
| <b>Color name</b>       | Black      |

**GUARD SERIES BRACKET | BBL-119 |**

*Innovative mounting system, designed together with our CodeGuard and KeyGuard locks.*

- » User friendly
- » Mounting on boss mounts or with tireps anywhere else on your frame
- » Horizontal or vertical mounting options to ensure a perfect fit

|                   |       |
|-------------------|-------|
| <b>Color name</b> | Black |
|-------------------|-------|

**QUICKCODE | BBL-66 |**

*High security bike lock without the chance of losing your key*

- » Thick and durable straight twisted inner steel cable provides maximum protection
- » 4-combination numerical changeable code
- » Cable cover protects your bicycle's paint from chips and scratches
- » Compatible with BBL-92 CableFix

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 4          |
| <b>Thickness Lock (mm)</b> | 8          |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Length (mm)</b>         | 1200       |
| <b>Weight (g)</b>          | 168        |
| <b>Color name</b>          | Black      |

**QUICKSAFE | BBL-61 |**

*Thick and durable coil twisted inner steel cable provides maximum protection*

- » Durable lock mechanism, 2 keys included
- » Cable cover protects your bicycle's paint from chips and scratches
- » Compatible with BBL-92 CableFix and BBL-93 CableTie

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 4          |
| <b>Diameter</b>            | , 8        |
| <b>Thickness Lock (mm)</b> | 8          |
| <b>Locking system</b>      | Key        |
| <b>Mounting bracket</b>    | No         |
| <b>Keys included</b>       | 2          |
| <b>Length (mm)</b>         | 1500       |
| <b>Weight (g)</b>          | 248        |
| <b>Color name</b>          | Black      |

**LOOPSAFE | BBL-55 |**

*Extra compact and lightweight bicycle lock*

- » Dual wired internal cable for impressive security
- » 120cm long cable can also be used to secure accessories
- » 3-combination numerical changeable code
- » Velcro strap can hold the cable lock together while in storage
- » Double loop option for more efficient use of cable length

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 2          |
| <b>Thickness Lock (mm)</b> | 3          |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Length (mm)</b>         | 1200       |
| <b>Weight (g)</b>          | 165        |
| <b>Color name</b>          | Black      |



**COILSAFE | BBL-56 |**

*Extra compact and lightweight coiled cable lock*

- » Tough and durable steel cable gives impressive security
- » 3-combination numerical changeable code
- » Cable cover protects your bicycle's paint from chips and scratches
- » 180cm long cable to lock your bike and accessories

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 2          |
| <b>Thickness Lock (mm)</b> | 4.8        |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Length (mm)</b>         | 1800       |
| <b>Weight (g)</b>          | 151        |
| <b>Color name</b>          | Black      |



SAFETY LEVEL

**ZIP-TY | BBL-57 |**

*The ultimate lightweight and compact zip-tie bicycle lock*

- » Fast and easy to use zip-tie locking mechanism
- » 3-combination numerical changeable code
- » 11mm wide flat cable with steel core for impressive security
- » 45cm long to safely lock your bike and accessories

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 2          |
| <b>Thickness Lock (mm)</b> | 3.5        |
| <b>Adjustable code</b>     | Yes        |
| <b>Length (mm)</b>         | 450        |
| <b>Weight (g)</b>          | 85         |
| <b>Color name</b>          | Black      |



SAFETY LEVEL

**MINISAFE | BBL-52 |**

*Extra compact and lightweight bicycle lock*

- » 3-combination numerical changeable code
- » Tough and durable steel cable gives impressive security
- » Long pin code lock can also be used to secure zippers

|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 1          |
| <b>Thickness Lock (mm)</b> | 3          |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Length (mm)</b>         | 1200       |
| <b>Weight (g)</b>          | 60         |
| <b>Color name</b>          | Black      |



SAFETY LEVEL

**MINICASE | BBL-53 |**

*Extra compact and lightweight bicycle lock*

- » Rolling mechanism for easy and quick cable storage
- » 3-combination numerical changeable code
- » Tough and durable steel cable gives impressive security



|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 1          |
| <b>Thickness Lock (mm)</b> | 1.6        |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Mounting bracket</b>    | No         |
| <b>Length (mm)</b>         | 670        |
| <b>Weight (g)</b>          | 45         |
| <b>Color name</b>          | Black      |

**MINICASE XL | BBL-53XL |**

*Extra compact and lightweight retractable cable lock*

- » Rolling mechanism for easy and quick cable storage
- » 4-combination numerical changeable code
- » Cable cover protects your bicycle's paint from chips and scratches
- » Tough and durable steel cable gives impressive security
- » 180cm long cable to lock multiple items



|                            |            |
|----------------------------|------------|
| <b>Locktype</b>            | Cable lock |
| <b>Safety level</b>        | 1          |
| <b>Thickness Lock (mm)</b> | 2          |
| <b>Locking system</b>      | Code       |
| <b>Adjustable code</b>     | Yes        |
| <b>Length (mm)</b>         | 1800       |
| <b>Weight (g)</b>          | 95         |
| <b>Color name</b>          | Black      |

**CABLETIE | BBL-93 |**

*Universal mounting bracket for BBB cable locks with dual quick-release strap*

- » Bracket can be attached to different positions on the bicycle
- » Fits tubes with a diameter of 27.2 - 60 mm

|                         |       |
|-------------------------|-------|
| <b>Mounting bracket</b> | Yes   |
| <b>Weight (g)</b>       | 22    |
| <b>Color name</b>       | Black |

**ERGOSOUND | BBB-19 |**

*Ergonomic and loud bicycle bell for various handlebar sizes*

- » Ergonomic design for perfect reach in limited handlebar space
- » Universal design suitable for both left and right handlebar sides
- » Rotatable clapper for versatile positioning options
- » Strong fixed clamping mechanism for secure attachment
- » Large alloy bell cap with steel spring for impressive sound

|                            |               |
|----------------------------|---------------|
| <b>Decibel (Db)</b>        | 85            |
| <b>Bell diameter (mm)</b>  | 32            |
| <b>Mounting system</b>     | Fixed bracket |
| <b>Clamp diameter (mm)</b> | 22.2, 25.4    |
| <b>Materials</b>           | Alloy         |
| <b>Weight (g)</b>          | 26            |
| <b>Color name</b>          | Black         |

**E SOUND | BBB-18 |**

*Large diameter bell for maximum volume*

- » Unique spring system makes this bell exceptionally loud
- » Strong fixed 22.2mm clamping mechanism for use on E-bikes

|                            |               |
|----------------------------|---------------|
| <b>Decibel (Db)</b>        | 88            |
| <b>Bell diameter (mm)</b>  | 45            |
| <b>Mounting system</b>     | Fixed bracket |
| <b>Clamp diameter (mm)</b> | 22.2          |
| <b>Materials</b>           | Aluminium     |
| <b>Weight (g)</b>          | 27            |
| <b>Color name</b>          | Black         |

**NOISY PLUS | BBB-27 |**

*Lightweight brass cycling bell with steel spring system for optimal durability*

- » Strong fixed clamping mechanism
- » Suitable for handlebars with a diameter of Ø 22.2mm and 25.4mm

|                            |               |
|----------------------------|---------------|
| <b>Decibel (Db)</b>        | 83            |
| <b>Mounting system</b>     | Fixed bracket |
| <b>Clamp diameter (mm)</b> | 22.2, 25.4    |
| <b>Materials</b>           | Brass         |
| <b>Weight (g)</b>          | 28            |
| <b>Color name</b>          | Black         |



### NOISY PLUS DISPLAY BOX | BBB-27D |

*Display box with 20 pieces of Noisy Plus bell*

- » Strong fixed clamping mechanism
- » Suitable for handlebars with a diameter of Ø 22.2mm and 25.4mm

|                            |            |
|----------------------------|------------|
| <b>Decibel (Db)</b>        | 83         |
| <b>Mounting system</b>     | Fixed      |
| <b>Clamp diameter (mm)</b> | 22.2, 25.4 |
| <b>Materials</b>           | Brass      |
| <b>Weight (g)</b>          | 28         |
| <b>Color name</b>          | Black      |



### NOISY | BBB-17 |

*Lightweight brass cycling bell with steel spring system*

- » Can be mounted on multiple places
- » Quick-release O-ring mounting system, fits all diameters

|                           |                        |
|---------------------------|------------------------|
| <b>Decibel (Db)</b>       | 83                     |
| <b>Bell diameter (mm)</b> | 28                     |
| <b>Mounting system</b>    | O-ring, Quick releases |
| <b>Materials</b>          | Brass                  |
| <b>Weight (g)</b>         | 26                     |
| <b>Color name</b>         | Black, Silver, Gold    |



### NOISY DISPLAY BOX | BBB-17D |

*Display box with 20 pieces of Noisy bell*

- » 10 x black, 5 x silver, 5 x gold

|                        |                        |
|------------------------|------------------------|
| <b>Mounting system</b> | O-ring, Quick releases |
| <b>Materials</b>       | Brass                  |
| <b>Weight (g)</b>      | 26                     |
| <b>Color name</b>      | Black / Silver         |



**EASYFIT DELUXE PLUS | BBB-24 |**

*Lightweight brass bicycle bell with plastic spring system*

- » Strong fixed clamping mechanism
- » Suitable for handlebars with a diameter of Ø 22.2mm and 25.4mm

|                            |               |
|----------------------------|---------------|
| <b>Decibel (Db)</b>        | 81            |
| <b>Mounting system</b>     | Fixed bracket |
| <b>Clamp diameter (mm)</b> | 22.2, 25.4    |
| <b>Materials</b>           | Brass         |
| <b>Weight (g)</b>          | 29            |
| <b>Color name</b>          | Black         |

**EASYFIT DELUXE PLUS DISPLAY BOX | BBB-24D |**

*Display box with 20 pieces of the EasyFit Deluxe Plus bell*

- » Strong fixed clamping mechanism
- » Suitable for handlebars with a diameter of Ø 22.2mm and 25.4mm

|                            |            |
|----------------------------|------------|
| <b>Decibel (Db)</b>        | 83         |
| <b>Mounting system</b>     | Fixed      |
| <b>Clamp diameter (mm)</b> | 22.2, 25.4 |
| <b>Materials</b>           | Brass      |
| <b>Weight (g)</b>          | 29         |
| <b>Color name</b>          | Black      |

**EASYFIT DELUXE | BBB-14 |**

*Lightweight brass bicycle bell with plastic spring system*

- » Can be mounted in various positions due to its quick-release strap

|                           |                                                               |
|---------------------------|---------------------------------------------------------------|
| <b>Decibel (Db)</b>       | 81                                                            |
| <b>Bell diameter (mm)</b> | 32                                                            |
| <b>Mounting system</b>    | O-ring, Quick releases                                        |
| <b>Materials</b>          | Brass                                                         |
| <b>Weight (g)</b>         | 26                                                            |
| <b>Color name</b>         | Black / Grey, Black / Orange, Black / Yellow, Black / Magenta |





EASYFFIT DELUXE DISPLAY BOX | BBB-14D |

Display box with 20 pieces of the EasyFit Deluxe bell

» 20 x grey / 5 x grey, 5 x yellow, 5 x magenta, 5 x orange

|                    |                        |
|--------------------|------------------------|
| Decibel (Db)       | 81                     |
| Bell diameter (mm) | 32                     |
| Mounting system    | O-ring, Quick releases |
| Materials          | Brass                  |
| Weight (g)         | 26                     |
| Color name         | Grey / Yellow, Grey    |



LOUD & CLEAR | BBB-11 |

Very loud brass bicycle bell with stainless steel spring

- » Unique spring system makes this bell exceptionally loud
- » Durable and lightweight construction with stainless steel spring
- » Screw clamping mechanism suitable for 31.8 mm, 25.4 mm and 22.2 mm

|                    |               |
|--------------------|---------------|
| Decibel (Db)       | 79            |
| Bell diameter (mm) | 32            |
| Mounting system    | Fixed bracket |
| Materials          | Aluminium     |
| Weight (g)         | 26            |
| Color name         | Black, White  |



LOUD & CLEAR DISPLAY BOX | BBB-11D |

Display box with 20 pieces of Loud & Clear bell

» 20 x black

|                    |               |
|--------------------|---------------|
| Decibel (Db)       | 79            |
| Bell diameter (mm) | 32            |
| Mounting system    | Fixed bracket |
| Materials          | Aluminium     |
| Weight (g)         | 26            |
| Color name         | Black         |



**LOUD & CLEAR DELUXE | BBB-15 |**

*Our loudest bicycle bell with stainless steel spring*

- » Larger top for extra volume
- » Special connection system for maximum bell vibration
- » Quick release strap fits all diameters and is easy to install

|                    |                        |
|--------------------|------------------------|
| Decibel (Db)       | 89                     |
| Bell diameter (mm) | 32                     |
| Mounting system    | O-ring, Quick releases |
| Materials          | Brass                  |
| Weight (g)         | 26                     |
| Color name         | Black                  |



**LOUD & CLEAR DELUXE DISPLAY BOX | BBB-15D |**

*Display box with 20 pcs. BBB-15 Loud & Clear*

- » Larger top for extra volume

|                    |                        |
|--------------------|------------------------|
| Decibel (Db)       | 89                     |
| Bell diameter (mm) | 32                     |
| Mounting system    | O-ring, Quick releases |
| Materials          | Brass                  |
| Weight (g)         | 26                     |
| Color name         | Black                  |

**PHONELOCK | BSM-15 |**

*Universal phone mount compatible with phones (with cases) 60-90mm wide & up to 15mm of height*

- » Side clamping mechanism with innovative 45 degree (un)locking system
- » Handlebar bracket with ball joint for optimal adjustability on all handlebars
- » Simple and strong clamping system on the outside of your handlebar (Ø 22.2 / 25.4 / 31.8 / 35mm)
- » Soft inlay for extra grip and to avoid scratches on the phone

|                             |                                               |
|-----------------------------|-----------------------------------------------|
| <b>Max. phone size (mm)</b> | B60-90mm x H15mm                              |
| <b>Mounting location</b>    | Handlebar                                     |
| <b>Materials</b>            | PA6GF15, POM, Recycled (PCR) PC+ABS, TPE, TPR |
| <b>Color name</b>           | Black                                         |

**GUARDIAN XL | BSM-11XL |**

*Universal pouch for your smartphone*



- » Touch screen compatible
- » Water resistant housing for protection during wet weather conditions
- » XL fits popular models such as iPhone 12 Pro Max, Galaxy S20/21 Ultra, Galaxy Note20 Ultra, OnePlus 8T / 8Pro and more

|                               |                          |
|-------------------------------|--------------------------|
| <b>Max. phone size (mm)</b>   | 86x168                   |
| <b>Compatible with</b>        | BBB Phone Mounts         |
| <b>Mounting location</b>      | Top cap, Stem, Handlebar |
| <b>Touchscreen compatible</b> | Yes                      |
| <b>Waterproofness</b>         | Weatherproof             |
| <b>Weight (g)</b>             | 115                      |
| <b>Sizes</b>                  | XL                       |
| <b>Color name</b>             | Black                    |

**GUARDIAN L | BSM-11L |**

*Universal pouch for your smartphone*



- » Touch screen compatible
- » Water resistant housing for protection during wet weather conditions

|                               |                          |
|-------------------------------|--------------------------|
| <b>Max. phone size (mm)</b>   | 80x158                   |
| <b>Compatible with</b>        | BBB Phone Mounts         |
| <b>Mounting location</b>      | Handlebar, Stem, Top cap |
| <b>Touchscreen compatible</b> | Yes                      |
| <b>Waterproofness</b>         | Weatherproof             |
| <b>Weight (g)</b>             | 50                       |
| <b>Sizes</b>                  | L                        |
| <b>Color name</b>             | Black                    |

**GUARDIAN M | BSM-11M |***Universal pouch for your smartphone*

- » Touch screen compatible
- » Water resistant housing for protection during wet weather conditions

|                               |                          |
|-------------------------------|--------------------------|
| <b>Max. phone size (mm)</b>   | 75x155                   |
| <b>Compatible with</b>        | BBB Phone Mounts         |
| <b>Mounting location</b>      | Handlebar, Stem, Top cap |
| <b>Touchscreen compatible</b> | Yes                      |
| <b>Waterproofness</b>         | Weatherproof             |
| <b>Weight (g)</b>             | 40                       |
| <b>Sizes</b>                  | M                        |
| <b>Color name</b>             | Black                    |

**PHONEFIX | BSM-91 |***Mounting bracket for BBB phone mounts*

- » Fits diameters up to 38 mm
- » Mountable on stem or handlebar

|                          |                  |
|--------------------------|------------------|
| <b>Compatible with</b>   | BBB Phone Mounts |
| <b>Mounting location</b> | Stem, Handlebar  |
| <b>Materials</b>         | Nylon            |
| <b>Weight (g)</b>        | 42               |
| <b>Color name</b>        | Black            |

**SPACERFIX | BSM-92 |***Mounting bracket for BBB phone mounts*

- » Sleek, simplistic mounting bracket
- » Fits on 1.1/8" steerer tubes underneath the topcap

|                        |                  |
|------------------------|------------------|
| <b>Compatible with</b> | BBB Phone Mounts |
| <b>Materials</b>       | Nylon            |
| <b>Weight (g)</b>      | 23               |
| <b>Color name</b>      | Black            |



**FRONTFIX | BSM-94 |**

*Lightweight aluminium CNC machined adjustable smartphone mount bracket*

- » Nylon bracket insert to prevent wear on your smartphone case
- » Easy to use clamping mechanism compatible with 25.4/31.8 mm road handlebars

|                   |                         |
|-------------------|-------------------------|
| Compatible with   | BBB Phone Mounts        |
| Mounting location | Handlebar               |
| Materials         | Aluminum 6061 T6, Nylon |
| Weight (g)        | 56                      |
| Color name        | Black                   |



### DASHBOARD 10 | BCP-15W |

*Bike computer with easy-to-read display, wireless connectivity and 10 essential functions.*

- » Easy to read full-sized display
- » Easy operation by a single button
- » Wireless computer can be mounted on handlebars and stems
- » Waterproof casing

|                              |                 |
|------------------------------|-----------------|
| <b>Amount of functions</b>   | 10              |
| <b>Wireless</b>              | Yes             |
| <b>Sensors included</b>      | Speed sensor    |
| <b>Operation buttons</b>     | 1               |
| <b>Settingbox compatible</b> | No              |
| <b>Mounting location</b>     | Handlebar, Stem |
| <b>Materials</b>             | Nylon           |
| <b>Weight (g)</b>            | 74              |
| <b>Color name</b>            | Black / Grey    |



### DASHBOARD 10 | BCP-06 |

*Bike computer with easy-to-read display, wired connectivity and 10 essential functions.*

- » Easy to read full-sized display
- » Easy operation by a single button
- » Computer can be mounted on handlebars and stems
- » Waterproof casing

|                              |                 |
|------------------------------|-----------------|
| <b>Amount of functions</b>   | 10              |
| <b>Wireless</b>              | No              |
| <b>Sensors included</b>      | Speed sensor    |
| <b>Operation buttons</b>     | 1               |
| <b>Settingbox compatible</b> | No              |
| <b>Mounting location</b>     | Handlebar, Stem |
| <b>Materials</b>             | Nylon           |
| <b>Weight (g)</b>            | 64              |
| <b>Color name</b>            | Black / Grey    |



### DASHBOARD 7 | BCP-05 |

*Bike computer with easy-to-read display, wired connectivity and 7 essential functions.*

- » Easy to read full-sized display
- » Easy operation by a single button
- » Computer can be mounted on handlebars and stems
- » Waterproof casing

|                              |                 |
|------------------------------|-----------------|
| <b>Amount of functions</b>   | 7               |
| <b>Wireless</b>              | No              |
| <b>Sensors included</b>      | Speed sensor    |
| <b>Operation buttons</b>     | 1               |
| <b>Settingbox compatible</b> | No              |
| <b>Mounting location</b>     | Handlebar, Stem |
| <b>Materials</b>             | Nylon           |
| <b>Weight (g)</b>            | 64              |
| <b>Color name</b>            | Black / Grey    |



### AEROMOUNT | BCP-97 |

*Lightweight 6061 T6 Aluminium CNC machined out front computer bracket*

- » Garmin and Wahoo brackets included, Mio cyclo available as spare part
- » Easy to mount under the cockpit with the slot for 2 bolts
- » Removable Go-Pro bracket underneath
- » Practical hinge point to position the bike computer at the desired angle

|                          |                      |
|--------------------------|----------------------|
| <b>Mounting location</b> | Handlebar            |
| <b>Compatible with</b>   | Garmin, GoPro, Wahoo |
| <b>Materials</b>         | Aluminum 6061 T6     |
| <b>Weight (g)</b>        | 48                   |
| <b>Color name</b>        | Black                |

**MIDDLEMOUNT | BCP-98 |**

*Lightweight 6061 T6 Aluminium CNC machined computer bracket*

- » Comes with Garmin and Wahoo bracket. Mio bracket available as spare part
- » Easy to use clamping mechanism for Ø 31,8 / 35 mm handlebars

|                          |                  |
|--------------------------|------------------|
| <b>Mounting location</b> | Handlebar        |
| <b>Compatible with</b>   | Garmin, Wahoo    |
| <b>Materials</b>         | Aluminum 6061 T6 |
| <b>Weight (g)</b>        | 37               |
| <b>Color name</b>        | Black            |

**STEMMOUNT | BCP-99 |**

*Lightweight 6061 T6 Aluminium CNC machined out front computer bracket*

- » Comes with Garmin and Wahoo bracket. Mio bracket available as spare part
- » Easy to mount on either top or bottom row of bolts by using the coupling bolts
- » Removable Go-Pro bracket underneath
- » Assembling on the top row of bolts is a practical solution in combination with handlebar bags

|                          |                      |
|--------------------------|----------------------|
| <b>Mounting location</b> | Stem                 |
| <b>Compatible with</b>   | Garmin, GoPro, Wahoo |
| <b>Materials</b>         | Aluminum 6061 T6     |
| <b>Weight (g)</b>        | 64                   |
| <b>Color name</b>        | Black                |

**ERGOMOUNT DUO | BCP-96 |**

*Lightweight 6061 T6 Aluminium CNC machined computer bracket*

- » Fits all Garmin quatermount, Mio cyclo and Wahoo computers.
- » Easy to use clamping mechanism compatible with 25,4/31,8 mm handlebars
- » Go-Pro bracket underneath

|                          |                           |
|--------------------------|---------------------------|
| <b>Mounting location</b> | Handlebar                 |
| <b>Compatible with</b>   | Garmin, GoPro, Mio, Wahoo |
| <b>Materials</b>         | Aluminum 6061 T6          |
| <b>Weight (g)</b>        | 62                        |
| <b>Color name</b>        | Black                     |

**CITYVIEW COMFORT | BBM-06 |**

*Adjustable longer bicycle mirror for impressive sight from all angles*



- » Clear and distinct visibility due to the lightly convex and anti-glare blue glass
- » Reflector at the rear for good visibility for oncoming traffic
- » Simple clamping system on the outside of your handlebar (Ø 19-26 mm)
- » Optimal mirror size of 110 x 52 mm for clear visibility
- » Available in a left and right model

**Outer handlebar diameter** 19 - 26 (mm)

**Anti glare** Yes

**Sizes** Right, Left

**Color name** Black

**CITYVIEW | BBM-05 |**

*Adjustable bicycle mirror for impressive sight from all angles*



- » Clear and distinct visibility due to the lightly convex and anti-glare blue glass
- » Reflector at the rear for good visibility for oncoming traffic
- » Simple clamping system on the outside of your handlebar (Ø 19-26 mm)
- » Optimal mirror size of 110 x 52 mm for clear visibility
- » Available in a left and right model

**Outer handlebar diameter** 19 - 26 (mm)

**Anti glare** Yes

**Weight (g)** 140

**Sizes** Left, Right

**Color name** Black

**CITYVIEW | BBM-05OEM |**

*Workshop box with 20 pieces of the BBM-05 CityView mirror.*



- » Available in Left and Right version
- » This box is made of 100% recycled material and uses no plastics

**Sizes** Left, Right

**Color name** Black

**DROPVIEW | BBM-03 |**

*Compact and adjustable super convex mirror with anti-glare blue glass*

- » Wide view super convex and anti glare blue glass
- » Optimal mirror size of 56 x 46 mm for clear visibility
- » Universal design for both left- and right side of the handlebar
- » Easy inner handlebar-end mounting system (Ø 16-23mm)
- » Ideal for drop bars and flat handlebars

**Inner handlebar diameter (mm)** 16 - 23

**Anti glare** Yes

**Weight (g)** 65

**Color name** Black

**MULTIVIEW | BBM-04 |**

*Compact and in all angles adjustable convex mirror with anti-glare blue glass*

- » Wide view convex and anti glare blue glass
- » Optimal mirror size of 73 x 67 mm for clear visibility
- » Universal design for both left- and right side of the handlebar
- » Easy inner handlebar-end mounting system (Ø 16-23mm)
- » Ideal for flat- and urban handlebars

**Inner handlebar diameter (mm)** 16 - 23

**Anti glare** Yes

**Weight (g)** 94

**Color name** Black

**E-VIEW | BBM-01 |**

*Multi adjustable bicycle mirror with anti-glare coating and inner handlebar-end mounting system*

- » Certified for E-bike and Speed pedelec
- » Mirror size of 115mm x 80mm
- » Inner handlebar-end mounting system
- » Available in a left and right model

**Inner handlebar diameter (mm)** 14.9, 19

**Anti glare** Yes

**Speed Pedelec certified** Yes

**E-bike certified** Yes

**Weight (g)** 147

**Sizes** Left, Right

**Color name** Black



E-VIEW CLAMP MOUNT | BBM-02 |

Multi adjustable bicycle mirror with anti-glare coating and mounting clamp

- » Certified for the use on E-bikes
- » Mirror size of 115m x 80mm
- » Mounting system for on the handlebar
- » Available in a left and right model

|                  |             |
|------------------|-------------|
| Anti glare       | Yes         |
| E-bike certified | Yes         |
| Weight (g)       | 192         |
| Sizes            | Left, Right |
| Color name       | Black       |



**MULTIVIS | BBP-71 |***Reflective stickers suited for use on your frame and rims*

- » Can be applied on other products like helmets, shoes and other bike components
- » 23 stickers in 7 different shapes

|                   |                     |
|-------------------|---------------------|
| <b>Usage type</b> | Reflection stickers |
| <b>Weight (g)</b> | 346                 |
| <b>Color name</b> | Black               |

**ROLLVIS | BBP-72 |***Black reflective sticker rol*

- » Stickers suited for use on your frame and rims
- » Can be applied on other products like helmets, shoes and other bike components
- » 40 mm wide and 1 m long reflection rol

|                   |                     |
|-------------------|---------------------|
| <b>Usage type</b> | Reflection stickers |
| <b>Weight (g)</b> | 346                 |
| <b>Color name</b> | Black               |

**STAYGUARD | BBP-12M |***Neoprene cover protects your chainstay from chain-slap scratches*

- » Extra tough yet flexible material with anti-slip on the inside
- » Large velcro strap keeps StayGuard securely attached to your bike's chainstay
- » Size: 250x110/90mm

|                    |                       |
|--------------------|-----------------------|
| <b>Usage type</b>  | Chain stay protection |
| <b>Height (mm)</b> | 110 x 90 x 250        |
| <b>Weight (g)</b>  | 15                    |
| <b>Color name</b>  | Black                 |

**STAYGUARD | BBP-12L |***Neoprene cover protects your chainstay from chain-slap scratches*

- » Extra tough yet flexible material with anti-slip on the inside
- » Large velcro strap keeps StayGuard securely attached to your bike's chainstay
- » Size: 250x130mm

|                    |                       |
|--------------------|-----------------------|
| <b>Usage type</b>  | Chain stay protection |
| <b>Height (mm)</b> | 130 x 130 x 250       |
| <b>Weight (g)</b>  | 20                    |
| <b>Color name</b>  | Black                 |

**STAYSKIN | BBP-21 |**

*To protect your frame against damage*



- » Prevent damages caused by repeated contact to your bike frame or parts
- » Water and heat resistant protective sticker, suitable for all weather conditions
- » Easy installation due to flexible material

|                   |                       |
|-------------------|-----------------------|
| <b>Usage type</b> | Chain stay protection |
| <b>Weight (g)</b> | 17                    |
| <b>Color name</b> | Black                 |

**CARBONSKIN | BBP-56 |**

*Thick extra durable adhesive pads for protecting your bike's paint*



- » Set includes: stay guard protection, 4 x 30 mm pads, 4 x 20 x 40 mm pads and a 85 x 122 mm square, to cut out self-made shapes
- » Rugged water resistant and flexible pads, suitable for all weather condition

|                   |                                         |
|-------------------|-----------------------------------------|
| <b>Usage type</b> | Chain stay protection, Frame protection |
| <b>Weight (g)</b> | 18                                      |
| <b>Color name</b> | Carbon                                  |

**CLEARSKIN | BBP-57 |**

*Thick extra durable adhesive pads for protecting your bike's paint*



- » Set includes: stay guard protection, 4 x 30 mm pads, 4 x 20 x 40 mm pads and a 85 x 122 mm square, to cut out self-made shapes
- » Rugged water resistant and flexible pads, suitable for all weather condition

|                   |                                         |
|-------------------|-----------------------------------------|
| <b>Usage type</b> | Chain stay protection, Frame protection |
| <b>Weight (g)</b> | 12                                      |
| <b>Color name</b> | Transparent                             |

**BIKESKIN | BBP-50 |**

*Protect your frame in style*



- » Prevent damages caused by repeated contact to your bike frame or parts
- » Water and heat resistant protective sticker, suitable for all weather conditions
- » Easy installation

|                   |                                         |
|-------------------|-----------------------------------------|
| <b>Usage type</b> | Chain stay protection, Frame protection |
| <b>Weight (g)</b> | 12, 250                                 |
| <b>Color name</b> | Transparent, White                      |

**BIKESKIN | BBP-51 |***Protect your frame as invisible as possible*

- » Prevent damages caused by repeated contact to your bike frame or parts
- » Water and heat resistant protective sticker, suitable for all weather conditions
- » Easy installation



|                   |                                         |
|-------------------|-----------------------------------------|
| <b>Usage type</b> | Chain stay protection, Frame protection |
| <b>Weight (g)</b> | 12                                      |
| <b>Color name</b> | Carbon                                  |

**TUBESKIN | BBP-60 |***Thick adhesive pad to protect your downtube's paint against flying dirt and debris*

- » Extra strong adhesive, stays attached even under the most extreme conditions



|                   |                  |
|-------------------|------------------|
| <b>Usage type</b> | Frame protection |
| <b>Weight (g)</b> | 11               |
| <b>Color name</b> | Transparent      |

**FRAMESKIN | BBP-61 |***Thick extra wide adhesive pad to protect your frame's paint against flying dirt and debris*

- » Extra strong adhesive, stays attached even under the most extreme conditions



|                   |                  |
|-------------------|------------------|
| <b>Usage type</b> | Frame protection |
| <b>Weight (g)</b> | 16               |
| <b>Color name</b> | Transparent      |

**INDOOR TRAINER MAT | BIC-01 |***The base of your indoor setup*

- » The mat dampens both vibrations and sounds from the trainer
- » Large size mat will cover any indoor cycling setup
- » The anti-slip surface prevents the trainer from moving
- » Made out of very durable ultra high dense foam
- » Sweat-resistant and easy to clean

|                                   |       |
|-----------------------------------|-------|
| <b>Thickness Trainer Mat (mm)</b> | 6     |
| <b>Height (mm)</b>                | 6 x 6 |
| <b>Color name</b>                 | Black |

**SWEAT CATCHER | BIC-11 |***Easy to install sweat catcher for indoor cycling*

- » The mesh material absorbs sweat and protects your bike
- » Optimal shape with maximum surface area without interfering the legs
- » Fits any frame size
- » Washable
- » With accessory pocket


|                    |             |
|--------------------|-------------|
| <b>Height (mm)</b> | 5 x 150 x 5 |
| <b>Weight (g)</b>  | 50          |
| <b>Color name</b>  | Black       |

**WHEEL BLOCK | BIC-21 |***Wheelblock that stabilizes your indoor cycling setup*

- » An easy way to stabilize your indoor cycling setup
- » Fits both road and mountain bike tires
- » Rubber anti-slip feet ensures the block stays in place

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 250   |
| <b>Color name</b> | Black |





# WORKSHOP

**BTL MINI TOOLS**  
**BTL TOOLS**  
**BBS DISC BRAKE PADS**  
**BBS BRAKE PADS**  
**BCB CABLES**  
**BDP PULLEYS**  
**BCH CHAINS**  
**BCR CHAINRINGS**  
**BHP HEADSETS**  
**BBO BOTTOM BRACKETS**  
**BTI RIMTAPE /**  
**INNERTUBES**

**PUNCTUREPLUGGER | BTL-185 |***Tubeless tire repair kit*

- » Separate reamer and insertion tool
- » Includes 6 tire plugs (3 x 1.5mm and 3 x 3.5mm)
- » CNC machined handle with storage container for the plugs
- » High-quality and durable tool made from aluminum and steel

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 55    |
| <b>Color name</b> | Black |

**BARPLUGGER | BTL-210 |***Handlebar-integrated tubeless repair set*

- » Durable set with separate reamer and fork tools, protected by an aluminum sleeve
- » Tool-free clamping mechanism for a secure fit and easy removal
- » Three rubber shims included for a perfect fit on any handlebar
- » Includes 10 tire plugs (5 x 1.5mm and 5 x 3.5mm) stored in the aluminum sleeve
- » High-quality and durable tool made from aluminum and steel

|                    |                                |
|--------------------|--------------------------------|
| <b>Extra tools</b> | Tubeless reamer, Tubeless fork |
| <b>Color name</b>  | Black                          |

**ROYALFOLD BASIC | BTL-201 |***Minitool with all essential tools to fix your bike on the side of the road*

- » Hidden quick-link storage compartment with magnet fixture
- » Lightweight aluminum anodized side plates and silver satin finished bits for maximum durability

|                           |                             |
|---------------------------|-----------------------------|
| <b>Torx size</b>          | T10, T25, T30               |
| <b>Hex size (mm)</b>      | 2, 2.5, 3, 4, 5, 6, 8       |
| <b>Screwdriver type</b>   | Flat (SL-5), Philips (PH-2) |
| <b>Quick link storage</b> | Yes                         |
| <b>Weight (g)</b>         | 104                         |
| <b>Color name</b>         | Black                       |

**ROYALFOLD CHAINTOOL | BTL-202 |**

*Minitool with all essential tools incl. chainbreaker to fix your bike on the side of the road*



- » Hidden quick-link storage compartment with magnet fixture
- » Lightweight aluminum anodized side plates and silver satin finished bits for maximum durability

|                           |                                            |
|---------------------------|--------------------------------------------|
| <b>Torx size</b>          | T10, T25, T30                              |
| <b>Hex size (mm)</b>      | 2, 2.5, 3, 4, 5, 6, 8                      |
| <b>Spoke wrenches</b>     | 3.30 mm (0.130 inch), 3.45 mm (0.136 inch) |
| <b>Screwdriver type</b>   | Flat (SL-5), Philips (PH-2)                |
| <b>Quick link storage</b> | Yes                                        |
| <b>Chain breaker</b>      | Yes                                        |
| <b>Weight (g)</b>         | 134                                        |
| <b>Color name</b>         | Black                                      |

**ROYALFOLD CO2 INFLATOR | BTL-203 |**

*Minitool with all essential tools incl. CO2 pump to fix your bike on the side of the road*



- » Hidden quick-link storage compartment with magnet fixture
- » Lightweight aluminum anodized side plates and silver satin finished bits for maximum durability
- » CO2 cartridge (16 g) included

|                           |                                            |
|---------------------------|--------------------------------------------|
| <b>Torx size</b>          | T25                                        |
| <b>Hex size (mm)</b>      | 2, 2.5, 3, 4, 5, 6, 8                      |
| <b>Spoke wrenches</b>     | 3.30 mm (0.130 inch), 3.45 mm (0.136 inch) |
| <b>Screwdriver type</b>   | Flat (SL-5), Philips (PH-2)                |
| <b>Quick link storage</b> | Yes                                        |
| <b>CO2 pump</b>           | Yes                                        |
| <b>Weight (g)</b>         | 126                                        |
| <b>Color name</b>         | Black                                      |

**PRIMEFOLD S | BTL-48S |**

*High-end folding tool with durable anodized aluminium side plates*



- » With chrome plated tools
- » Includes 9 different functions

|                         |                             |
|-------------------------|-----------------------------|
| <b>Torx size</b>        | T25                         |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8       |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3) |
| <b>Weight (g)</b>       | 110                         |
| <b>Color name</b>       | Blue / Silver               |

**PRIMEFOLD M | BTL-48M |**

*High-end folding tool with durable anodized aluminium side plates*

- » With chrome plated tools
- » Includes 14 different functions

|                         |                                                                  |
|-------------------------|------------------------------------------------------------------|
| <b>Torx size</b>        | T25                                                              |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8                                            |
| <b>Spoke wrenches</b>   | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch) |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3)                                      |
| <b>Weight (g)</b>       | 126                                                              |
| <b>Color name</b>       | Blue / Silver                                                    |

**PRIMEFOLD L | BTL-48L |**

*High-end folding tool with durable anodized aluminium side plates*

- » With chrome plated tools
- » Includes 16 different functions

|                         |                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------|
| <b>Torx size</b>        | T25                                                                                    |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8                                                                  |
| <b>Spoke wrenches</b>   | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch), 3.96 mm (0.156 inch) |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3)                                                            |
| <b>Extra tools</b>      | Brake pad spreader                                                                     |
| <b>Chain breaker</b>    | Yes                                                                                    |
| <b>Weight (g)</b>       | 155                                                                                    |
| <b>Color name</b>       | Blue / Silver                                                                          |

**PRIMEFOLD XL | BTL-48XL |**

*High-end folding tool with durable anodized aluminium side plates*

- » With chrome plated tools
- » Includes 18 different functions
- » With chain rivet tool, spoke wrenches and a knife

|                         |                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------|
| <b>Torx size</b>        | T25, T30                                                                               |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8                                                                  |
| <b>Spoke wrenches</b>   | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch), 3.96 mm (0.156 inch) |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3)                                                            |
| <b>Extra tools</b>      | Brake pad spreader, Half serrated blade                                                |
| <b>Chain breaker</b>    | Yes                                                                                    |
| <b>Weight (g)</b>       | 214                                                                                    |
| <b>Color name</b>       | Blue / Silver                                                                          |

**MAXIFOLD S | BTL-141S |***High-end folding tool with durable aluminium side plates*

» Includes 10 different functions



|                         |                             |
|-------------------------|-----------------------------|
| <b>Torx size</b>        | T25                         |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8       |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3) |
| <b>Weight (g)</b>       | 117                         |
| <b>Color name</b>       | Black / Silver              |

**MAXIFOLD M | BTL-141M |***High-end folding tool with durable aluminium side plates*

» Includes 13 different functions

» Tire lever and spoke wrenches included



|                         |                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------|
| <b>Torx size</b>        | T25                                                                                    |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8                                                                  |
| <b>Spoke wrenches</b>   | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch), 3.96 mm (0.156 inch) |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3)                                                            |
| <b>Extra tools</b>      | Brake pad spreader, Half serrated blade, Tire lever                                    |
| <b>Weight (g)</b>       | 145                                                                                    |
| <b>Color name</b>       | Black / Silver                                                                         |

**MAXIFOLD L | BTL-141L |***High-end folding tool with durable aluminium side plates*

» Includes 18 different functions

» Tire lever and spoke wrenches included



|                         |                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------|
| <b>Torx size</b>        | T25                                                                                    |
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8                                                                  |
| <b>Spoke wrenches</b>   | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch), 3.96 mm (0.156 inch) |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3)                                                            |
| <b>Extra tools</b>      | Brake pad spreader, Tire lever                                                         |
| <b>Chain breaker</b>    | Yes                                                                                    |
| <b>Weight (g)</b>       | 200                                                                                    |
| <b>Color name</b>       | Black / Silver                                                                         |



### MAXIFOLD TUBELESS | BTL-141TL |

*High-end multitool with aluminium side panels*

- » Compact design, with 14 different functions
- » With precise tire reamer and puncture plugger for tubeless tires
- » Precise tire reamer and puncture plugger for tubeless tires

|                           |                                            |
|---------------------------|--------------------------------------------|
| <b>Torx size</b>          | T25                                        |
| <b>Hex size (mm)</b>      | 2, 3, 4, 5, 6, 8, 2.5                      |
| <b>Screwdriver type</b>   | Philips (PH-3), Flat (SL-6)                |
| <b>Quick link storage</b> | No                                         |
| <b>Extra tools</b>        | Tubeless reamer, Tire lever, Tubeless fork |
| <b>CO2 pump</b>           | No                                         |
| <b>Chain breaker</b>      | Yes                                        |
| <b>Color name</b>         | Black                                      |



### MINIFOLD S | BTL-40S |

*Extra compact minitool, all necessities in one*

- » Strong tools combined with a lightweight aluminium side plates
- » 9 functions

|                         |                             |
|-------------------------|-----------------------------|
| <b>Hex size (mm)</b>    | 2, 2.5, 3, 4, 5, 6, 8       |
| <b>Screwdriver type</b> | Flat (SL-6), Philips (PH-3) |
| <b>Weight (g)</b>       | 111                         |
| <b>Color name</b>       | Black / Silver              |



### TORXFOLD | BTL-143 |

*High-end folding tool with durable aluminium side plates*

- » Includes 8 different sizes of torx keys

|                   |                                       |
|-------------------|---------------------------------------|
| <b>Torx size</b>  | T9, T10, T15, T20, T25, T27, T30, T40 |
| <b>Weight (g)</b> | 125                                   |
| <b>Color name</b> | Black / Silver                        |

**NEW!**

EASYTORQUE | BTL-235

**Compact design,  
everything  
together and  
close at hand**



Easy-to-use torque  
wrench (3-15Nm)

Comes with the 6  
most common bits  
in a bitholder



### CASSETTEREMOVER SET | BTL-194 |

*Including BTL-12S Lockout, BTL-122 T-Rex and BTL-211 GuidePin*

- » Shimano/SRAM compatible
- » Thru axle, 12mm, compatible
- » 10,11,12 Speed compatible

|                            |            |
|----------------------------|------------|
| <b>Speed compatibility</b> | 10, 11, 12 |
| <b>Weight (g)</b>          | 1500       |
| <b>Color name</b>          | Silver     |



### T-REXGRIP | BTL-122 |

*Get a perfect grip on your cassette with these easy to use cassette pliers*

- » Suitable for sprockets from 11-26 teeth
- » Fits with a spring to lock the sprocket fast and firm without slipping away
- » With kraton handle for a firm and comfortable grip

|                            |                     |
|----------------------------|---------------------|
| <b>Material</b>            | Kraton, Steel       |
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 326                 |
| <b>Color name</b>          | Black / Blue        |



### TURNTABLE | BTL-11 |

*Effectively holds the sprockets when removing the cassette lock-ring*

- » Also removes freewheel sprockets
- » 7, 8, 9 and 10-speed compatible

|                            |              |
|----------------------------|--------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10  |
| <b>Weight (g)</b>          | 194          |
| <b>Color name</b>          | Black / Blue |



### TURNTABLE 11 | BTL-11S |

*Effectively holds the sprockets when removing the cassette lock-ring*

- » Also removes freewheel sprockets
- » 7, 8, 9, 10 and 11 speed compatible

|                            |                 |
|----------------------------|-----------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11 |
| <b>Weight (g)</b>          | 295             |
| <b>Color name</b>          | Black / Blue    |

**LOCKOUT CAMPAGNOLO | BTL-12C |**

*Removes cassette lock-rings of Campagnolo compatible cassettes*



» With kraton handle for a firm and comfortable grip

|                            |                 |
|----------------------------|-----------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11 |
| <b>Weight (g)</b>          | 295             |
| <b>Color name</b>          | Black / Silver  |

**LOCKOUT SHIMANO | BTL-12S |**

*Removes cassette lock-rings of Shimano compatible cassettes and center lock disc brake hub systems*



» With kraton handle for a firm and comfortable grip

|                            |                     |
|----------------------------|---------------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 301                 |
| <b>Color name</b>          | Black / Blue        |

**GUIDEPIN | BTL-211 |**

*12mm adapter for cassette lockring tools*



» The aluminium adapter stays in place due to a magnet  
 » Shimano/SRAM/Campagnolo compatible  
 » Compatible with: BTL-12S/12C/107S/108C

|                       |       |
|-----------------------|-------|
| <b>Axle size (mm)</b> | 12    |
| <b>Weight (g)</b>     | 12    |
| <b>Color name</b>     | Black |

**NAUTILUS II | BTL-05 |**

*Easy-to-use high-end chain tool*



» Can be adjusted to any chainsize  
 » With kraton handle for a firm and comfortable grip  
 » Integrated chain hook holds links during assembly

|                            |                     |
|----------------------------|---------------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 97                  |
| <b>Color name</b>          | Black               |

**PROFICONNECT | BTL-55 |***Professional chain rivet tool*

- » Compatible with any chain, including 12 speed
- » Fully adjustable to the size of the chain
- » Integrated chain hook holds links during assembly
- » With kraton handle for a firm and comfortable grip
- » With adapter for Campagnolo chains

|                            |                     |
|----------------------------|---------------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 330                 |
| <b>Color name</b>          | Black               |

**RE-LINK | BTL-213 |***Ergonomic dual-function chain link tool compatible with all chains (1-12s)*

- » Dual-function tool: open and close chain links with the same movement
- » Ergonomic design with a 90-degree bend for comfortable handling
- » Durable construction from extra hardened steel
- » Eco-friendly grips made from GRS certified recycled plastic

|                            |                        |
|----------------------------|------------------------|
| <b>Material</b>            | Steel                  |
| <b>Speed compatibility</b> | 1, 7, 8, 9, 10, 11, 12 |
| <b>Color name</b>          | Black                  |

**LINKFIX | BTL-77 |***Chain link tool with dual function*

- » With kraton handle for a firm and comfortable grip

|                            |                     |
|----------------------------|---------------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 147                 |
| <b>Color name</b>          | Black / Blue        |

**CHAINCHECKER | BTL-125 |***Easy to use chain wear checking tool*

- » Integrated chain hooks hold links during assembly
- » Added valve tool and 5/6/8 mm allen keys makes this a unique multi-tool

|                            |                     |
|----------------------------|---------------------|
| <b>Speed compatibility</b> | 7, 8, 9, 10, 11, 12 |
| <b>Weight (g)</b>          | 30                  |
| <b>Color name</b>          | Silver              |

**HANDYHOOK | BTL-121 |***Stainless steel Chain hook*

» Great tool to keep the chain in place while replacing or checking the length of the chain

|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 11             |
| <b>Color name</b> | Black / Silver |

**BRACKETGRIP T47 | BTL-234 |***T47 bottom bracket tool*

» Compatible with most common T47 Bottom brackets: either 16-notch or 12-notch  
 » Extra long: 33 cm  
 » With kraton handle for a firm and comfortable grip

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>Material</b>                | Steel                                      |
| <b>Bottom bracket tool fit</b> | 12-notch, 48.2mm cup, 16-notch, 48.8mm cup |
| <b>Color name</b>              | Black / Silver                             |

**BRACKETGRIP | BTL-120 |***Bottom bracket tool compatible with 16-notch 48,5 mm outer diameter cups*

» Extra long: 33 cm  
 » With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 310          |
| <b>Color name</b> | Black / Blue |

**BRACKETGRIP | BTL-116 |***Bottom bracket tool compatible with 16-notch 39/41 mm outer diameter cups*

» With kraton handle for a firm and comfortable grip  
 » Extra long 33 cm handle  
 » Compatible with Shimano Dura Ace BB-9000, XTR 980 BB93, Ultegra 6800 and 105 5800 BBR60

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 395          |
| <b>Color name</b> | Black / Blue |

**BRACKETGRIP | BTL-27L |**

*Bottom bracket tool compatible with 16-notch 44 mm outer diameter cups like the Shimano and Campagnolo*

- » With kraton handle for a firm and comfortable grip
- » Extra long 33 cm handle

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 312          |
| <b>Color name</b> | Black / Blue |

**BRACKETGRIP DUB | BTL-193 |**

*Bottom bracket tool compatible with 12-notch 46mm outer diameter cups: SRAM DUB*

- » With kraton handle for a firm and comfortable grip
- » Extra long: 33cm

|                   |       |
|-------------------|-------|
| <b>Color name</b> | Black |
|-------------------|-------|

**CRANKGRIP | BTL-102 |**

*Designed specifically for the removal of the dust cover from a HollowTech II crankset*

- » Can be used without any extra tools

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 12    |
| <b>Color name</b> | Black |

**ULTRAGRIP | BTL-38 |**

*Bottom bracket tool set for Campagnolo Ultra-Torque*

- » Compatible with 16-notch 44 mm outer diameter cups
- » Bottom bracket tool to assemble the cups and extra long allen key to mount the fixing bolt
- » With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 696          |
| <b>Color name</b> | Black / Blue |

**PULLSTAR | BTL-20L |**

*Bottom bracket tool for Shimano cartridge type bottom brackets*



- » Compatible with traditional, Octalink and ISIS models
- » Screw-on blocking mechanism
- » Extra long 33 cm handle allows you to apply more torque
- » With kraton handle for a firm and comfortable grip

|                                |              |
|--------------------------------|--------------|
| <b>Bottom bracket standard</b> | ISIS, Octa   |
| <b>Weight (g)</b>              | 456          |
| <b>Color name</b>              | Black / Blue |

**MULTIHOOK | BTL-24 |**

*For easy assembly of bottom bracket lock rings*



- » Fits most lock-ring sizes
- » With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 201          |
| <b>Color name</b> | Black / Blue |

**POWERPULL | BTL-14 |**

*Separates the crank from the bike's bottom bracket*



- » Due to the removable cap the puller can be used on ISIS, Octalink en Square tapered spindles
- » Without the cap the tool can be used on Squared tapered spindles
- » With the cap the tool can be used on ISIS and Octalink spindles

|                                |                            |
|--------------------------------|----------------------------|
| <b>Bottom bracket standard</b> | ISIS, Octa, Square Tapered |
| <b>Weight (g)</b>              | 92                         |
| <b>Color name</b>              | Black                      |

**BOLTGRIP | BTL-32L |**

*Chainring nut wrench*



- » For easy mounting of the chainring nuts
- » Compatible with Shimano and Campagnolo chainring nuts

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 33    |
| <b>Color name</b> | Black |

**DUALFORCE | BTL-101 |***Ergonomic double-sided allen wrench*

- » 6 mm and 8 mm allen keys
- » Remove and replace your pedals quickly and easily
- » With kraton handle for a firm and comfortable grip

|                      |              |
|----------------------|--------------|
| <b>Hex size (mm)</b> | 6, 8         |
| <b>Weight (g)</b>    | 196          |
| <b>Sizes</b>         | 6mm          |
| <b>Color name</b>    | Black / Blue |

**HI TORQUE L | BTL-10D |***Ergonomic double-sided pedal wrench*

- » Extra wide and strong hooks
- » Extra long: 33 cm

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 320          |
| <b>Sizes</b>      | 15mm         |
| <b>Color name</b> | Black / Blue |

**NEEDLEDRIVER HYDRAULIC | BTL-160 |***Professional hydraulic needle driver*

- » Can be used for both needle and banjo hose barbs
- » Compatible with most brake systems

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 134   |
| <b>Color name</b> | Black |

**HOSECUTTER HYDRAULIC | BTL-161 |***Cuts a smooth and clean cross section in hydraulic brake hose*

- » Specific tool for synthetic hydraulic brake hoses
- » Long grips for easy leverage
- » Blade is safely hidden when in locked mode

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 63   |
| <b>Color name</b> | Blue |

**PISTONFIX | BTL-115 |**

*Handy tool to pre-set the hydraulic piston when replacing worn out pads*



» With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 206          |
| <b>Color name</b> | Black / Blue |

**DISCSTRAIGHT | BTL-74 |**

*Disc brake rotor straightening tool*



» Ideal solution when replacement disc is not available  
» With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 247          |
| <b>Color name</b> | Black / Blue |

**DISCDOCTOR | BTL-212 |**

*Compact disc brake multitool with 6 functions*



» Removable shim for easy caliper aligning  
» Rotor truing fork and wear gauge function for all common rotors  
» Convenient piston spreader for brake maintenance  
» Stay on top of brake pad wear with the built-in gauge  
» With handy valve core tool

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Steel |
| <b>Color name</b> | Black |

**PROFICUT | BTL-54 |**

*Professional cable cutter*



» Ultra-sharp hardened steel blades  
» Crimper for cable ends  
» With kraton handle for a firm and comfortable grip

|                   |                      |
|-------------------|----------------------|
| <b>Material</b>   | Kraton, Nylon, Steel |
| <b>Weight (g)</b> | 292                  |
| <b>Color name</b> | Black / Blue         |

**FASTCUT | BTL-16 |***Ultra-sharp blades cut bike cables effortlessly*

- » Industrial grade hardened steel
- » With kraton handle for a firm and comfortable grip



|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 171            |
| <b>Color name</b> | Black / Silver |

**CABLEPULLER | BTL-195 |***Inner cable puller compatible for all common cable diameters*

- » Made of high quality steel
- » Two stage operation
- » Can pull the cable up to 33mm



|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 229    |
| <b>Color name</b> | Silver |

**CABLEGUIDESET | BTL-184 |***Complete internal cable routing tool*

- » A strong magnet, four individual adapters and two 2.5 m magnetic lead wires included
- » Suitable for shifting- /braking cables, outer cables, hydraulic hoses and Di2 wires
- » Compatible with carbon fiber, titanium and aluminum bicycle frames with a minimum 6 mm hole



|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 64     |
| <b>Color name</b> | Silver |

**HIGHTORQUE | BTL-175 |***1/2" ratcheting torque wrench, adjustable with increments of 0.25 Nm*

- » Suitable for both left as well as right-hand threads
- » Click-indicator for when the torque setting is reached
- » Total length of 355mm for maximal leverage
- » Individually calibrated by a computer for the best and most precise quality
- » Protection case included



|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 780    |
| <b>Color name</b>               | Silver |



### PRECISIONTORQUE | BTL-174 |

*High-precision 1/4" ratcheting torque wrench set with a 1-10Nm torque range*

- » Highly precise and adjustable with 0.1Nm increments for accurate tightening
- » Click-mechanism provides clear indication when torque setting is reached
- » Computer-calibrated and individually tested for reliable performance
- » Re-calibration option available for long-lasting accuracy
- » Storage case and 9 bits included

|                                 |                    |
|---------------------------------|--------------------|
| <b>Hex size (mm)</b>            | 2, 3, 4, 5, 6, 2.5 |
| <b>Torx size</b>                | T15, T20           |
| <b>Material</b>                 | Aluminum           |
| <b>Square bit driver (inch)</b> | 1/4                |
| <b>Weight (g)</b>               | 206                |
| <b>Color name</b>               | Silver             |



### TORQUESET DELUXE | BTL-173 |

*Torque tool with 1/4" drive, adjustable with increments of 0.2Nm*

- » Click-mechanism to indicate when torque setting is reached
- » Each torque wrench is individually calibrated by computer and can be re-calibrated
- » Protection case included

|                                 |               |
|---------------------------------|---------------|
| <b>Hex size (mm)</b>            | 3, 4, 5, 6, 8 |
| <b>Torx size</b>                | T25, T30      |
| <b>Square bit driver (inch)</b> | 1/4           |
| <b>Weight (g)</b>               | 503           |
| <b>Color name</b>               | Silver        |



### TORQUESET | BTL-73 |

*Torque tool with 1/4" drive adjustable with increments of 0.5 Nm*

- » Click-mechanism to indicate when torque setting is reached
- » Individually calibrated by computer
- » Protection case included

|                                 |               |
|---------------------------------|---------------|
| <b>Hex size (mm)</b>            | 3, 4, 5, 6, 8 |
| <b>Torx size</b>                | T25, T30      |
| <b>Square bit driver (inch)</b> | 1/4           |
| <b>Weight (g)</b>               | 483, 250      |
| <b>Color name</b>               | Black         |



### TORQUETUNE | BTL-182 |

*Adjustable torque wrench with bits included in the foldable handle*

- » Foldable design for use as a driver or T-wrench
- » Click-mechanism to indicate when torque setting is reached
- » Hex keys 2.5, 3, 4, 5, 6 and T25 torx included
- » Bit storage located in the handle

|                              |                 |
|------------------------------|-----------------|
| <b>Hex size (mm)</b>         | 2.5, 3, 4, 5, 6 |
| <b>Hex bit driver (inch)</b> | 1/4             |
| <b>Torx size</b>             | T25             |
| <b>Material</b>              | Nylon, Steel    |
| <b>Weight (g)</b>            | 183             |
| <b>Color name</b>            | Black           |

**TORQUEFIX | BTL-119 |**

*Do you know your own power? To make sure all your bolts are tightened at the right torque*

- » Click-mechanism to indicate when torque setting is reached
- » Hex keys 2, 3, 4, 5, 6 and T25 torx included
- » Available in 4, 5 and 6 Nm

|                      |               |
|----------------------|---------------|
| <b>Hex size (mm)</b> | 2, 3, 4, 5, 6 |
| <b>Torx size</b>     | T25           |
| <b>Weight (g)</b>    | 146           |
| <b>Sizes</b>         | 4Nm, 5Nm      |
| <b>Color name</b>    | Black / Blue  |

**EASYTORQUE | BTL-235 |**

*EasyTorque torquetoool*

- » Easy-to-use torque wrench (3-15Nm)
- » Comes with the 6 most common bits
- » Compact design, everything together and close at hand

|                              |              |
|------------------------------|--------------|
| <b>Hex size (mm)</b>         | 3, 4, 5, 6   |
| <b>Hex bit driver (inch)</b> | 1/2          |
| <b>Torx size</b>             | T15, T25     |
| <b>Color name</b>            | Black / Blue |

NEW

**HEX T | BTL-45 |**

*T-handle allen wrench*

- » With ball head for hard to reach bolt heads
- » Handle made of durable composite material

|                      |                                     |
|----------------------|-------------------------------------|
| <b>Hex size (mm)</b> | 2, 2.5, 3, 4, 5, 6, 8               |
| <b>Material</b>      | Steel                               |
| <b>Weight (g)</b>    | 20, 22, 28, 56, 70, 88, 178         |
| <b>Sizes</b>         | 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm |
| <b>Color name</b>    | Black / Silver                      |

**TORX T | BTL-46 |**

*T-handle torx wrench*

- » Compatible with torx bolts with and without pin
- » Handle made of durable composite material

|                   |                |
|-------------------|----------------|
| <b>Torx size</b>  | T25, T30, T40  |
| <b>Material</b>   | Steel          |
| <b>Weight (g)</b> | 66, 84, 146    |
| <b>Sizes</b>      | T25, T30, T40  |
| <b>Color name</b> | Black / Silver |



### HEX T SET | BTL-45S |

*T-handle hex and torx wrench set including holder*

- » With ball head for hard to reach bolt heads
- » Handle made of durable composite material
- » Contents: 2, 2.5, 3, 4, 5, 6, 8 and 10mm hex and T25 torx.

|                      |                           |
|----------------------|---------------------------|
| <b>Hex size (mm)</b> | 2, 2.5, 3, 4, 5, 6, 8, 10 |
| <b>Torx size</b>     | T25                       |
| <b>Material</b>      | Steel                     |
| <b>Weight (g)</b>    | 1084                      |
| <b>Color name</b>    | Black / Silver            |



### THREESTAR | BTL-28 |

*Portable Hex key set*

- » Kraton grip in the middle for extra comfort

|                      |                    |
|----------------------|--------------------|
| <b>Hex size (mm)</b> | 2, 2.5, 3, 4, 5, 6 |
| <b>Weight (g)</b>    | 63, 65             |
| <b>Sizes</b>         | 2/2.5/3mm, 4/5/6mm |
| <b>Color name</b>    | Black              |



### TORXSTAR | BTL-28T |

*Portable torx key set*

- » Kraton grip in the middle for extra comfort

|                   |               |
|-------------------|---------------|
| <b>Torx size</b>  | T25, T30, T40 |
| <b>Weight (g)</b> | 68            |
| <b>Sizes</b>      | T25/30/40     |
| <b>Color name</b> | Black         |



### COMBOSTAR | BTL-28C |

*Portable hex and torx key set combination*

- » Kraton grip in the middle for extra comfort

|                      |       |
|----------------------|-------|
| <b>Hex size (mm)</b> | 4, 5  |
| <b>Torx size</b>     | T25   |
| <b>Weight (g)</b>    | 61    |
| <b>Color name</b>    | Black |

**HEXSET | BTL-118 |***9-piece L-shaped allen wrenches set*

- » Ball end for hard to reach bolt heads and a straight tip on the short arm for high torque applications
- » Comes with a handy portable tool organizer, labeled for easy access and storage

|                      |                                |
|----------------------|--------------------------------|
| <b>Hex size (mm)</b> | 1,5, 2, 2.5, 3, 4, 5, 6, 8, 10 |
| <b>Material</b>      | Steel                          |
| <b>Weight (g)</b>    | 416                            |
| <b>Color name</b>    | Black                          |

**HEXAGON | BTL-13 |***Extra long and strong allen key*

- » Available in 8 mm
- » With hard rubber sleeve for better grip

|                      |                |
|----------------------|----------------|
| <b>Hex size (mm)</b> | 8              |
| <b>Weight (g)</b>    | 110            |
| <b>Sizes</b>         | 8mm            |
| <b>Color name</b>    | Black / Silver |

**DRIVEFORCE | BTL-104 |***Ergonomic 1/2" driver wrench for all 1/2" sockets*

- » Extra long 33 cm
- » With kraton handle for a firm and comfortable grip

|                                 |              |
|---------------------------------|--------------|
| <b>Square bit driver (inch)</b> | 1/2          |
| <b>Weight (g)</b>               | 321          |
| <b>Color name</b>               | Black / Blue |

**BRACKETPLUG DUB | BTL-105D |***Designed for the installation and removal of 12 Notch 46 mm bottom bracket cups*

- » Compatible with the SRAM DUB standard
- » Compatible with the BTL-104 DriveForce and a 24mm wrench

|                                 |      |
|---------------------------------|------|
| <b>Square bit driver (inch)</b> | 1/2  |
| <b>Weight (g)</b>               | 138  |
| <b>Color name</b>               | Grey |

**BRACKETPLUG | BTL-105 |**

*Designed for the installation and removal of 16-notch 44mm outer diameter cups*

- » Compatible with the BTL-104 DriveForce and a 24mm wrench
- » Compatible with Shimano Hollowtech II

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 220    |
| <b>Color name</b>               | Silver |

**LOCKPLUG | BTL-106S |**

*Designed for the installation and removal of Shimano HG cassette lockrings and center lock disc brake hub systems*

- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 57     |
| <b>Color name</b>               | Silver |

**LOCKPLUG | BTL-107S |**

*Designed for the installation and removal of Shimano HG cassette lockrings and center lock disc brake hub systems*

- » With guide pin
- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 83     |
| <b>Color name</b>               | Silver |

**LOCKPLUG | BTL-108C |**

*Designed for the installation and removal of cassette lockrings of Campagnolo compatible cassettes*

- » With guide pin
- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 103    |
| <b>Color name</b>               | Silver |

**BRACKETPLUG | BTL-109 |**

*Designed for the installation and removal of Shimano cartridge type bottom brackets*

- » Compatible with traditional, Octalink and ISIS models
- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 124    |
| <b>Color name</b>               | Silver |

**HEXPLUG | BTL-110 |**

*8 mm allen key socket*

- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 75     |
| <b>Color name</b>               | Silver |

**HEXPLUG | BTL-111 |**

*10 mm allen key socket*

- » Compatible with the BTL-104 DriveForce and a 24 mm wrench

|                                 |        |
|---------------------------------|--------|
| <b>Square bit driver (inch)</b> | 1/2    |
| <b>Weight (g)</b>               | 78     |
| <b>Color name</b>               | Silver |

**DIRECTPLUG SHIMANO XTR | BTL-199 |**

*Directmount Chainring tool for Shimano XTR with 41mm / 16 notch locking*

- » Operate with 44mm BB tool (BTL-27L) or 36mm spanner (BTL-56)
- » Compatible with: XTR: FC-M9100/M9120/M9130, XT: FC-M8100/M8120/M8130, SLX: FC-M7100/M7120/M7130, Deore 12s: FC-M6100/M6120

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Steel |
| <b>Weight (g)</b> | 117   |
| <b>Color name</b> | Black |

**DIRECTPLUG BOSCH GEN.3/4 | BTL-200 |**

*Bosch Lockring tool for Bosch Gen. 3 & 4 chainrings with 43mm / 8 notch lockring*

» Operate with ½" driver (BTL-104/ BTL-175) or 24mm spanner

|                                 |       |
|---------------------------------|-------|
| <b>Square bit driver (inch)</b> | 1/2   |
| <b>Weight (g)</b>               | 201   |
| <b>Color name</b>               | Black |

**LOCKOUT | BTL-128E |**

*Removes cassette lock-rings of Bosch mid-motor sprockets*

» Extra-long, for increased leverage  
» With kraton handle for a firm and comfortable grip

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 305          |
| <b>Color name</b> | Black / Blue |

**CUPOUT | BTL-113 |**

*22 mm cup remover*

» To remove press fit bottom bracket systems using the 24 mm spindle

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 221    |
| <b>Sizes</b>      | 22mm   |
| <b>Color name</b> | Silver |

**CUPOUT | BTL-114 |**

*25,4 mm cup remover*

» Designed to remove 1", 1-1/8" and 1-1/4" headsets and PressFit 30 (PF30) and BB30 bottom bracket bearings

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 303    |
| <b>Color name</b> | Silver |

**HEADFIX | BTL-56 |***High quality headset wrench*

» With kraton handle for a firm and comfortable grip

|                     |                  |
|---------------------|------------------|
| <b>Headfix size</b> | 32/36, 36/40     |
| <b>Weight (g)</b>   | 293, 297         |
| <b>Sizes</b>        | 32/36mm, 36/40mm |
| <b>Color name</b>   | Silver           |

**CONESET | BTL-25S |***5-piece set of versatile and durable cone wrenches*

» Carbon steel tools with ergonomic grip

|                       |                    |
|-----------------------|--------------------|
| <b>Cone size (mm)</b> | 13, 14, 15, 16, 17 |
| <b>Weight (g)</b>     | 690                |
| <b>Color name</b>     | Black / Blue       |

**CONEFIX | BTL-25 |***Versatile and durable cone wrench*

» Available in different sizes

|                       |                              |
|-----------------------|------------------------------|
| <b>Cone size (mm)</b> | 13, 14, 15, 16, 17           |
| <b>Weight (g)</b>     | 133, 130, 132                |
| <b>Sizes</b>          | 13mm, 14mm, 15mm, 16mm, 17mm |
| <b>Color name</b>     | Black / Blue                 |

**PROTUNE | BTL-183 |***Professional spoke wrench*

» Spoke nipple locking system for easy truing

|                       |                                                                  |
|-----------------------|------------------------------------------------------------------|
| <b>Spoke wrenches</b> | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch) |
| <b>Weight (g)</b>     | 17                                                               |
| <b>Sizes</b>          | 3.2mm, 3.3mm, 3.5mm                                              |
| <b>Color name</b>     | Black, Green, Red                                                |



### PROTUNE SET | BTL-183S |

*Professional spoke wrench set*

» Spoke nipple locking system for easy truing

|                       |                                                                  |
|-----------------------|------------------------------------------------------------------|
| <b>Spoke wrenches</b> | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch) |
| <b>Weight (g)</b>     | 51                                                               |
| <b>Color name</b>     | Black / Green                                                    |



### TURNER II | BTL-15 |

*Compact CrMo spoke wrench*

» Spoke wrench tool with 4 sizes (3.2/ 3.3/ 3.5/ 4.0mm)

|                       |                                                                                        |
|-----------------------|----------------------------------------------------------------------------------------|
| <b>Spoke wrenches</b> | 3.23 mm (0.127 inch), 3.30 mm (0.130 inch), 3.45 mm (0.136 inch), 3.96 mm (0.156 inch) |
| <b>Weight (g)</b>     | 36, 250                                                                                |
| <b>Color name</b>     | Silver                                                                                 |



### SPOKEHOLDER | BTL-214 |

*Universal spoke plier compatible with round and flat spokes*

- » Securely holds spokes in place when building or truing wheels
- » Prevents twisted spokes and damage to spoke nipple threads
- » Compatible with J-bend and straight pull spokes
- » Suitable for round and flat spokes up to 2.4mm (13G)
- » Features ergonomic handles for comfortable and efficient use

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Steel |
| <b>Weight (g)</b> | 70    |
| <b>Color name</b> | Black |



### TENSIONGAUGE | BTL-186 |

*Spoke tension meter for checking, truing and building wheels*

» Compatible with all spoke shapes and material

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 150   |
| <b>Color name</b> | Black |

**EASYLIFT | BTL-81 |**

*Easy to use tire levers*

- » Click-together system for portability
- » 3 pieces a set

|                   |                                                                                   |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Material</b>   | Nylon                                                                             |
| <b>Weight (g)</b> | 35, 250                                                                           |
| <b>Color name</b> | Black, Neon yellow, Red / White / Blue, Red / White / Green, Black / Red / Yellow |

**EASYLIFT DISPLAY BOX | BTL-81D |**

*Display box with 48 sets of 3 pcs EasyLift tire levers.*

|                   |              |
|-------------------|--------------|
| <b>Weight (g)</b> | 1840         |
| <b>Color name</b> | Black / Blue |

**SMARTLIFT | BTL-82 |**

*Smart tire lever multitool to remove and install your tire*

- » Effortless tire removal with two included tire levers.
- » Convenient tire installation hook for quick and easy fitting of the tire on the rim
- » Integrated storage for presta valve core and tubeless tire plugs
- » Includes a built-in valve core tool for added versatility

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Nylon |
| <b>Color name</b> | Black |

**SMARTLIFT DISPLYBOX 24 | BTL-82D |**

*SmartLift Displaybox 24 pcs.*

- » Smart tire lever multitool to remove and install your tyre
- » Effortless tire removal with two included tire levers.
- » Convenient tire installation hook for quick and easy fitting of the tire on the rim
- » Integrated storage for presta valve core and tubeless tire plugs
- » Includes a built-in valve core tool for added versatility

|                   |       |
|-------------------|-------|
| <b>Color name</b> | Black |
|-------------------|-------|

**PROFILIFT | BTL-79 |***Professional tire lever*

- » Composite side for bike wheels, metal side for heavy duty purposes
- » Comfortable grip



|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 79    |
| <b>Color name</b> | Black |

**PUNCTUREPLUGGER | BTL-185 |***Tubeless tire repair kit*

- » Separate reamer and insertion tool
- » Includes 6 tire plugs (3 x 1.5mm and 3 x 3.5mm)
- » CNC machined handle with storage container for the plugs
- » High-quality and durable tool made from aluminum and steel



|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 55    |
| <b>Color name</b> | Black |

**CORECONTROL | BTL-207 |***Valve core removal tool*


- » Easily removes any valve core, Presta or Schrader
- » Additional function for securing valve extenders



|                   |          |
|-------------------|----------|
| <b>Material</b>   | Aluminum |
| <b>Color name</b> | Blue     |

**PUNCTUREPLUGS | BTL-208 |***Set of 10 reserve tire plugs stored in a plastic box.*

- » Compatible with the PuncturePlugger (BTL-185), MaxiFold Tubeless (BTL-141TL), and the BarPlugger (BTL-210)
- » Two plug size options (1.5 mm and 3.5 mm) for accurate tubeless puncture repair on any terrain




|                   |              |
|-------------------|--------------|
| <b>Material</b>   | Rubber       |
| <b>Sizes</b>      | 1.5mm, 3.5mm |
| <b>Color name</b> | Black        |

**EASYTIRE | BTL-78 |**

*The tool helps to put tires on the rim*

- » Perfect help for tight tires/wheel combination
- » Fully composite to prevent wheel or tire damage

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 120   |
| <b>Color name</b> | Black |

**LEAKFIX | BTL-80 |**

*Tube repair kit with adhesive patches*

- » Set with 6 self adhesive patches and a piece of sandpaper

|                   |           |
|-------------------|-----------|
| <b>Weight (g)</b> | 8         |
| <b>Sizes</b>      | Universal |
| <b>Color name</b> | Black     |

**LEAKFIX DISPLAY BOX | BTL-80D |**

*Display box with 50 pcs of BTL-80 LeakFix.*

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 489   |
| <b>Color name</b> | Black |

**THRUGRIP | BTL-123 |**

*This transport kit consists of 2 pistonpads and a chainguide*

- » The pistonpads can be used for keeping the brakepads spread while the wheels are out
- » With use of the O-ring the pistonpads can be held in place in almost all brake systems
- » The chainguide can keep the chain clear and guided on axles up to 12 mm

|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 50             |
| <b>Color name</b> | Black / Silver |

**CHAINGRIP | BTL-50 |**

*Quick-release axle system keeps the chain under tension when the wheel is removed*

» Easy for transportation and cleaning of the bike

|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 115, 122       |
| <b>Sizes</b>      | 130mm, 135mm   |
| <b>Color name</b> | Black / Silver |

**FORKGRIP | BTL-49 |**

*Quick release axle system protects the front fork when the wheel is removed*

» With disc brake pad adapter which retains the brake pads when the disc is removed

|                   |                |
|-------------------|----------------|
| <b>Weight (g)</b> | 84             |
| <b>Color name</b> | Black / Silver |

**FRAMESET | BTL-190 |**

*Durable and washable brushes and mitt to wash your whole bike*

- » Big soft brush for heavy frame cleaning
- » Agile detail brush for drivetrain cleaning on narrow spots
- » The trusty toothbrush for deep cleaning of your chain and cassette
- » Cuffed microfiber glove for cleaning the details of your frame and fork
- » Handy sack to keep it all together

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 150   |
| <b>Color name</b> | Black |

**BIOREADYWASH TRIGGER | BTL-253 |**

*Bio-based ready to use bike wash*

- » Ready to use bike wash mixture
- » Easy to use spray nozzle
- » Effective against dust and dirt
- » 100% biodegradable within 28 days
- » Made with 100% plant-based material

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 573  |
| <b>Color name</b> | Blue |

**BIOSUPERWASH 1L | BTL-251 |**

*Bio Superwash effortlessly cleans grease and dirt from your bike without the use of any chemicals.*

- » Contains natural wax to protects the paint
- » Highly concentrated for smaller packaging
- » PH-neutral
- » 100% biodegradable within 28 days
- » 100% free from microplastics

|                   |      |
|-------------------|------|
| <b>Volume (L)</b> | 1    |
| <b>Weight (g)</b> | 1066 |
| <b>Color name</b> | Blue |

**BIOSUPERWASH 5L | BTL-251W |**

*Sustainable wash for bicycle cleaning*

- » Contains natural wax to protects the paint
- » Highly concentrated for smaller packaging solutions
- » PH-neutral
- » 100% biodegradable within 28 days
- » 100% free from microplastics

|                   |      |
|-------------------|------|
| <b>Volume (L)</b> | 5    |
| <b>Weight (g)</b> | 5500 |
| <b>Color name</b> | Blue |

**TOOTHBRUSH | BTL-17 |**

*Extra thick brushes suited for a variety of cassette cleaning jobs*

- » Durable nylon brushes stay stiff
- » Washable

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Nylon |
| <b>Weight (g)</b> | 35    |
| <b>Color name</b> | Black |

**BRIGHT & FRESH | BTL-21 |**

*Tool for cleaning your chain*

- » Smooth internal chain guide mechanism
- » No chain disassembly required
- » Rinse the cleaner well with water after use. Because fumes from the degreaser can damage the plastic.

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 290  |
| <b>Color name</b> | Grey |

**BIODRIVETRRAIN CLEANER 500ML | BTL-250S |**

*Bio Drivetrain Cleaner is a plant-based degreaser.*

- » Can be used undiluted without any problems
- » 100% plant-based
- » 100% recycled PET packaging
- » 100% free from microplastics

|                   |     |
|-------------------|-----|
| <b>Weight (g)</b> | 573 |
| <b>Color name</b> | Red |

**BIODRIVETRRAIN CLEANER 1L | BTL-250 |**

*Bio Drivetrain Cleaner is a plant-based degreaser.*

- » Can be used undiluted without any problems
- » 100% plant-based
- » 100% recycled PET packaging
- » 100% free from microplastics

|                   |     |
|-------------------|-----|
| <b>Volume (L)</b> | 1   |
| <b>Weight (g)</b> | 912 |
| <b>Color name</b> | Red |

**BIODRIVETRRAIN CLEANER 5L | BTL-250W |**

*Sustainable plant-based degreaser*

- » Can be used undiluted without any problems
- » Made with 100% plant-based ingredients
- » Packaging made from 100% recycled PET material
- » 100% free from microplastics

|                   |      |
|-------------------|------|
| <b>Volume (L)</b> | 5    |
| <b>Weight (g)</b> | 4750 |
| <b>Color name</b> | Red  |

**DEADBLOW | BTL-187 |**

*Anti-rebound hammer provides sustained impact and force without vibrations*

- » Soft rubber head for surface protection
- » 40mm diameter surface

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 513   |
| <b>Color name</b> | Black |



### STEERERTUBE | BTL-188 |

*Sawguide ensures a straight cut for steertubes, seatposts or handlebars*

- » Can be mounted on a vise
- » Suited for Ø 20 - 33 mm bars

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 427    |
| <b>Color name</b> | Silver |



### MULTITUBE | BTL-189 |

*Sawguide ensures a straight cut, for round or aero shaped steertubes, seatposts or handlebars*

- » Can be mounted on a vise
- » Suited for Ø 21.5 - 45 mm bars and aerobar tube length: 30 - 80 mm

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 445    |
| <b>Color name</b> | Silver |



### PADALIGN | BTL-196 |

*Deraillieur pad alignment tool*

- » Long and stiff profile with accurate gauge for high precision
- » Rubber ends on the gauge to prevent damage to the rim
- » Made of high quality steel and lasts a lifetime

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 295   |
| <b>Color name</b> | Black |



### LEVERALIGN | BTL-197 |

*Lever alignment add-on to the BTL-196 PadAlign*

- » Add-on tool: Designed to work with our BTL-196 PadAlign for precise lever adjustments
- » Simplifies the alignment process, making it easy to achieve perfect lever positioning

|                   |       |
|-------------------|-------|
| <b>Material</b>   | Steel |
| <b>Color name</b> | Black |



### ALLROUNDKIT | BTL-91 |

*Extra strong toolbox with the 14 most common tools for your bike maintenance*

- » Protective foam inserts keeps the tools in place
- » Extra space to add additional tools to meet your specific needs
- » 14 tools included: BLT-15/ BTL-28T/ BTL-125/ BTL-77/ BTL-104/ BTL-54/ BTL-55/ BTL-110/ BTL-17/ BTL-118/ BTL-32L/ BTL-11/ BTL-79/ BTL-107S

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 4270  |
| <b>Color name</b> | Black |



### CHAIN&CASSETTE SET | BTL-225 |

*All tools you need to perform maintenance on the chain, cassette and more*

- » Comes in a luxury toolbox for storage and transport
- » With protective foam inserts to protect your tools and keep them all in place

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 2100  |
| <b>Color name</b> | Black |



### BEARINGPRESS SET | BTL-231 |

*Bearing press set compatible for all 22/24/29/30mm spindle standards*

- » Two sided aluminium CNC machined cups for a perfect fit on both bottom bracket cups and bearings
- » Supports all (serviceable) BBB cycling bottom brackets
- » Luxury and comfortable handles with an offset for easy usage
- » 240mm long thread fits any bottom bracket width
- » Comes in a luxury toolbox for storage and transport

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 1270  |
| <b>Color name</b> | Black |



### BEARING REMOVER GXP/BB90 | BTL-232 |

*Extracts bearings with minimal stress for your frame and Bottom bracket Cups*

- » Bearing extractor with special extractor plates for 22 and 24mm bearings
- » Extractor Cup (diameter 37mm) with O-ring to protect your bottom bracket cup and frame
- » Easy to use with a 5mm allen key and holding the cup by hand or 17mm spanner
- » Made out of aluminium by CNC for the highest precision and quality
- » Compatible with BBB Cycling BottomFit X9 24/GXP brackets and possible other brackets where the bearing can be replaced. Inquire for possible compatibility

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 57   |
| <b>Color name</b> | Blue |

**BEARING REMOVER DUB/BB30 | BTL-233 |**

*Extracts bearings with minimal stress for your frame and BB Cups*



- » Bearing extractor with special extractor plates for 29 and 30mm bearings
- » Extractor Cup (diameter 42 mm) with O-ring to protect your bottom bracket cup and frame
- » Easy to use with a 5mm allen key and holding the cup by hand or 17mm spanner
- » Made out of aluminium by CNC for the highest precision and quality
- » Compatible with BBB Cycling BottomFit X9 DUB/30mm brackets and possible other brackets where the bearing can be replaced. Inquire for possible compatibility.

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 65   |
| <b>Color name</b> | Blue |

**BRACKETKIT | BTL-95 |**

*Extra strong toolbox with all the necessary tools to remove and install your press-fit bottom bracket*



- » Suitable for: BB30, PF30, PF86-92, BB90-95 and GXP
- » Protective foam inserts keeps the tools in place
- » Set contains: 2 bearing press cups, 1 bearing removal tool and 1 cup press rod.

|                   |           |
|-------------------|-----------|
| <b>Weight (g)</b> | 1540, 250 |
| <b>Color name</b> | Black     |

**TOOLS & TUBES | BTL-18 |**

*Storage can, to fit in your bottle cage*



- » Durable composite material
- » Internal storage tray for small parts
- » Perfect to organise your inner tube, tools, Co2 inflator etc.

|                   |        |
|-------------------|--------|
| <b>Weight (g)</b> | 67, 73 |
| <b>Sizes</b>      | S, L   |
| <b>Color name</b> | Black  |

**SOFTCASE | BTL-181 |**

*Storage can, to fit in your bottle cage*



- » Waterproof fabrics and zippers
- » Perfect to organize your inner tube, tools, Co2 inflator etc.
- » Internal (zippered) compartments
- » Made of PU-coated EVA-foam

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 35    |
| <b>Sizes</b>      | L     |
| <b>Color name</b> | Black |

**WALLMOUNT DELUXE | BTL-150 |**

*Stylish horizontal bike storage to hang on beams and walls*



- » Protective foam pads to protect the bike from scratches
- » Folds out of the way when not in use, a space saving option for storing your bike
- » Angle adjustable hook

|                              |       |
|------------------------------|-------|
| <b>Max. load (kg)</b>        | 20    |
| <b>Max. steer width (cm)</b> | 70    |
| <b>Weight (g)</b>            | 1163  |
| <b>Color name</b>            | Black |

**WALLMOUNT | BTL-93 |**

*Horizontal bike storage to hang on beams and walls*



- » Protective plastic cover to protect the bike from damage
- » Folds out of the way when not in use, a space saving option for storing your bike
- » Angle adjustable hook
- » For bikes with a maximum weight of 15 kg

|                              |          |
|------------------------------|----------|
| <b>Max. load (kg)</b>        | 15       |
| <b>Max. steer width (cm)</b> | 70       |
| <b>Weight (g)</b>            | 874, 250 |
| <b>Color name</b>            | Black    |

**PEDALPARKER | BTL-153 |**

*Minimalistic pedal wall mount*



- » Foldable hook for easy adaptation to different bikes and compact storage
- » Rubberized hook to protect pedal and crank finish from scratches
- » Includes two support profiles for stable wheel placement
- » Compatible with all pedal types: Flat, SPD, Clipless
- » Plugs and screws included for hassle-free installation

|                       |               |
|-----------------------|---------------|
| <b>Material</b>       | Rubber, Steel |
| <b>Max. load (kg)</b> | 20            |
| <b>Weight (g)</b>     | 1500          |
| <b>Color name</b>     | Black         |

**PARKINGLOT SWIVEL | BTL-127 |**

*Vertical bike storage with swivel function for optimal efficiency*



- » Robust and stylish solution to store your bike of up to 20 Kg
- » Including rear wheel backplate to keep the bike stable and to protect the wall
- » Fits tires up to 3" inch
- » Made of steel to last a life time

|                       |       |
|-----------------------|-------|
| <b>Material</b>       | Steel |
| <b>Max. load (kg)</b> | 20    |
| <b>Weight (g)</b>     | 2070  |
| <b>Color name</b>     | Black |

**PARKINGLOT | BTL-126 |**

*Stylish vertical bike storage to hang on beams and walls*

- » A space saving option for storing bikes of up to 20 Kg
- » Fits Road and MTB tires up to 3"
- » Protects your wheel and wall with a wide contact point

|                       |       |
|-----------------------|-------|
| <b>Material</b>       | Steel |
| <b>Max. load (kg)</b> | 20    |
| <b>Weight (g)</b>     | 672   |
| <b>Color name</b>     | Black |

**PARKINGHOOK | BTL-26 |**

*Heavy-duty wall or ceiling mount for storage of bicycles*

- » Variable angle bracket fits nearly all tire sizes

|                       |          |
|-----------------------|----------|
| <b>Max. load (kg)</b> | 15       |
| <b>Weight (g)</b>     | 310, 250 |
| <b>Color name</b>     | Black    |

**SPINDLESTAND | BTL-155 |**

*Portable workstand for bikes with hollow crankset*

- » Including 13/17/20mm spacers for compatibility with different cranksets
- » One wheel off the ground and free pedal movement
- » Rubber feet for anti-slip and protection for the floor
- » Durable powder coated finish
- » Foldable for easy storage and transport

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 1575  |
| <b>Color name</b> | Black |

**PROFIMOUNT | BTL-36 |**

*High-end bike repair stand with excellent stability*

- » Completely adjustable and foldable
- » Convenient frame and seatpost clamping mechanism
- » Carrying bag included
- » For bikes with a maximum weight of 23 kg
- » Maximum extension height: 150cm.

|                       |                |
|-----------------------|----------------|
| <b>Max. load (kg)</b> | 23             |
| <b>Weight (g)</b>     | 5500           |
| <b>Color name</b>     | Black / Silver |

**STEADYUP | BTL-156 |**

*Bike stand for showing or storing any bicycle*

- » Enhanced stability, engineered for a solid hold and preventing tipping
- » Universal compatibility, adapts to various bike types and a wide range of styles and sizes
- » Aesthetic design, sleek and optimized it doubles the style and function
- » Durable construction, built to ensure longevity, protecting your investment and your bike for years to come
- » Easy assembly, intuitive setup means you're ready to display your bike

|                       |       |
|-----------------------|-------|
| <b>Max. load (kg)</b> | 25    |
| <b>Color name</b>     | Black |

**PRO MECHANIC | BTL-236 |**

*Tripod repair stand*

- » Stable tripod design
- » Adjustable height and orientation
- » Easy folding and compact storage
- » Supports any bike up to 25 kg

|                       |       |
|-----------------------|-------|
| <b>Max. load (kg)</b> | 25    |
| <b>Color name</b>     | Black |

NEW

**BIOHANDWASH 500ML | BTL-259 |**

*Natural hand cleaning soap*

- » Powerful salt scrub for effortless hand cleaning
- » Effectively removes dirt and oils from your hands
- » Refreshing lemon scent for a pleasant experience
- » Clean and bright white color
- » Volume: 500 ml

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 912   |
| <b>Color name</b> | White |

**BIOBEARINGGREASE 50ML | BTL-261 |**

*Bio-based bearing grease for a smooth and protected bike*

- » Low friction grease keeps high loaded bearings and axles run smooth
- » Resin free mix that easily attaches
- » Effective against water and dirt, providing high corrosion protection
- » All-weather performance from -20°C to 70°C for reliable use
- » Made with 100% plant-based ingredients

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 62   |
| <b>Color name</b> | Blue |

**BIO BEARING GREASE 500ML | BTL-261W |**

*Bio-based bearing grease for a smooth and protected bike. Including workshop brush.*

- » Low friction grease keeps high loaded bearings and axles run smooth
- » Resin free mix that easily attaches
- » Effective against water and dirt, providing high corrosion protection
- » All-weather performance from -20°C to 70°C for reliable use
- » Made with 100% plant-based ingredients

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 563  |
| <b>Color name</b> | Blue |

**BIO PASTE 50ML | BTL-262 |**

*Universal assembly paste to mount and protect bike parts*

- » Prevents squeaking and protects screw connections for smooth rides
- » Protects against corrosion and moisture for long-lasting performance
- » Prevents bike parts from different metals to cold weld together
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 92    |
| <b>Color name</b> | White |

**BIO PASTE 500ML | BTL-262W |**

*Universal assembly paste to mount and protect bike parts. Including a workshop brush.*

- » Prevents squeaking and protects screw connections for smooth rides
- » Protects against corrosion and moisture for long-lasting performance
- » Prevents bike parts from different metals to cold weld together
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 591   |
| <b>Color name</b> | White |

**BIO CARBON PASTE 50ML | BTL-263 |**

*Specific assembly paste for mounting carbon bike parts*

- » Fine structure paste for necessary grip on your components
- » Prevents damages and squeaking noises for smooth rides
- » Ideal for mounting carbon seatposts, stems and handlebars
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 92   |
| <b>Color name</b> | Gold |



### BIOCARBONPASTE 500ML | BTL-263W |

*Specific assembly paste for mounting carbon bike parts. Including a brush.*

- » Fine structure paste for necessary grip on your components
- » Prevents damages and squeaking noises for smooth rides
- » Ideal for mounting carbon seatposts, stems and handlebars
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                   |      |
|-------------------|------|
| <b>Weight (g)</b> | 614  |
| <b>Color name</b> | Gold |




### BIOGLOSS 100ML | BTL-265 |

*Bio-based frame wax for frame gloss and protection*

- » Ready to use frame protection
- » Easy to use spray nozzle
- » Effective against dust and dirt
- » Made with 100% plant-based material
- » Do not use on matt frames

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 123   |
| <b>Color name</b> | White |

**DISCSTOP HP SHIMANO | BBS-50 |***High end brakepads with an organic compound*


- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: XT M755, SRAM: Mech 9.0 and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 19                       |

**DISCSTOP HP SHIMANO | BBS-52 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: Deore M575, M525, M515, M506, M495, M486, M485, M475, M465, M447, M446, M445, and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 23                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED SHIMANO | BBS-52S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SHIMANO: Deore M575, M525, M515, M506, M495, M486, M485, M475, M465, M447, M446, M445, and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 26                        |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP SHIMANO | BBS-53T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with SHIMANO: Deore M575, M525, M515, M506, M495, M486, M485, M475, M465, M447, M446, M445 and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 24      |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SHIMANO | BBS-53 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: Deore M575, M525, M515, M506, M495, M486, M485, M475, M465, M447, M446, M445 and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 23                       |

**DISCSTOP E-BIKE SHIMANO | BBS-53E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Compatible with SHIMANO: Deore M575, M525, M515, M506, M495, M486, M485, M475, M465, M447, M446, M445 and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 25      |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP SHIMANO | BBS-54T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with SHIMANO: XTR M965, M966, M975, XT M765, M775, M776, SLX M665, M535, M595, M596, M800 and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 19      |

**DISCSTOP HP SHIMANO | BBS-54 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: XTR M965, M966, M975, XT M765, M775, M776, SLX M665, M535, M595, M596, M800 and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 19                       |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SINTERED SHIMANO | BBS-54S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SHIMANO: XTR M965, M966, M975, XT M765, M775, M776, SLX M665, M535, M595, M596, M800 and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 22                        |

**DISCSTOP COOLFIN SHIMANO | BBS-55C |***Durable brake pads with heat dissipating cooling fins*

- » Innovative design with cooling fins for optimal heat dissipation
- » New organic compound for maximum durability and better braking power
- » Modular and sustainable design with separate coolfins and replaceable brake pads
- » Spare brake pads separately available
- » Compatible with SHIMANO: Shimano XT M8020, ZEE M640, Saint 820 and more.

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 34              |

**DISCSTOP COOLFIN SPARE PADS SHIMANO | BBS-55CP |***Replacement brake pad for BBS-55C*

- » New organic compound for maximum durability and better braking power
- » These replaceable pads should only be used with BBS-55C or BBS-551C Coolfins

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 16              |

**DISCSTOP HP SHIMANO | BBS-55 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: XTR M9120, XT M8020/8120, Deore MT420/520, ZEE M640/7120, Saint M810/820 and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 22                       |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SINTERED SHIMANO | BBS-55S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SHIMANO: XTR M9120, XT M8020/8120, Deore MT420/520, ZEE M640/7120, Saint M810/820 and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 27                        |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP E-BIKE SHIMANO | BBS-55E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Compatible with SHIMANO: XTR M9120, XT M8020/8120, Deore MT420/520, ZEE M640/7120, Saint M810/820 and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 24      |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP COOLFIN SHIMANO | BBS-56C |***Durable brake pads with heat dissipating cooling fins*

- » Innovative design with cooling fins for optimal heat dissipation
- » New organic compound for maximum durability and better braking power
- » Modular and sustainable design with separate coolfins and replaceable brake pads
- » Spare brake pads separately available
- » Compatible with SHIMANO: XTR M9000, M9020, M985, M987, Ultegra CX77, R785, RS785 and more.

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 27              |

**DISCSTOP COOLFIN SPARE PADS SHIMANO | BBS-56CP |***Replacement brake pad for BBS-56C*

- » New organic compound for maximum durability and better braking power
- » These replaceable pads should only be used with BBS-56C Coolfins

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 14              |

**DISCSTOP SHIMANO | BBS-56T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with SHIMANO: XTR M9000, M9020, M985, M987, Ultegra CX77, R785, RS785 and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 21      |

**DISCSTOP HP SHIMANO | BBS-56 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SHIMANO: XTR M9000, M9020, M985, M987, Ultegra CX77, R785, RS785 and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 20                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED SHIMANO | BBS-56S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SHIMANO: XTR M9000, M9020, M985, M987, Ultegra CX77, R785, RS785 and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 23                        |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP COOLFIN SHIMANO | BBS-561C |***Durable brake pads with heat dissipating cooling fins*

- » Innovative design with cooling fins for optimal heat dissipation
- » New organic compound for maximum durability and better braking power
- » Modular and sustainable design with separate coolfins and replaceable brake pads
- » Spare brake pads separately available
- » Compatible with SHIMANO: XTR M9100, Dura-Ace R9170, R9100, Ultegra R4770, R7070, R8070, GRX RX400, RX810 and more.

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 23              |

**DISCSTOP COOLFIN SPARE PADS SHIMANO | BBS-561CP |***Replacement brake pad for BBS-561C*

- » New organic compound for maximum durability and better braking power
- » These replaceable pads should only be used with BBS-561C Coolfins

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 12              |

**DISCSTOP HP SHIMANO | BBS-561 |**

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Shimano: Dura-Ace R9270, R9170, R9100, Ultegra R8170, R8070, RS805, R8000, 105 R7070, Tiagra R4770, GRX RX810, RX400, Metrea U5000, Altus UR300, Alfine S7000, XTR M9100, XT M8110-R, SLX M7110-R, RS805, RS505, RS405, RS305, Tektro:R510, R310, Rever: MCX2, Attack-U, Attack-S, TRP:HD-C810, HD-C811, HD-T910

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 16                       |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SINTERED SHIMANO | BBS-561S |**

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Shimano: Dura-Ace R9270, R9170, R9100, Ultegra R8170, R8070, RS805, R8000, 105 R7070, Tiagra R4770, GRX RX810, RX400, Metrea U5000, Altus UR300, Alfine S7000, XTR M9100, XT M8110-R, SLX M7110-R, RS805, RS505, RS405, RS305, Tektro:R510, R310, Rever: MCX2, Attack-U, Attack-S, TRP:HD-C810, HD-C811, HD-T910

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 20                        |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP E-BIKE SHIMANO | BBS-561E |**

NEW

*Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Durable design for use on heavier bikes
- » Shimano: Dura-Ace BR-R9170, Ultegra BR-R8070-F/R, Ultegra BR-RS805, 105 BR-R7070-F/R, 105 BR-RS505, Tiagra BR-RS405, Tiagra BR-M4770-F/R, GRX Hydraulic BR-RX810, GRX Hydraulic BR-RX400, XTR BR-M9100, XTR BR-M9110, Deore XT BR-M8110, Metrea BR-U5000, Mechanical BR-RS305. Tektro: HD-R310, HD-R510. TRP: HD-T910, Hylex HD-C810, Hylex RS HD-C811

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |

**DISCSTOP HP SRAM | BBS-38 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SRAM / AVID: Small Asymmetric Red (eTap <07-'19) Force / Rival / Apex, Hydro R and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 20                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED SRAM | BBS-38S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SRAM / AVID: Small Asymmetric Red (eTap <07-'19) Force / Rival / Apex, Hydro R and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 22                        |

**DISCSTOP COOLFIN SRAM / AVID | BBS-39C |***Durable brake pads with heat dissipating cooling fins*


- » Innovative design with cooling fins for optimal heat dissipation
- » New organic compound for maximum durability and better braking power
- » Modular and sustainable design with separate coolfins and replaceable brake pads
- » Spare brake pads separately available
- » Compatible with SRAM / AVID: Medium Guide Ultimate / RSC / RS / R, Elixer 9 Trail / 7 Trail and more.

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 29              |

**DISCSTOP COOLFIN SPARE PADS SRAM / AVID | BBS-39CP |***Replacement brake pad for BBS-39C*

- » New organic compound for maximum durability and better braking power
- » These replaceable pads should only be used with BBS-39C Coolfins
- » Compatible with BBS-39C

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 14              |

**DISCSTOP HP SRAM / AVID | BBS-39 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SRAM: Medium, G2, G2 Ultimate, Level BRZ, Avid: XO Trail, Guide Ultimate, Guide RSC, Guide RS, Guide R, Elixer 9 Trail, Elixer 7 Trail and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 22                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED SRAM / AVID | BBS-39S |***Brakepads with a sintered compound*


- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SRAM: Medium, G2, G2 Ultimate, Level BRZ, Avid: XO Trail, Guide Ultimate, Guide RSC, Guide RS, Guide R, Elixer 9 Trail, Elixer 7 Trail and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 23                        |

**DISCSTOP AVID | BBS-42T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with AVID: Juicy Ultimate / Carbon / 7 / 5 / 3, BB7(SL/S) and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 22      |

**DISCSTOP HP AVID | BBS-42 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with AVID: Juicy Ultimate / Carbon / 7 / 5 / 3, BB7(SL/S) and more.


|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 23                       |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SINTERED AVID | BBS-42S |***Brakepads with a sintered compound*


- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with AVID: Juicy Ultimate / Carbon / 7 / 5 / 3, BB7(SL/S) and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 25                        |

**DISCSTOP AVID | BBS-43T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with AVID: BB5, BB3, and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 15      |

**DISCSTOP HP AVID | BBS-43 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with AVID: BB5, BB3, and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 16                       |

**DISCSTOP SRAM / AVID | BBS-441T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with SRAM / AVID: Small AXS Red / Force / Rival / Apex, Level ULT / TLM / TL / T, XX, XO, Elixir 9 / 7 / 5 / 3 / 1, and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 21      |

**DISCSTOP HP SRAM / AVID | BBS-441 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SRAM / AVID: Small AXS Red / Force / Rival / Apex, Level ULT / TLM / TL / T, XX, XO, Elixir 9 / 7 / 5 / 3 / 1, and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 21                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED SRAM / AVID | BBS-441S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SRAM / AVID: Small AXS Red / Force / Rival / Apex, Level ULT / TLM / TL / T, XX, XO, Elixir 9 / 7 / 5 / 3 / 1, and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 24                        |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP AVID | BBS-442 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SRAM / AVID: Large Guide RE, Code R / RSC, and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 25                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED AVID | BBS-442S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use. Note: These disc brake pads are for stainless steel rotors only.
- » Compatible with SRAM / AVID: Large Guide RE, Code R / RSC, and more.

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 29 |
|-------------------|----|

**DISCSTOP HP SRAM / AVID | BBS-443 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » SRAM: Red eTap AXS >07-2019, Force eTap AXS, Rival eTap AXS, Avid: Level ULT, Level TLM B1, Level TL, Level T, Level, DB5, DB3, DB1

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 21                       |

**DISCSTOP HP SINTERED SRAM / AVID | BBS-443S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with: SRAM / AVID: Small AXS Red / Force / Rival / Apex, Level ULT / TLM / TL / T, Elixir 9 / 7 / 5 / 3 / 1 and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 25                        |

**DISCSTOP HP MAGURA | BBS-30 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with MAGURA: Louise 1999-2001, Clara 2000 PROMAX: DSK-903

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Weight (g)</b>          | 15                       |

**DISCSTOP HP MAGURA | BBS-31 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with MAGURA: Louise (FR) 2002-2006, Clara 2001-2002 and more.

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Split pins included</b> | Yes                      |
| <b>Weight (g)</b>          | 18                       |

**DISCSTOP HP MAGURA | BBS-33 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Magura: Louise 2007, Julie 2001-2008

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Weight (g)</b>          | 24                       |

**DISCSTOP HP MAGURA | BBS-35 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with MAGURA: Marta 2009, Louise 2007-2010, Julie HP > 2009

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Weight (g)</b>          | 20                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP COOLFIN MAGURA | BBS-36C |***Durable brake pads with heat dissipating cooling fins*

- » Innovative design with cooling fins for optimal heat dissipation
- » New organic compound for maximum durability and better braking power
- » Modular and sustainable design with separate coolfins and replaceable brake pads
- » Spare brake pads separately available
- » Compatible with MAGURA: MTS, MT8, MT6, MT4(e), MT2, MT and more.

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 29              |

**DISCSTOP COOLFIN SPARE PADS MAGURA | BBS-36CP |***Replacement brake pad for BBS-36C*

- » New organic compound for maximum durability and better braking power
- » These replaceable pads should only be used with BBS-36C Coolfins

|                             |                 |
|-----------------------------|-----------------|
| <b>Amount (pieces)</b>      | 2               |
| <b>Disc brake pad type</b>  | Organic Coolfin |
| <b>Pad springs included</b> | Yes             |
| <b>Weight (g)</b>           | 15              |

**DISCSTOP MAGURA | BBS-36T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with MAGURA: MTS, MT8, MT6, MT4(e), MT2, MT and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 21      |

**DISCSTOP HP MAGURA | BBS-36 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with MAGURA: MTS, MT8, MT6, MT4(e), MT2, MT and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | No                       |
| <b>Weight (g)</b>           | 21                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED MAGURA | BBS-36S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with MAGURA: MTS, MT8, MT6, MT4(e), MT2, MT and more.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | No                        |
| <b>Weight (g)</b>           | 24                        |

**DISCSTOP E-BIKE MAGURA | BBS-36E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Compatible with MAGURA: MTS, MT8, MT6, MT4(e), MT2, MT and more.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 28      |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP MAGURA | BBS-371 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with MAGURA: MT7, MT5(e), MT Trail Sport (front)

|                            |                          |
|----------------------------|--------------------------|
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Split pins included</b> | Yes                      |
| <b>Weight (g)</b>          | 26                       |

**DISCSTOP HP SINTERED MAGURA | BBS-371S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with MAGURA: MT7, MT5(e), MT Trail Sport (front)

|                            |                           |
|----------------------------|---------------------------|
| <b>Amount (pieces)</b>     | 2                         |
| <b>Disc brake pad type</b> | Sintered High Performance |
| <b>Split pins included</b> | Yes                       |
| <b>Weight (g)</b>          | 29                        |

**DISCSTOP E-BIKE MAGURA | BBS-371E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Compatible with MAGURA: MT7, MT5(e), MT Trail Sport (front)

|                            |         |
|----------------------------|---------|
| <b>Amount (pieces)</b>     | 2       |
| <b>Disc brake pad type</b> | E-bikes |
| <b>Weight (g)</b>          | 25      |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP MAGURA | BBS-372 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Magura: MT7, MT7 HC, MT7 Pro, MT5 eStop, MT5, MT Trail SL (front), MT 1893

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Split pins included</b> | Yes                      |
| <b>Weight (g)</b>          | 22                       |

**DISCSTOP HP SINTERED MAGURA | BBS-372S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Magura: MT7, MT7 HC, MT7 Pro, MT5 eStop, MT5, MT Trail SL (front), MT 1893

|                            |                           |
|----------------------------|---------------------------|
| <b>Amount (pieces)</b>     | 2                         |
| <b>Disc brake pad type</b> | Sintered High Performance |
| <b>Split pins included</b> | Yes                       |
| <b>Weight (g)</b>          | 28                        |

**DISCSTOP E-BIKE MAGURA | BBS-372E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Magura: MT7, MT7 HC, MT7 Pro, MT5 eStop, MT5, MT Trail SL (front), MT 1893.

|                            |         |
|----------------------------|---------|
| <b>Amount (pieces)</b>     | 2       |
| <b>Disc brake pad type</b> | E-bikes |
| <b>Weight (g)</b>          | 25      |

**DISCSTOP HP CAMPAGNOLO | BBS-79 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with CAMPAGNOLO: Super Record (EPS), Record (EPS), EKAR, Chorus, Potenza and more.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |

**DISCSTOP HP FORMULA | BBS-66 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with FORMULA: ORO, K18.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 20                       |

**Also available: DiscStop HP, 20 sets in a box.**

**DISCSTOP HP SINTERED FORMULA | BBS-66S |***Brakepads with a sintered compound*


- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with FORMULA: ORO, K18.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 22                        |

**DISCSTOP FORMULA | BBS-67T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with FORMULA: The One, Mega, RX4, RX, RR1, ROR, RO, R1R, R1, Cura-E, Cura, C1.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | Organic |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 20      |

**DISCSTOP HP FORMULA | BBS-67 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with FORMULA: The One, Mega, RX4, RX, RR1, ROR, RO, R1R, R1, Cura-E, Cura, C1.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 22                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP SINTERED FORMULA | BBS-67S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with FORMULA: The One, Mega, RX4, RX, RR1, ROR, RO, R1R, R1, Cura-E, Cura, C1.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Weight (g)</b>           | 24                        |

**DISCSTOP HP FORMULA | BBS-68 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Formula: Cura 4

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Weight (g)</b>          | 29                       |

**DISCSTOP HP SINTERED FORMULA | BBS-68S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Formula: Cura 4

|                            |                           |
|----------------------------|---------------------------|
| <b>Amount (pieces)</b>     | 2                         |
| <b>Disc brake pad type</b> | Sintered High Performance |
| <b>Weight (g)</b>          | 31                        |

**DISCSTOP HP TEKTRO | BBS-75 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with TEKTRO: Novela < 2010, IO.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 20                       |

**DISCSTOP TEKTRO | BBS-76T |***Brakepads with an organic compound*

- » The all-round organic compound provides good performance in all kinds of conditions
- » Suited for normal use on a mountain bike or trekking bike
- » Durable, economical and free of noise
- » Compatible with TEKTRO: Novela > 2010, Lyra (C500), IOX, M311.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 15                       |

**DISCSTOP HP TEKTRO | BBS-76 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with TEKTRO: Novela > 2010, Lyra (C500), IOX, M311.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 15                       |

**DISCSTOP HP TEKTRO | BBS-77 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with TEKTRO: Volans, Auriga TWIN / SUB / E-SUB, SUNTOUR: DB8.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 21                       |

**DISCSTOP E-BIKE TEKTRO | BBS-78E |***Brakepads specially designed for e-bike*

- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Compatible with TEKTRO: Dorado HD-E710.

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Weight (g)</b>           | 23      |

**DISCSTOP HP HAYES | BBS-48 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with HAYES: SOLE, CX2, MX 5 / 4 / 3, CX Pro / Expert / Comp and more.

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 2                        |
| <b>Disc brake pad type</b> | Organic High Performance |
| <b>Weight (g)</b>          | 14                       |

**DISCSTOP HP HAYES | BBS-492 |***High end brakepads with an organic compound*


- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with HAYES: Stroker Ryde, Stroker Dyno.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 21                       |

**Also available: DiscStop HP, 20 sets in a box.****DISCSTOP HP HOPE | BBS-58 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with HOPE: Tech X2, Tech V2, Race Evo X2, Mini X2.

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 23                       |

**DISCSTOP HP HOPE | BBS-591 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with HOPE: RX4-SH, RX4+, Tech 3 E4, Stealth E4, Race Evo E4 Tech M4, Tech Evo M4, Race Evo M4, Mono M4 (2004).

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Weight (g)</b>           | 20                       |

**DISCSTOP HP | BBS-80 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with SRAM: Maven

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Split pins included</b>  | No                       |

**DISCSTOP HP SINTERED | BBS-80S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with SRAM: Maven

|                             |                           |
|-----------------------------|---------------------------|
| <b>Amount (pieces)</b>      | 2                         |
| <b>Disc brake pad type</b>  | Sintered High Performance |
| <b>Pad springs included</b> | Yes                       |
| <b>Split pins included</b>  | No                        |

**DISCSTOP HP | BBS-81 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with Magura: MT A2

|                             |                          |
|-----------------------------|--------------------------|
| <b>Amount (pieces)</b>      | 2                        |
| <b>Disc brake pad type</b>  | Organic High Performance |
| <b>Pad springs included</b> | Yes                      |
| <b>Split pins included</b>  | No                       |

**DISCSTOP HP | BBS-87 |***High end brakepads with an organic compound*

- » Made of our high performance Organic compound
- » Gives the best result in all-round competitive cross country conditions.
- » Easy installation due to the sloping bottom.
- » Direct ready to use
- » Compatible with Magura: Gustav Pro

|                            |                          |
|----------------------------|--------------------------|
| <b>Amount (pieces)</b>     | 4                        |
| <b>Disc brake pad type</b> | Organic High Performance |

**DISCSTOP HP SINTERED | BBS-87S |***Brakepads with a sintered compound*

- » Made of our sintered compound braking surface
- » Able to handle longer periods of braking in both dry and wet conditions
- » Easy installation due to the sloping bottom
- » Direct ready to use
- » Compatible with Magura: Gustav Pro

|                            |                           |
|----------------------------|---------------------------|
| <b>Amount (pieces)</b>     | 4                         |
| <b>Disc brake pad type</b> | Sintered High Performance |

**DISCSTOP E-BIKE | BBS-82E |**

*Brakepads specially designed for e-bike*



- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Extra thick brake pad (5mm) for extended lifetime.
- » Only compatible with Tektro: Dorado HD-T737, Auriga+ HD-T740, HD-E740, Auriga Twin+ HD-T745, HD-E745, Volans HD-T535, Auriga Twin+ HD-T5040, HD-T5041

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Split pins included</b>  | No      |

**DISCSTOP E-BIKE | BBS-83E |**

*Brakepads specially designed for e-bike*



- » Made of our specifically engineered organic E-bike compound
- » Durable design for use on heavier bikes
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Extra thick brake pad (5mm) for extended lifetime.
- » Only Compatible with Tektro: Volans HD-T3520, Auriga HD-T540, HD-E540, Auriga Twin HD-E545, HD-T545

|                             |         |
|-----------------------------|---------|
| <b>Amount (pieces)</b>      | 2       |
| <b>Disc brake pad type</b>  | E-bikes |
| <b>Pad springs included</b> | Yes     |
| <b>Split pins included</b>  | No      |

**BLEEDKIT | BBS-101 |**

*Complete disc brake bleed kit for multiple brands*



- » Suitable for DOT and Mineral oil
- » Compatible with Shimano MTB, Hayes, Magura and Avid/SRAM

|                                 |              |
|---------------------------------|--------------|
| <b>Compatible with oil type</b> | DOT, Mineral |
| <b>Weight (g)</b>               | 97           |

**BLEEDKIT SRAM | BBS-102 |**

*Complete SRAM compatible disc brake bleed kit*



- » Bleeding Edge and legacy Avid/SRAM adapters included
- » DOT oil compatible

|                                 |     |
|---------------------------------|-----|
| <b>Compatible with oil type</b> | DOT |
| <b>Weight (g)</b>               | 77  |

**BLEEDKIT SHIM. COMP | BBS-103 |***Complete Shimano compatible disc brake bleed kit*

- » Compatible with Shimano MTB and Road groupsets
- » Mineral oil compatible

|                                 |         |
|---------------------------------|---------|
| <b>Compatible with oil type</b> | Mineral |
| <b>Weight (g)</b>               | 250     |

**POWERSTOP | BBS-111 / BBS-112 / BBS-113 / BBS-114 / BBS-115 |***Industrial-grade stainless steel disc*

- » Compatible with most disc brake systems
- » Designed for great power-modulation, long durability and high performance
- » Rounded edges for improved safety and easy installation
- » Wear-out indicators to show when to replace disc
- » Wear-out indicators to show when to replace disc

|                           |                         |
|---------------------------|-------------------------|
| <b>Amount (pieces)</b>    | 1                       |
| <b>Compatibility</b>      | 6-bolt                  |
| <b>Wear-out indicator</b> | Yes                     |
| <b>Weight (g)</b>         | 105, 150, 190, 200, 246 |
| <b>Length (mm)</b>        | 140, 160, 180, 203, 0   |

**CENTERSTOP | BBS-121 |***Industrial-grade stainless steel disc*

- » Designed for great power-modulation, long durability and high performance
- » Rounded edges for improved safety and easy installation
- » Wear-out indicators to show when to replace disc
- » Compatible with Centerlock-hub

|                           |                         |
|---------------------------|-------------------------|
| <b>Amount (pieces)</b>    | 1                       |
| <b>Compatibility</b>      | Center-lock             |
| <b>Wear-out indicator</b> | Yes                     |
| <b>Weight (g)</b>         | 138, 158, 176, 211, 322 |
| <b>Length (mm)</b>        | 140, 160, 180, 203, 220 |

**CENTERBLOCK | BBS-131 |***Rotor locking for Centerlock hubs*

- » Compatible with quick-release axles and 12mm Tru-axles
- » Tool fit size: Shimano Cassette locking - BTL-106S/107S


|                      |             |
|----------------------|-------------|
| <b>Compatibility</b> | Center-lock |
| <b>Weight (g)</b>    | 22          |

**CENTERBLOCK | BBS-132 |**

*Rotor locking for Centerlock hubs*

- » Compatible with 15 and 20mm Tru-axles
- » Tool fit size: 16 notch 44mm - BTL-27L/38/105

|                      |             |
|----------------------|-------------|
| <b>Compatibility</b> | Center-lock |
| <b>Weight (g)</b>    | 24          |

**6-BOLT SHIMSET | BBS-130 |**

*Spacer for centering your rotor between the pads*

- » Set with 4 stainless steel shims of each 0.3mm thickness

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 4      |
| <b>Compatibility</b>   | 6-bolt |
| <b>Weight (g)</b>      | 2      |
| <b>Length (mm)</b>     | 46     |

**CENTERFIT | BBS-90 |**

*Convert your 6-bolt disc brake to a centerlock*

- » Hub rotor adapter
- » Extra slim locking design, road bike compatible
- » Converts 6-bolt rotors to centerlock
- » Compatible with all 1.8mm BBB Powerstop discs
- » Tool fit size: 16 notch 44mm - BTL-27L/38/105

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 38 |
|-------------------|----|

**POWERMOUNT | BBS-91 |**

*Strong and durable disc brake adapter*

- » Adapter for 180 mm discs
- » Converts Postmount (PM) 160 mm to Postmount (PM) 180 mm
- » 2 bolts included

|                        |                                  |
|------------------------|----------------------------------|
| <b>Amount (pieces)</b> | 1                                |
| <b>Adapter size</b>    | 160 - 180 mm                     |
| <b>Adapter system</b>  | Postmount (PM) -> Postmount (PM) |
| <b>Mount location</b>  | Front fork, Rear fork            |
| <b>Weight (g)</b>      | 39                               |

**POWERMOUNT | BBS-92 |***Strong and durable disc brake adapter*

- » Adapter for 203 mm discs
- » Converts Postmount (PM) 160 mm to Postmount (PM) 203 mm
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 160 - 203 mm                     |
| <b>Adapter system</b> | Postmount (PM) -> Postmount (PM) |
| <b>Mount location</b> | Front fork, Rear fork            |
| <b>Weight (g)</b>     | 37, 49                           |

**POWERMOUNT | BBS-93F |***Strong and durable disc brake adapter*

- » Adapter for 160 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 160 mm
- » IS front fork mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 160 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Front fork                                    |
| <b>Weight (g)</b>     | 29                                            |

**POWERMOUNT | BBS-93R |***Strong and durable disc brake adapter*

- » Adapter for 160 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 160 mm
- » IS rear frame mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 160 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Rear fork                                     |
| <b>Weight (g)</b>     | 31                                            |

**POWERMOUNT | BBS-94F |***Strong and durable disc brake adapter*

- » Adapter for 180 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 180 mm
- » IS front fork mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 180 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Front fork                                    |
| <b>Weight (g)</b>     | 32                                            |

**POWERMOUNT | BBS-94R |***Strong and durable disc brake adapter*

- » Adapter for 180 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 180 mm
- » IS rear frame mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 180 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Rear fork                                     |
| <b>Weight (g)</b>     | 38                                            |

**POWERMOUNT | BBS-95F |***Strong and durable disc brake adapter*

- » Adapter for 203 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 203 mm
- » IS front fork mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 203 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Front fork                                    |
| <b>Weight (g)</b>     | 38                                            |

**POWERMOUNT | BBS-95R |***Strong and durable disc brake adapter*

- » Adapter for 203 mm discs
- » Converts International Standard (IS) 160 mm to Postmount (PM) 203 mm
- » IS rear frame mount to PM caliper
- » 2 bolts included

|                       |                                               |
|-----------------------|-----------------------------------------------|
| <b>Adapter size</b>   | 160 - 203 mm                                  |
| <b>Adapter system</b> | International Standard (IS) -> Postmount (PM) |
| <b>Mount location</b> | Rear fork                                     |
| <b>Weight (g)</b>     | 47                                            |

**POWERMOUNT | BBS-96F |***Strong and durable disc brake adapter*

- » Adapter for 140 mm discs
- » Converts Flatmount (FM) 140 mm to Postmount (PM) 140 mm
- » FM front fork mount to PM caliper
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 140 mm                     |
| <b>Adapter system</b> | Flatmount (FM) -> Postmount (PM) |
| <b>Mount location</b> | Front fork                       |
| <b>Weight (g)</b>     | 47                               |

**POWERMOUNT | BBS-96R |***Strong and durable disc brake adapter*

- » Adapter for 140 mm discs
- » Converts Flatmount (FM) 140 mm to Postmount (PM) 140 mm
- » FM rear frame mount to PM caliper
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 140 mm                     |
| <b>Adapter system</b> | Flatmount (FM) -> Postmount (PM) |
| <b>Mount location</b> | Rear fork                        |
| <b>Weight (g)</b>     | 42                               |

**POWERMOUNT | BBS-97F |***Strong and durable disc brake adapter*

- » Adapter for 160 mm discs
- » Converts Flatmount (FM) 140 mm to Postmount (PM) 160 mm
- » FM front fork mount to PM caliper
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 160 mm                     |
| <b>Adapter system</b> | Flatmount (FM) -> Postmount (PM) |
| <b>Mount location</b> | Front fork                       |
| <b>Weight (g)</b>     | 68                               |

**POWERMOUNT | BBS-97R |***Strong and durable disc brake adapter*

- » Adapter for 160 mm discs
- » Converts Flatmount (FM) 140 mm to Postmount (PM) 160 mm
- » FM rear frame mount to PM caliper
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 160 mm                     |
| <b>Adapter system</b> | Flatmount (FM) -> Postmount (PM) |
| <b>Mount location</b> | Rear fork                        |
| <b>Weight (g)</b>     | 38                               |

**POWERMOUNT | BBS-98F |***Strong and durable disc brake adapter*

- » Adapter for both 140 as well as 160mm discs
- » Converts Flatmount (FM) to Flatmount (FM) 140 or 160mm
- » Including all necessary bolts

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 140 mm, 140 - 160 mm       |
| <b>Adapter system</b> | Flatmount (FM) -> Flatmount (FM) |
| <b>Mount location</b> | Front fork                       |
| <b>Weight (g)</b>     | 17                               |

**POWERMOUNT | BBS-98R |**

*Strong and durable disc brake adapter*

- » Adapter for 160 mm discs
- » Converts Flatmount (FM) 140 mm to Flatmount (FM) 160 mm
- » Bolts included
- » 2 bolts included

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Adapter size</b>   | 140 - 160 mm                     |
| <b>Adapter system</b> | Flatmount (FM) -> Flatmount (FM) |
| <b>Mount location</b> | Rear fork                        |
| <b>Weight (g)</b>     | 17                               |

**POWERMOUNT | BBS-99 |**

*Postmount(PM) to Postmount(PM) adapter to mount larger disc brakes.*

- » Adapter available in three different sizes
- » Converts Postmount (PM) 180 mm to Postmount (PM) 203 mm or 220 mm or 203 mm to 220 mm
- » 2 bolts included


|                       |                                          |
|-----------------------|------------------------------------------|
| <b>Adapter size</b>   | 180 - 203 mm, 180 - 220 mm, 203 - 220 mm |
| <b>Adapter system</b> | Postmount (PM) -> Postmount (PM)         |
| <b>Mount location</b> | Front fork, Rear fork                    |
| <b>Weight (g)</b>     | 32, 34, 97                               |

# HAVE A BRAKE

Hitting the brakes is an essential part of enjoying your ride. Whatever system you're using, we have a range of multiple award winning disc brake pads available. All due to their unique compounds, each specially developed for their own purpose. All our disc brake pads come in a complete set to replace one caliper.




## DISCSTOP



Brakepads with an organic compound. Suited for normal use on a mountainbike or trekking bike. Durable, economical and free of noise.




## DISCSTOP E-BIKE



Brakepads which are developed to complement the commuting e-bike lifestyle. Made of an organic compound specially developed for the use on a e-bike or speed pedelec. The compound focuses on durability and stopping heavier bikes.




## DISCSTOP HP




High end brakepads with an organic compound. These brakepads perform best in dry conditions and give the best stopping power, which makes them ideally suited for competitive XC-use. Easy installation due to the sloping bottom.




## DISCSTOP SINTERED



Our copper-backed brakepads feature a sintered compound braking surface. Which is able to handle longer periods of braking in both dry and wet conditions and are therefore more suitable for highspeed and downhill applications.



## DISCSTOP COOLFIN



Heatsinks combined with organic compound gives these pads excellent heat dissipation increasing reliability and life-span while retaining braking power. Spare-pads are available making them the sustainable choice for enthusiast cyclists.

## COLOR-CODES

Color-codes will point you straight to the packaging of the pads that are compatible with your brakes.

|             |         |        |            |
|-------------|---------|--------|------------|
| SHIMANO     | FORMULA | MAGURA | TEKTRO     |
| AVID / SRAM | HAYES   | HOPE   | CAMPAGNOLO |

## ICONS EXPLAINED

These icons will tell you how suitable the pads are in different conditions.



Brake performance in dry conditions



Brake performance in wet conditions



Durability of the brakepad



Suitable for mountain use



Level



Discstop



Discstop E-Bike



Discstop HP














Discstop Sintered


























Discstop Coolfin\*

\* Please note not all brakes are compatible with coolfins, check our site for the latest known compatibility



ALL BBB DISCSTOP BRAKE PADS ARE E-BIKE READY AND CAN CONFIDENTLY BE USED ON E-BIKES.





ALL BBB DISCSTOP BRAKE PADS ARE E-BIKE READY AND CAN CONFIDENTLY BE USED ON E-BIKES.

**CANTISTOP | BBS-08 |***High quality brake pads*

- » Special compound for optimum gripping power and minimal wear
- » Special contour facilitates easy water and grit removal
- » Size: 65 mm

|                    |            |
|--------------------|------------|
| Amount (pieces)    | 4          |
| Rim brake type     | Cantilever |
| Rim brake pad type | Standard   |
| Weight (g)         | 133        |
| Color name         | Black      |

Also available: OEM CantiStop, 25 sets in a box.

**CANTISTOP | BBS-07 |***High quality brake pads*

- » Special compound for optimum gripping power and minimal wear
- » Special contour facilitates easy water and grit removal
- » Size: 72 mm

|                    |            |
|--------------------|------------|
| Amount (pieces)    | 4          |
| Rim brake type     | Cantilever |
| Rim brake pad type | Standard   |
| Weight (g)         | 83         |
| Color name         | Black      |

Also available: OEM CantiStop, 25 sets in a box.

**CANTISTOP DELUXE | BBS-18T |***High quality brake pads*

- » Cantilever type brake shoe set
- » Available: 2 pairs (4 pcs).

|                    |            |
|--------------------|------------|
| Amount (pieces)    | 4          |
| Rim brake type     | Cantilever |
| Rim brake pad type | Standard   |
| Weight (g)         | 90         |
| Color name         | Grey       |

**VEESTOP | BBS-04 |***High end brakepads with an organic compound*

- » Special compound for optimum gripping power and minimal wear
- » Compatible with V-brake systems

|                    |          |
|--------------------|----------|
| Amount (pieces)    | 4        |
| Rim brake type     | V-Brake  |
| Rim brake pad type | Standard |
| Weight (g)         | 128      |
| Color name         | Black    |

Also available: OEM VeeStop, 25 sets in a box.

**VEESTOP | BBS-05 |**

*High end brakepads with an organic compound*

- » Cartridge-type
- » Special compound for optimum gripping power and minimal wear
- » Compatible with V-brake systems

|                    |          |
|--------------------|----------|
| Amount (pieces)    | 4        |
| Rim brake type     | V-Brake  |
| Rim brake pad type | Standard |
| Cartridge type     | Yes      |
| Weight (g)         | 112, 56  |
| Color name         | Black    |

**VEESTOP | BBS-06 |**

*High end brakepads with an organic compound*

- » Replacement pads for BBB VeeStop (BBS-05)
- » Special compound for optimum gripping power and minimal wear

|                    |          |
|--------------------|----------|
| Amount (pieces)    | 4        |
| Rim brake type     | V-Brake  |
| Rim brake pad type | Standard |
| Cartridge type     | Yes      |
| Weight (g)         | 24       |
| Color name         | Black    |

**Also available: OEM VeeStop, 25 sets in a box.**

**TRISTOP | BBS-14T |**

*High quality brake pads*

- » Cartridge type brake shoe set
- » Compatible with V-brake systems
- » Available: 2 pairs (4 pcs).

|                    |          |
|--------------------|----------|
| Amount (pieces)    | 4        |
| Rim brake type     | V-Brake  |
| Rim brake pad type | Standard |
| Cartridge type     | Yes      |
| Weight (g)         | 126      |
| Color name         | Grey     |

**Also available: OEM TriStop, 25 sets in a box.**

**TRISTOP | BBS-15T |**

*High quality brake pads*

- » Replacement pads for BBB TriStop (BBS-14HP/14T)
- » Available: 2 pairs (4 pcs).

|                    |          |
|--------------------|----------|
| Amount (pieces)    | 4        |
| Rim brake type     | V-Brake  |
| Rim brake pad type | Standard |
| Cartridge type     | Yes      |
| Weight (g)         | 40       |
| Color name         | Grey     |

**Also available: OEM TriStop, 25 sets in a box.**

**TRISTOP | BBS-16 |***High quality brake pads*

- » Available: 2 pairs (4 pcs).
- » Compatible with V-brake systems

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | V-Brake  |
| <b>Rim brake pad type</b> | Standard |
| <b>Weight (g)</b>         | 135      |
| <b>Color name</b>         | Black    |

**Also available: OEM TriStop, 25 sets in a box.****TRISTOP | BBS-16T |***High quality brake pads*

- » Compatible with V-brake systems
- » Available: 2 pairs (4 pcs).

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | V-Brake  |
| <b>Rim brake pad type</b> | Standard |
| <b>Weight (g)</b>         | 135      |
| <b>Color name</b>         | Grey     |

**Also available: OEM TriStop, 25 sets in a box.****ESTOP | BBS-04E |***High end brakepads with an organic compound*

- » Special compound for E-bike use, provides better modulation and durability
- » Compatible with V-brake systems
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Reinforced internal structure for more brake power

|                           |         |
|---------------------------|---------|
| <b>Amount (pieces)</b>    | 4       |
| <b>Rim brake type</b>     | V-Brake |
| <b>Rim brake pad type</b> | E-bike  |
| <b>Weight (g)</b>         | 157     |
| <b>Color name</b>         | Green   |

**Also available: OEM EStop, 25 sets in a box.****HYDROSTOP | BBS-09E |***High end brakepads with an organic compound*

- » Compatible with Magura hydraulic brakes
- » Special compound for E-bike use, provides better modulation and durability
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes

|                           |           |
|---------------------------|-----------|
| <b>Amount (pieces)</b>    | 4         |
| <b>Rim brake type</b>     | Hydraulic |
| <b>Rim brake pad type</b> | E-bike    |
| <b>Weight (g)</b>         | 37        |
| <b>Color name</b>         | Green     |

**Also available: OEM HydroStop, 25 sets in a box.**

**HYDROSTOP | BBS-09 |**

*High end brakepads with an organic compound*

- » Compatible with Magura hydraulic brakes
- » Special compound for optimum gripping power and minimal wear

|                           |           |
|---------------------------|-----------|
| <b>Amount (pieces)</b>    | 4         |
| <b>Rim brake type</b>     | Hydraulic |
| <b>Rim brake pad type</b> | Standard  |
| <b>Weight (g)</b>         | 41        |
| <b>Color name</b>         | Black     |

**Also available: OEM HydroStop, 25 sets in a box.**

**ROADSTOP DELUXE | BBS-01D |**

*High end brakepads with an organic compound*

- » Dual-function brake pads provide superior performance in all weather conditions
- » Optimum water removal due to special aqua-guide system Anti-squeal design
- » Special compound for optimum gripping power and minimal wear

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | Caliper  |
| <b>Rim brake pad type</b> | Standard |
| <b>Weight (g)</b>         | 92       |
| <b>Color name</b>         | Black    |

**Also available: OEM RoadStop DeLuxe, 25 sets in a box.**

**ROADSTOP | BBS-02 |**

*High end brakepads with an organic compound*

- » Compatible with Shimano and SRAM brake systems
- » Cartridge-type
- » Special compound for optimum gripping power and minimal wear

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | Caliper  |
| <b>Rim brake pad type</b> | Standard |
| <b>Cartridge type</b>     | Yes      |
| <b>Weight (g)</b>         | 70       |
| <b>Color name</b>         | Black    |

**ROADSTOP | BBS-03A |**

*Replacement pads for cartridge*

- » Compatible with BBB Roadstop (BBS-02), Shimano 105, Ultegra and Dura-ace and SRAM
- » Compatible with BBB Roadstop (BBS-02), Shimano 105, Ultegra and Dura-ace and SRAM

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | Caliper  |
| <b>Rim brake pad type</b> | Standard |
| <b>Cartridge type</b>     | Yes      |
| <b>Weight (g)</b>         | 25       |
| <b>Color name</b>         | Black    |

**Also available: OEM RoadStop, 25 sets in a box.**

**TECHSTOP | BBS-27 |**

*High tech braking technology for your bike*

- » Compatible with BBB TechStop, Shimano, Shimano direct mount, SRAM and Campagnolo cartridges
- » 4-in-1 back design

|                        |         |
|------------------------|---------|
| <b>Amount (pieces)</b> | 4       |
| <b>Rim brake type</b>  | Caliper |
| <b>Cartridge type</b>  | Yes     |
| <b>Weight (g)</b>      | 38      |
| <b>Color name</b>      | Black   |

**Also available: OEM TechStop, 25 sets in a box.**

**TECHSTOP | BBS-27T |**

*High tech braking technology for your bike*

- » Compatible with BBB TechStop, Shimano, Shimano direct mount, SRAM and Campagnolo cartridges
- » 4-in-1 back design

|                           |          |
|---------------------------|----------|
| <b>Amount (pieces)</b>    | 4        |
| <b>Rim brake type</b>     | Caliper  |
| <b>Rim brake pad type</b> | Standard |
| <b>Cartridge type</b>     | Yes      |
| <b>Weight (g)</b>         | 38       |
| <b>Color name</b>         | Grey     |

**Also available: OEM TechStop, 25 sets in a box.**

**ULTRASTOP | BBS-28HP |**

*High end brakepads with an organic compound*

- » Compatible with BBB TechStop, Shimano, Shimano direct mount, SRAM and Campagnolo cartridges
- » 4-in-1 back design
- » The triple fase profile design provides up to 20% more brake power in wet conditions
- » Resistant to high temperatures

|                           |                  |
|---------------------------|------------------|
| <b>Amount (pieces)</b>    | 4                |
| <b>Rim brake type</b>     | Caliper          |
| <b>Rim brake pad type</b> | High Performance |
| <b>Cartridge type</b>     | Yes              |
| <b>Weight (g)</b>         | 29               |
| <b>Color name</b>         | Blue             |

**Also available: OEM UltraStop, 25 sets in a box.**

**CARBSTOP | BBS-29 |**

- » Specifically designed for carbon rims
- » Compatible with BBB TechStop, Shimano, Shimano direct mount, SRAM and Campagnolo cartridges
- » 4-in-1 back design
- » Special compound for increased brake performance and durability
- » The triple fase profile design provides up to 20% more brake power in wet conditions

|                           |         |
|---------------------------|---------|
| <b>Amount (pieces)</b>    | 4       |
| <b>Rim brake type</b>     | Caliper |
| <b>Rim brake pad type</b> | Carbon  |
| <b>Cartridge type</b>     | Yes     |
| <b>Weight (g)</b>         | 28      |
| <b>Color name</b>         | Grey    |

**Also available: OEM CarbStop, 25 sets in a box.**



### SPEEDWIRE POLISHED | BCB-13 |

- » Super strong and durable shifting cable with a polished surface
- » Polished treatment minimizes friction, almost as low as PTFE-coated cables.
- » Higher durability because there is no coating that can wear out.
- » Golden color for easy identification.
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                                 |
|------------------------|---------------------------------|
| <b>Amount (pieces)</b> | 1                               |
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Polished                        |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1 x 2350mm                    |
| <b>Weight (g)</b>      | 16                              |
| <b>Color name</b>      | Gold                            |



### SPEEDWIRE POLISHED C | BCB-13C |

- » Super strong and durable shifting cable with a polished surface
- » Polished treatment minimizes friction, almost as low as PTFE-coated cables.
- » Higher durability because there is no coating that can wear out.
- » Golden color for easy identification.
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Polished        |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.1 x 2350mm    |
| <b>Weight (g)</b>      | 17              |
| <b>Color name</b>      | Gold            |



### SPEEDWIRE TEFLON | BCB-10 |

- » Super strong and durable shifting PTFE coated cable
- » Innovative construction for precision shifting
- » PTFE-coated
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                                 |
|------------------------|---------------------------------|
| <b>Amount (pieces)</b> | 1                               |
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Teflon coated                   |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1 x 2350mm                    |
| <b>Weight (g)</b>      | 16                              |
| <b>Color name</b>      | Black                           |



### SPEEDWIRE TEFLON C | BCB-10C |

- » Super strong and durable shifting PTFE coated cable
- » Innovative construction for precision shifting
- » PTFE-coated
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Teflon coated   |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.1 x 2350mm    |
| <b>Weight (g)</b>      | 16              |
| <b>Color name</b>      | Black           |



### SPEEDWIRE | BCB-11 |

- » Super strong and durable shifting cable
- » Provides precision shifting
- » Slick-Stainless (STS)
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                                 |
|------------------------|---------------------------------|
| <b>Amount (pieces)</b> | 1                               |
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Slick                           |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1 x 2350mm                    |
| <b>Weight (g)</b>      | 18                              |
| <b>Color name</b>      | Silver                          |



### SPEEDWIRE C | BCB-12C |

- » Super strong and durable shifting cable
- » Provides precision shifting
- » Slick-Stainless (STS)
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.1 x 2350mm    |
| <b>Weight (g)</b>      | 17              |
| <b>Color name</b>      | Silver          |



### SHIFTLINE LC | BCB-15 |

- » High end outer shifting cable
- » Ø 4 mm, 2500 mm long shift cable housing
- » Special polymer compound liner for reduced friction
- » Pre-lubricated core liner gives you the perfect greased cable right out of the box

|                        |          |
|------------------------|----------|
| <b>Amount (pieces)</b> | 1        |
| <b>Lubricated core</b> | Yes      |
| <b>Size SAP</b>        | 4x2500mm |
| <b>Weight (g)</b>      | 91       |
| <b>Color name</b>      | Black    |



### BRAKEWIRE POLISHED ROAD | BCB-23R |

- » Super strong and polished braking cable
- » Polished treatment minimizes friction, almost as low as PTFE-coated cables.
- » Higher durability because there is no coating that can wear out.
- » Golden color for easy identification.
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                    |
|------------------------|--------------------|
| <b>Amount (pieces)</b> | 1                  |
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Polished           |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5 x 2350mm       |
| <b>Weight (g)</b>      | 32                 |
| <b>Color name</b>      | Gold               |



### BRAKEWIRE POLISHED ROAD C | BCB-23C |

- » Super strong and polished braking cable
- » Polished treatment minimizes friction, almost as low as PTFE-coated cables
- » Higher durability because there is no coating that can wear out
- » Golden color for easy identification
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Polished        |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.5 x 2350mm    |
| <b>Weight (g)</b>      | 32              |
| <b>Color name</b>      | Gold            |



### BRAKEWIRE TEFLON MTB | BCB-20M |

- » Super strong braking PTFE coated cable
- » Innovative construction for precise braking
- » PTFE-coated
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Teflon coated   |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5 x 2350mm    |
| <b>Weight (g)</b>      | 31              |
| <b>Color name</b>      | Black           |

**BRAKEWIRE TEFLON ROAD | BCB-20R |**

- » Super strong braking PTFE coated cable
- » Innovative construction for precise braking
- » PTFE-coated
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                    |
|------------------------|--------------------|
| <b>Amount (pieces)</b> | 1                  |
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Teflon coated      |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5 x 2350mm       |
| <b>Weight (g)</b>      | 31                 |
| <b>Color name</b>      | Black              |

**BRAKEWIRE TEFLON ROAD C | BCB-20C |**

- » Super strong braking PTFE coated cable
- » Innovative construction for precise braking
- » PTFE-coated
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Teflon coated   |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.5 x 2350mm    |
| <b>Weight (g)</b>      | 31              |
| <b>Color name</b>      | Black           |

**BRAKEWIRE MTB | BCB-21M |**

- » Super strong braking cable
- » Designed for responsive braking
- » Slick-Stainless (STS)
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5 x 2350mm    |
| <b>Weight (g)</b>      | 32              |
| <b>Color name</b>      | Silver          |

**BRAKEWIRE ROAD | BCB-21R |**

- » Super strong braking cable
- » Designed for responsive braking
- » Slick-Stainless (STS)
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                    |
|------------------------|--------------------|
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Slick              |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5 x 2350mm       |
| <b>Weight (g)</b>      | 27                 |
| <b>Color name</b>      | Silver             |

**BRAKEWIRE ROAD C | BCB-22C |**

- » Super strong braking cable
- » Designed for responsive braking
- » Slick-Stainless (STS)
- » Pre-stretched to minimize stretching while mounted on the bike

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 1               |
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.5 x 2350mm    |
| <b>Weight (g)</b>      | 27              |
| <b>Color name</b>      | Silver          |



### STOPLINE LC | BCB-25 |

- » High end outer brake cable
- » 5 mm brake cable housing
- » Special polymer compound liner for reduced friction
- » Pre lubricated core liner gives you the perfect greased cable right out of the box

|                        |          |
|------------------------|----------|
| <b>Amount (pieces)</b> | 1        |
| <b>Lubricated core</b> | Yes      |
| <b>Size SAP</b>        | 5x2500mm |
| <b>Weight (g)</b>      | 161      |
| <b>Color name</b>      | Black    |



### CABLEWRAP | BCB-90B |

- » Rubber cable covers to protect the frame paint
- » For 5 mm brake cables
- » 2 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 2     |
| <b>Size SAP</b>        | 5mm   |
| <b>Weight (g)</b>      | 1     |
| <b>Color name</b>      | Black |



### CABLEWRAP | BCB-90D |

- » Rubber cable covers to protect the frame paint
- » For 4 mm derailleur cables
- » 2 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 2     |
| <b>Size SAP</b>        | 4mm   |
| <b>Weight (g)</b>      | 1     |
| <b>Color name</b>      | Black |



### VEEPIPE | BCB-91 |

- » Aluminium V-brake pipes
- » Rubber covers included
- » 2 pieces per set

|                        |           |
|------------------------|-----------|
| <b>Amount (pieces)</b> | 2         |
| <b>Material</b>        | Aluminium |
| <b>Weight (g)</b>      | 13        |
| <b>Color name</b>      | Silver    |



### ADJUSTER | BCB-93 |

- » Fine tune adjuster for derailleur cables
- » Fit in the frame
- » 2 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 2     |
| <b>Weight (g)</b>      | 4     |
| <b>Color name</b>      | Black |

**HYDROGUIDE | BCB-94 |**

- » Guide stickers for (hydraulic) cables
- » 3M adhesive
- » 3 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 3     |
| <b>Weight (g)</b>      | 3     |
| <b>Color name</b>      | Black |

**LINEADJUSTER | BCB-95 |**

- » In-line cable adjuster
- » Allows fine tuning of derailleur or brake settings
- » Improved design needs no ferrule
- » 2 pieces per set

|                        |          |
|------------------------|----------|
| <b>Amount (pieces)</b> | 2        |
| <b>Size SAP</b>        | 4mm, 5mm |
| <b>Weight (g)</b>      | 6, 5     |
| <b>Color name</b>      | Black    |

**CABLESTOP | BCB-97 |**

- » Aluminium inner cable ends
- » Fit both brake and derailleur cables
- » 40 pcs per set

|                        |               |
|------------------------|---------------|
| <b>Amount (pieces)</b> | 40            |
| <b>Material</b>        | Aluminium     |
| <b>Weight (g)</b>      | 6             |
| <b>Color name</b>      | Black, Silver |

**ADJUSTER | BCB-96 |**

- » Fine tune adjuster for derailleur cables
- » For non-threaded cable stops
- » 2 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 2     |
| <b>Weight (g)</b>      | 6     |
| <b>Color name</b>      | Black |

**CABLECONNECT | BCB-98 |**

- » Prevents cable slapping
- » Fits 4 and 5 mm cables
- » Rotates 360 degrees
- » 4 pieces per set

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 4     |
| <b>Weight (g)</b>      | 1     |
| <b>Color name</b>      | Black |



### CABLECAP KIT | BCB-99 |

- » Kit includes all ferrules for a single bike
- » 6 x sealed 5mm endcaps
- » 10 x sealed 4mm endcaps
- » 2 x 1.6mm cable tips
- » 2 x 1.2mm cable tips

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 12    |
| <b>Color name</b> | Black |



### WORKSHOP SPEEDWIRE | BCB-31 |

- » Compatible with: Shimano/SRAM.

|                        |                                 |
|------------------------|---------------------------------|
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Slick                           |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1x2000mm                      |
| <b>Weight (g)</b>      | 14                              |
| <b>Color name</b>      | Silver                          |



### WORKSHOP SPEEDWIRE | BCB-31L |

- » Compatible with: Shimano/SRAM.

|                        |                                 |
|------------------------|---------------------------------|
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Slick                           |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1x2350mm                      |
| <b>Weight (g)</b>      | 16                              |
| <b>Color name</b>      | Silver                          |



### WORKSHOP SPEEDWIRE C | BCB-32C |

- » Compatible with: Campagnolo.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.1x2350mm      |
| <b>Weight (g)</b>      | 14              |
| <b>Color name</b>      | Silver          |



### WORKSHOP SPEEDWIRE TEFLON | BCB-35 |

- » Compatible with: Shimano/SRAM.

|                        |                                 |
|------------------------|---------------------------------|
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Teflon coated                   |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1x2350mm                      |
| <b>Weight (g)</b>      | 16                              |
| <b>Color name</b>      | Black                           |



### WORKSHOP SPEEDWIRE POLISHED | BCB-36 |

- » 50 pack
- » Compatible with: Shimano/SRAM.

|                        |                                 |
|------------------------|---------------------------------|
| <b>Material</b>        | Stainless steel                 |
| <b>Cable quality</b>   | Polished                        |
| <b>Cable head type</b> | Shimano MTB, Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.1 x 2350mm                    |
| <b>Weight (g)</b>      | 17                              |
| <b>Color name</b>      | Gold                            |



### WORKSHOP BRAKEWIRE MTB | BCB-41F |

- » Compatible with: Universal/MTB.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5x1100mm      |
| <b>Weight (g)</b>      | 16              |
| <b>Color name</b>      | Silver          |



### WORKSHOP BRAKEWIRE MTB | BCB-41R |

- » Compatible with: Universal/MTB.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5x1700mm      |
| <b>Weight (g)</b>      | 24              |
| <b>Color name</b>      | Silver          |



### WORKSHOP BRAKEWIRE MTB | BCB-41L |

- » Compatible with: Universal/MTB.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5x2350mm      |
| <b>Weight (g)</b>      | 27              |
| <b>Color name</b>      | Silver          |



### WORKSHOP BRAKEWIRE ROAD | BCB-43SF |

- » 100 pack
- » Compatible with: Shimano Road/SRAM Road.

|                        |                    |
|------------------------|--------------------|
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Slick              |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5x900mm          |
| <b>Weight (g)</b>      | 24                 |
| <b>Color name</b>      | Silver             |



### WORKSHOP BRAKEWIRE ROAD | BCB-43SR |

» Compatible with: Shimano/SRAM.

|                        |                    |
|------------------------|--------------------|
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Slick              |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5x1700mm         |
| <b>Weight (g)</b>      | 23                 |
| <b>Color name</b>      | Silver             |



### WORKSHOP BRAKEWIRE POLISHED ROAD | BCB-47R |

» 100 pack  
» Compatible with: Shimano Road/SRAM Road.

|                        |                    |
|------------------------|--------------------|
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Polished           |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5 x 2350mm       |
| <b>Weight (g)</b>      | 32                 |
| <b>Color name</b>      | Gold               |



### WORKSHOP BRAKEWIRE ROAD C | BCB-42CR |

» Compatible with: Campagnolo.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Slick           |
| <b>Cable head type</b> | Campagnolo      |
| <b>Size SAP</b>        | 1.5x1700mm      |
| <b>Weight (g)</b>      | 23              |
| <b>Color name</b>      | Silver          |



### WORKSHOP STOPLINE LC | BCB-50LC |

» Brake outer cable with lubricated core liner.

|                        |           |
|------------------------|-----------|
| <b>Lubricated core</b> | Yes       |
| <b>Size SAP</b>        | 5mmx50mtr |
| <b>Weight (g)</b>      | 61        |
| <b>Color name</b>      | Black     |



### WORKSHOP BRAKEWIRE TEFLON MTB | BCB-45M |

» Compatible with: Universal/MTB.

|                        |                 |
|------------------------|-----------------|
| <b>Material</b>        | Stainless steel |
| <b>Cable quality</b>   | Teflon coated   |
| <b>Cable head type</b> | Universal       |
| <b>Size SAP</b>        | 1.5x2350mm      |
| <b>Weight (g)</b>      | 31              |
| <b>Color name</b>      | Black           |



### WORKSHOP STOPLINE LC | BCB-50WLC |

» Brake outer cable with lubricated core liner.

|                        |           |
|------------------------|-----------|
| <b>Lubricated core</b> | Yes       |
| <b>Size SAP</b>        | 5mmx50mtr |
| <b>Weight (g)</b>      | 58        |
| <b>Color name</b>      | White     |



### WORKSHOP BRAKEWIRE TEFLON ROAD | BCB-46R |

» Compatible with: Shimano Road/SRAM Road.

|                        |                    |
|------------------------|--------------------|
| <b>Material</b>        | Stainless steel    |
| <b>Cable quality</b>   | Teflon coated      |
| <b>Cable head type</b> | Shimano Road, SRAM |
| <b>Size SAP</b>        | 1.5x2350mm         |
| <b>Weight (g)</b>      | 31                 |
| <b>Color name</b>      | Black              |



### WORKSHOP STOPLINE | BCB-51 |

» Coiled brake cable.

|                   |               |
|-------------------|---------------|
| <b>Size SAP</b>   | 5mmx50mtr     |
| <b>Weight (g)</b> | 56            |
| <b>Color name</b> | Black, Silver |



### WORKSHOP STOPLINE | BCB-51G |

» Coiled brake cable.

|                   |           |
|-------------------|-----------|
| <b>Size SAP</b>   | 5mmx50mtr |
| <b>Weight (g)</b> | 56        |
| <b>Color name</b> | Grey      |



### WORKSHOP STOPLINE | BCB-51W |

» Coiled brake cable.

|                   |           |
|-------------------|-----------|
| <b>Size SAP</b>   | 5mmx50mtr |
| <b>Weight (g)</b> | 56        |
| <b>Color name</b> | White     |



### WORKSHOP SHIFTLINE | BCB-52 |

» Linear shift outer cable.

|                   |               |
|-------------------|---------------|
| <b>Size SAP</b>   | 4mmx50mtr     |
| <b>Weight (g)</b> | 34            |
| <b>Color name</b> | Black, Silver |



### WORKSHOP SHIFTLINE | BCB-52G |

» Linear shift outer cable.

|                   |           |
|-------------------|-----------|
| <b>Size SAP</b>   | 4mmx50mtr |
| <b>Weight (g)</b> | 34        |
| <b>Color name</b> | Grey      |



### WORKSHOP SHIFTLINE | BCB-52W |

» Linear shift outer cable.

|                   |           |
|-------------------|-----------|
| <b>Size SAP</b>   | 4mmx50mtr |
| <b>Weight (g)</b> | 33        |
| <b>Color name</b> | White     |



### WORKSHOP SHIFTLINE LC | BCB-53LC |

» Shift outer cable with lubricated core liner.

|                        |           |
|------------------------|-----------|
| <b>Lubricated core</b> | Yes       |
| <b>Size SAP</b>        | 4mmx50mtr |
| <b>Weight (g)</b>      | 34        |
| <b>Color name</b>      | Black     |



### WORKSHOP SHIFTLINE | BCB-54 |

» Oversized linear outer shift cable.

|                   |               |
|-------------------|---------------|
| <b>Size SAP</b>   | 5mmx50mtr     |
| <b>Weight (g)</b> | 40            |
| <b>Color name</b> | Black, Silver |

**CABLEEND WORKSHOP | BCB-150 |**

- » Cable ferrules
- » Nylon
- » Fits 4 mm housing
- » 150 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 150   |
| <b>Weight (g)</b>      | 29    |
| <b>Color name</b>      | Black |

**CABLEEND AL WORKSHOP | BCB-151 |**

- » Cable ferrules
- » Aluminum
- » Fits 4 mm housing
- » 100 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 100   |
| <b>Weight (g)</b>      | 49    |
| <b>Color name</b>      | Black |

**CABLEEND S-AL WORKSHOP | BCB-152 |**

- » Sealed cable ferrules
- » Protection against contamination
- » Aluminum
- » Fits 4 mm housing
- » 100 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 100   |
| <b>Weight (g)</b>      | 75    |
| <b>Color name</b>      | Black |

**CABLEEND N-AL WORKSHOP | BCB-153 |**

- » Nosed cable ferrules
- » Protection for Teflon cables
- » Aluminum
- » Fits 4 mm housing
- » 50 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 50    |
| <b>Weight (g)</b>      | 32    |
| <b>Color name</b>      | Black |

**CABLESTOP WORKSHOP | BCB-154 |**

- » Cable crimp
- » Aluminum
- » Fits up to 1.2 mm cables
- » 500 pack
- » 50 pack

|                        |               |
|------------------------|---------------|
| <b>Amount (pieces)</b> | 500           |
| <b>Weight (g)</b>      | 43            |
| <b>Color name</b>      | Black, Silver |

**CABLEEND WORKSHOP | BCB-160 |**

- » Cable ferrules
- » Copper
- » Fits 5 mm housing
- » 150 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 150    |
| <b>Weight (g)</b>      | 54     |
| <b>Color name</b>      | Silver |

**CABLEEND AL WORKSHOP | BCB-161 |**

- » Cable ferrules
- » Aluminum
- » Fits 5 mm housing
- » 100 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 100   |
| <b>Weight (g)</b>      | 31    |
| <b>Color name</b>      | Black |

**CABLEEND S-AL WORKSHOP | BCB-162 |**

- » Sealed cable ferrules
- » Protection against contamination
- » Aluminum
- » Fits 5 mm housing
- » 100 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 100   |
| <b>Weight (g)</b>      | 77    |
| <b>Color name</b>      | Black |

**CABLEEND N-AL WORKSHOP | BCB-163 |**

- » Nosed cable ferrules
- » Protection for Teflon cables
- » Aluminum
- » Fits 5 mm housing
- » 50 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 50    |
| <b>Weight (g)</b>      | 24    |
| <b>Color name</b>      | Black |

**CABLESTOP WORKSHOP | BCB-164 |**

- » Cable crimp
- » Aluminum
- » Fits up to 1.6 mm cables
- » 500 pack

|                        |               |
|------------------------|---------------|
| <b>Amount (pieces)</b> | 500           |
| <b>Weight (g)</b>      | 65, 64        |
| <b>Color name</b>      | Black, Silver |

**CABLEDONUT WORKSHOP | BCB-170 |**

- » Frame protector
- » Protects your frame paint
- » Silicone
- » For cables to 18mm
- » 150 x 3 pieces

|                        |         |
|------------------------|---------|
| <b>Amount (pieces)</b> | 150     |
| <b>Size SAP</b>        | 1-1.8mm |
| <b>Weight (g)</b>      | 35      |
| <b>Color name</b>      | Black   |

**CABLEWRAP WORKSHOP | BCB-171 |**

- » Frame protector
- » Protects your frame paint
- » Silicone
- » Fits 4-5mm housing
- » 25 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 25    |
| <b>Size SAP</b>        | 4-5mm |
| <b>Weight (g)</b>      | 16    |
| <b>Color name</b>      | Black |

**CABLEWRAP WORKSHOP | BCB-172 |**

- » Frame protector
- » Protects your frame paint
- » Silicone
- » Fits 4-5mm housing
- » 25 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 25    |
| <b>Size SAP</b>        | 4-5mm |
| <b>Weight (g)</b>      | 20    |
| <b>Color name</b>      | White |

**CABLEWRAP WORKSHOP | BCB-175 |**

- » Frame protector
- » Protects your frame paint.
- » Silicone
- » Fits 4-5mm housing.

|                        |               |
|------------------------|---------------|
| <b>Amount (pieces)</b> | 50            |
| <b>Size SAP</b>        | 4-5mm housing |
| <b>Weight (g)</b>      | 10            |
| <b>Color name</b>      | Black         |

**CABLECONNECT WORKSHOP | BCB-173 |**

- » Housing connector
- » Prevents cable slapping
- » Nylon
- » Fits 4-5mm housing
- » 50 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 50    |
| <b>Size SAP</b>        | 4-5mm |
| <b>Weight (g)</b>      | 17    |
| <b>Color name</b>      | Black |

**BRAKEBARREL WORKSHOP | BCB-174 |**

- » Brake adjusting barrel.
- » aluminium.
- » Fits M7 threaded brake levers.
- » 20 pack

|                        |       |
|------------------------|-------|
| <b>Amount (pieces)</b> | 20    |
| <b>Size SAP</b>        | M7    |
| <b>Weight (g)</b>      | 64    |
| <b>Color name</b>      | Black |

**MECHANICAL SPAREPARTS BOX | BCB-190 |**

- » Spare part kit for mechanical brake and shift systems
- » Includes ferrules for different applications
- » Good for up to 10 replacements
- » 290 pieces in total: 20 pieces BCB-15020 pieces BCB-15120 pieces BCB-15210 pieces BCB-15350 pieces BCB-15020 pieces BCB-16020 pieces BCB-16120 pieces BCB-16210 pieces BCB-16350 pieces BCB-16420 pieces BCB-1708 pieces BCB-1718 pieces BCB-17210 pieces BCB-1734 pieces BCB-174

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 108   |
| <b>Color name</b> | Black |

**HYDROLINE WORKSHOP | BCB-200 |**

- » Lightweight hydraulic hose.
- » Inner diameter (mm): 2.1.

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 20    |
| <b>Color name</b> | Black |

**HYDROLINE WORKSHOP | BCB-201 |**

- » Lightweight hydraulic hose.
- » Inner diameter (mm): 2.3.

|                   |       |
|-------------------|-------|
| <b>Weight (g)</b> | 20    |
| <b>Color name</b> | Black |

**HOSE BARB WORKSHOP | BCB-210 |**

- » Compatible with: SRAM/Avid.
- » For pipes with an inner diameter of 21 mm
- » 50 pieces in a bottle

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Weight (g)</b>      | 34     |
| <b>Color name</b>      | Copper |

## HOSE BARB WORKSHOP | BCB-211 |



- » Compatible with: Magura.
- » For pipes with an inner diameter of 21 - 22 mm
- » 50 pieces in a bottle

|                        |         |
|------------------------|---------|
| <b>Amount (pieces)</b> | 50      |
| <b>Size SAP</b>        | 21-22mm |
| <b>Weight (g)</b>      | 41      |
| <b>Color name</b>      | Copper  |

## HOSE BARB WORKSHOP | BCB-212 |



- » Compatible with: Shimano.
- » For pipes with an inner diameter of 23 mm
- » 50 pieces in a bottle

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Material</b>        | Brass  |
| <b>Size SAP</b>        | 2.3mm  |
| <b>Weight (g)</b>      | 19     |
| <b>Color name</b>      | Copper |

## HOSE BARB WORKSHOP | BCB-213 |



- » Stainless steel hose barb
- » For 2.1mm inner diameter hose for Shimano systems (SM-BH90)
- » 50 pieces in a bottle

|                        |                 |
|------------------------|-----------------|
| <b>Amount (pieces)</b> | 50              |
| <b>Material</b>        | Stainless steel |
| <b>Size SAP</b>        | 2.1mm           |
| <b>Weight (g)</b>      | 1               |
| <b>Color name</b>      | Silver          |

## COMPRESSION OLIVE WORKSHOP | BCB-220 |



- » Compatible with: SRAM/Avid.
- » Fits 5mm hose.
- » 50 pieces in a bottle

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Size SAP</b>        | 5mm    |
| <b>Weight (g)</b>      | 30     |
| <b>Color name</b>      | Copper |

## COMPRESSION OLIVE WORKSHOP | BCB-221 |



- » Compatible with: Magura.
- » Fits 5mm hose.
- » 50 pieces in a bottle

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Size SAP</b>        | 5mm    |
| <b>Weight (g)</b>      | 32     |
| <b>Color name</b>      | Copper |

**COMPRESSION OLIVE WORKSHOP | BCB-222 |**

- » Compatible with: Shimano.
- » Fits 5mm hose.
- » 50 pieces in a bottle

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Size SAP</b>        | 5mm    |
| <b>Weight (g)</b>      | 30     |
| <b>Color name</b>      | Copper |

**COMPRESSION NUT WORKSHOP | BCB-230 |**

- » Compatible with: SRAM/Avid.
- » Stainless steel.
- » Fits 5 mm hose.
- » M8 x 0.75mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Weight (g)</b>      | 71     |
| <b>Color name</b>      | Silver |

**COMPRESSION NUT WORKSHOP | BCB-231 |**

- » Compatible with: Magura.
- » Stainless steel.
- » Fits 5 mm hose.
- » M8 x 1.25mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Weight (g)</b>      | 72     |
| <b>Color name</b>      | Silver |

**COMPRESSION NUT WORKSHOP | BCB-232 |**

- » Compatible with: Shimano.
- » Stainless steel.
- » Fits 5 mm hose.
- » M8 x 0.75mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Weight (g)</b>      | 84     |
| <b>Color name</b>      | Silver |

**BANJO WORKSHOP | BCB-240 |**

- » Compatible with: SRAM/Avid.
- » Stainless steel
- » For pipes with an inside diameter of 21 mm
- » M8 x 0.75mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Weight (g)</b>      | 154    |
| <b>Color name</b>      | Silver |

**BANJO WORKSHOP | BCB-241 |**

- » Compatible with: Magura.
- » Stainless steel
- » For pipes with an inside diameter of 21 - 22 mm
- » M8 x 0.75mm
- » 25 pack

|                        |         |
|------------------------|---------|
| <b>Amount (pieces)</b> | 25      |
| <b>Size SAP</b>        | 21-22mm |
| <b>Weight (g)</b>      | 153     |
| <b>Color name</b>      | Silver  |

**BANJO WORKSHOP | BCB-242 |**

- » Compatible with: Shimano.
- » Stainless steel
- » For pipes with an inside diameter of 23 mm
- » M8 x 0.75mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Size SAP</b>        | 2.3mm  |
| <b>Weight (g)</b>      | 170    |
| <b>Color name</b>      | Silver |

**BANJO NUT WORKSHOP | BCB-250 |**

- » Banjo nut.
- » Stainless steel
- » Fits 5 mm hose.
- » M8 x 0.75mm
- » 25 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 25     |
| <b>Size SAP</b>        | 5mm    |
| <b>Weight (g)</b>      | 83     |
| <b>Color name</b>      | Silver |

**COPPER O-RING WORKSHOP | BCB-251 |**

- » O-ring
- » Copper
- » Suitable for DOT and Mineral Oil
- » OD 9 x ID 6 x 1mm
- » 100 pack

|                        |                   |
|------------------------|-------------------|
| <b>Amount (pieces)</b> | 100               |
| <b>Size SAP</b>        | OD9mm ID6mm x 1mm |
| <b>Weight (g)</b>      | 32                |
| <b>Color name</b>      | Copper            |

**PADPIN WORKSHOP | BCB-260 |**

- » Brakepad bolt.
- » Stainless steel.
- » M4 x 0.7mm
- » 50 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Weight (g)</b>      | 104    |
| <b>Color name</b>      | Silver |



### PADPIN WORKSHOP | BCB-261 |

- » Brakepad bolt.
- » Stainless steel.
- » M4 x 0.7mm
- » 50 pack

|                        |        |
|------------------------|--------|
| <b>Amount (pieces)</b> | 50     |
| <b>Weight (g)</b>      | 118    |
| <b>Color name</b>      | Silver |



### HYDRAULIC SPAREPARTS BOX | BCB-290 |

- » Spare part kit for hydraulic brake systems
- » Compatible with common SRAM/Avid, Magura and Shimano systems
- » Compatible with SRAM/Avid, Magura and Shimano systems

|                   |             |
|-------------------|-------------|
| <b>Weight (g)</b> | 361         |
| <b>Color name</b> | Transparent |



### FITTINGKIT | BCB-280 |

- » Complete hardware set for you SRAM hoses
- » Complete fitting kit to service your hydraulic brake system
- » Compatible with SRAM Bleeding Edge

|                   |        |
|-------------------|--------|
| <b>Size SAP</b>   | 2, 1mm |
| <b>Weight (g)</b> | 6      |
| <b>Color name</b> | Silver |



### FITTINGKIT | BCB-282 |

- » Complete hardware set for you Shimano hoses
- » Complete fitting kit to service your hydraulic brake system
- » Compatible with Shimano 2.1mm hydraulic systems

|                   |        |
|-------------------|--------|
| <b>Size SAP</b>   | 2, 1mm |
| <b>Weight (g)</b> | 3      |
| <b>Color name</b> | Silver |

## ROLLERBOYS 10T | BDP-01 |



- » High-end derailleur pulleys» Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Special teeth pattern for quick shifting performance
- » Complete set of bushings for different shifting systems included

|                               |                                     |
|-------------------------------|-------------------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM           |
| <b>Part materials</b>         | Grivory EMS                         |
| <b>Bearings material</b>      | CrMo                                |
| <b>Gears</b>                  | 7-speed, 8-speed, 9-speed, 10-speed |
| <b>Pulley size</b>            | 10T                                 |
| <b>Narrow wide</b>            | No                                  |
| <b>Weight (g)</b>             | 22                                  |
| <b>Color name</b>             | Black                               |

## ROLLERBOYS CERAMIC 10T | BDP-11 |



- » High-end ceramic derailleur pulleys» Equipped with low friction ceramic bearings for ultra-smooth glide and exceptional durability
- » Special teeth pattern for quick shifting performance
- » Lubricated with special ceramic light oil for extra smoothness
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Complete set of bushings for different shifting systems included

|                               |                                     |
|-------------------------------|-------------------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM           |
| <b>Part materials</b>         | Grivory EMS                         |
| <b>Bearings material</b>      | Ceramic                             |
| <b>Gears</b>                  | 7-speed, 8-speed, 9-speed, 10-speed |
| <b>Pulley size</b>            | 10T                                 |
| <b>Narrow wide</b>            | No                                  |
| <b>Weight (g)</b>             | 22                                  |
| <b>Color name</b>             | Black                               |

## ROLLERBOYS 11T | BDP-02 |



- » High-end derailleur pulleys» Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Special teeth pattern for quick shifting performance
- » Complete set of bushings for different shifting systems included

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM   |
| <b>Part materials</b>         | Grivory EMS                 |
| <b>Bearings material</b>      | CrMo                        |
| <b>Gears</b>                  | 9-speed, 10-speed, 11-speed |
| <b>Pulley size</b>            | 11T                         |
| <b>Narrow wide</b>            | No                          |
| <b>Weight (g)</b>             | 23                          |
| <b>Color name</b>             | Black                       |

## ROLLERBOYS CERAMIC 11T | BDP-12 |



- » High-end ceramic derailleur pulleys» Equipped with low friction ceramic bearings for ultra-smooth glide and exceptional durability
- » Special teeth pattern for quick shifting performance
- » Lubricated with special ceramic light oil for extra smoothness
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Complete set of bushings for different shifting systems included

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM   |
| <b>Part materials</b>         | Grivory EMS                 |
| <b>Bearings material</b>      | Ceramic                     |
| <b>Gears</b>                  | 9-speed, 10-speed, 11-speed |
| <b>Pulley size</b>            | 11T                         |
| <b>Narrow wide</b>            | No                          |
| <b>Weight (g)</b>             | 23                          |
| <b>Color name</b>             | Black                       |

## ROLLERBOYS 11T SR | BDP-05 |



- » High-end derailleur pulleys» Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Complete set of bushings for different shifting systems included
- » Equipped with special internal lubricant system
- » Compatible with SRAM

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Compatible with brands</b> | SRAM                        |
| <b>Part materials</b>         | Grivory EMS                 |
| <b>Bearings material</b>      | CrMo                        |
| <b>Gears</b>                  | 9-speed, 10-speed, 11-speed |
| <b>Pulley size</b>            | 11T                         |
| <b>Narrow wide</b>            | No                          |
| <b>Weight (g)</b>             | 79                          |
| <b>Color name</b>             | Black                       |

## ROLLERBOYS 12T SR | BDP-06 |



- » 12x12T CrMo derailleur pulleys
- » Narrow Wide tooth profiling ensures ultimate chain retention
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings
- » Compatible with SRAM 1X11

|                               |             |
|-------------------------------|-------------|
| <b>Compatible with brands</b> | SRAM        |
| <b>Part materials</b>         | Grivory EMS |
| <b>Bearings material</b>      | CrMo        |
| <b>Gears</b>                  | 11-speed    |
| <b>Pulley size</b>            | 12T         |
| <b>Narrow wide</b>            | Yes         |
| <b>Weight (g)</b>             | 26          |
| <b>Color name</b>             | Black       |

**NARROW  
WIDE  
PROFILE**

## ROLLERBOYS CERAMIC 12T NW SR | BDP-16 |



- » 12x12T Ceramic derailleur pulleys
- » Equipped with low friction ceramic bearings for ultra-smooth glide and exceptional durability
- » Narrow Wide tooth profiling ensures ultimate chain retention.
- » Lubricated with special ceramic light oil for extra smoothness
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Compatible with SRAM 1X11

|                               |             |
|-------------------------------|-------------|
| <b>Compatible with brands</b> | SRAM        |
| <b>Part materials</b>         | Grivory EMS |
| <b>Bearings material</b>      | Ceramic     |
| <b>Gears</b>                  | 11-speed    |
| <b>Pulley size</b>            | 12T         |
| <b>Narrow wide</b>            | Yes         |
| <b>Weight (g)</b>             | 26          |
| <b>Color name</b>             | Black       |

**NARROW  
WIDE  
PROFILE**

## ROLLERBOYS 11T-13T | BDP-08 |



- » 11x13T CrMo derailleur pulleys
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings with aluminium cover for optimal durability
- » Compatible with 11-speed Shimano GRX (810/815)

|                               |                                |
|-------------------------------|--------------------------------|
| <b>Compatible with brands</b> | Shimano                        |
| <b>Compatible with</b>        | GRX RX810, RX815, RX820, RX825 |
| <b>Part materials</b>         | Grivory EMS                    |
| <b>Bearings material</b>      | CrMo                           |
| <b>Gears</b>                  | 11-speed, 12-speed             |
| <b>Pulley size</b>            | 11/13T                         |
| <b>Narrow wide</b>            | No                             |
| <b>Weight (g)</b>             | 27                             |
| <b>Color name</b>             | Black                          |

## ROLLERBOYS CERAMIC 11T-13T | BDP-18 |



- » 11x13T Ceramic derailleur pulleys
- » Ceramic bearing for minimal resistance and exceptional durability
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings with aluminium cover for optimal durability
- » Lubricated with special ceramic light oil for extra smoothness
- » Compatible with 11-speed Shimano GRX (810/815)

|                               |                                |
|-------------------------------|--------------------------------|
| <b>Compatible with brands</b> | Shimano                        |
| <b>Compatible with</b>        | GRX RX810, RX815, RX820, RX825 |
| <b>Part materials</b>         | Grivory EMS                    |
| <b>Bearings material</b>      | Ceramic                        |
| <b>Gears</b>                  | 11-speed, 12-speed             |
| <b>Pulley size</b>            | 11/13T                         |
| <b>Narrow wide</b>            | No                             |
| <b>Weight (g)</b>             | 26                             |
| <b>Color name</b>             | Black                          |

## ROLLERBOYS 13T-13T | BDP-09 |



- » 13x13T CrMo derailleur pulleys
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings with aluminium cover for optimal durability
- » Compatible with 12-speed Shimano MTB groupsets

|                               |             |
|-------------------------------|-------------|
| <b>Compatible with brands</b> | Shimano     |
| <b>Part materials</b>         | Grivory EMS |
| <b>Bearings material</b>      | CrMo        |
| <b>Gears</b>                  | 12-speed    |
| <b>Pulley size</b>            | 13T         |
| <b>Narrow wide</b>            | No          |
| <b>Weight (g)</b>             | 30          |
| <b>Color name</b>             | Black       |

## ROLLERBOYS CERAMIC 13T | BDP-19 |



- » 11x13T Ceramic derailleur pulleys
- » Ceramic bearing for minimal resistance and exceptional durability
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings with aluminium cover for optimal durability
- » Lubricated with special ceramic light oil for extra smoothness
- » Compatible with 12-speed Shimano MTB groupsets

|                               |             |
|-------------------------------|-------------|
| <b>Compatible with brands</b> | Shimano     |
| <b>Part materials</b>         | Grivory EMS |
| <b>Bearings material</b>      | Ceramic     |
| <b>Gears</b>                  | 12-speed    |
| <b>Pulley size</b>            | 13T         |
| <b>Narrow wide</b>            | No          |
| <b>Weight (g)</b>             | 29          |
| <b>Color name</b>             | Black       |

## ROLLERBOYS 12T-14T SR | BDP-07 |



- » 12x14T CrMo derailleur pulleys
- » Narrow Wide tooth profiling ensures ultimate chain retention.
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Sealed bearings
- » Compatible with SRAM 12-speed MTB.

|                               |                     |
|-------------------------------|---------------------|
| <b>Compatible with brands</b> | SRAM                |
| <b>Part materials</b>         | Grivory EMS         |
| <b>Bearings material</b>      | CrMo                |
| <b>Gears</b>                  | 12-speed            |
| <b>Pulley size</b>            | 12/14T              |
| <b>Narrow wide</b>            | Tension pulley only |
| <b>Weight (g)</b>             | 26                  |
| <b>Color name</b>             | Black               |



## ROLLERBOYS CERAMIC 12T-14T SR | BDP-17 |



- » 12x14T Ceramic derailleur pulleys
- » Equipped with low friction ceramic bearings for ultra-smooth glide and exceptional durability
- » Narrow Wide tooth profiling ensures ultimate chain retention.
- » Composite material provided by EMS Swiss, with 40% glass-fiber mixture
- » Lubricated with special ceramic light oil for extra smoothness
- » Compatible with SRAM 12-speed MTB

|                               |                     |
|-------------------------------|---------------------|
| <b>Compatible with brands</b> | SRAM                |
| <b>Part materials</b>         | Grivory EMS         |
| <b>Bearings material</b>      | Ceramic             |
| <b>Gears</b>                  | 12-speed            |
| <b>Pulley size</b>            | 12/14T              |
| <b>Narrow wide</b>            | Tension pulley only |
| <b>Weight (g)</b>             | 26                  |
| <b>Color name</b>             | Black               |



**NARROW  
WIDE  
PROFILE**

## ROLLERBOYS 12T SR | BDP-10 |



- » 12x12T CrMo derailleur pulleys
- » High-performance composite material from EMS Swiss with 40% glass-fiber blend
- » Sealed bearings with aluminium cover for optimal durability
- » Compatible with 12-speed SRAM road groupsets

|                               |                                 |
|-------------------------------|---------------------------------|
| <b>Compatible with brands</b> | SRAM                            |
| <b>Compatible with</b>        | SRAM 12-Speed Road - (non-XPLR) |
| <b>Part materials</b>         | Grivory EMS                     |
| <b>Bearings material</b>      | CrMo                            |
| <b>Gears</b>                  | 12-speed                        |
| <b>Pulley size</b>            | 12T                             |
| <b>Narrow wide</b>            | Tension pulley only             |
| <b>Color name</b>             | Black                           |



**NARROW  
WIDE  
PROFILE**

## ROLLERBOYS 12T SR XPLR | BDP-10X |



- » 12x12T XPLR CrMo derailleur pulleys
- » High-performance composite material from EMS Swiss with 40% glass-fiber blend
- » Sealed bearings with aluminium cover for optimal durability
- » Compatible with 12-speed SRAM XPLR groupsets

|                               |                     |
|-------------------------------|---------------------|
| <b>Compatible with brands</b> | SRAM                |
| <b>Compatible with</b>        | SRAM XPLR           |
| <b>Part materials</b>         | Grivory EMS         |
| <b>Bearings material</b>      | CrMo                |
| <b>Gears</b>                  | 12-speed            |
| <b>Pulley size</b>            | 12T                 |
| <b>Narrow wide</b>            | Tension pulley only |
| <b>Color name</b>             | Black               |

## ROLLERBOYS CERAMIC 12T SR | BDP-20 |



- » 12x12T Ceramic derailleur pulleys
- » High-performance composite material from EMS Swiss with 40% glass-fiber blend
- » Sealed bearings with aluminium cover for optimal durability
- » Specially lubricated with ceramic oil for lower resistance
- » Compatible with 12-speed SRAM road groupsets

|                               |                                 |
|-------------------------------|---------------------------------|
| <b>Compatible with brands</b> | SRAM                            |
| <b>Compatible with</b>        | SRAM 12-Speed Road - (non-XPLR) |
| <b>Part materials</b>         | Grivory EMS                     |
| <b>Bearings material</b>      | Ceramic                         |
| <b>Gears</b>                  | 12-speed                        |
| <b>Pulley size</b>            | 12T                             |
| <b>Narrow wide</b>            | Tension pulley only             |
| <b>Color name</b>             | Black                           |



**NARROW  
WIDE  
PROFILE**

## ROLLERBOYS CERAMIC 12T SR XPLR | BDP-20X |



- » 12x12T Ceramic derailleur pulleys
- » High-performance composite material from EMS Swiss with 40% glass-fiber blend
- » Sealed bearings with aluminium cover for optimal durability
- » Specially lubricated with ceramic oil for lower resistance
- » Compatible with 12-speed SRAM XPLR groupsets

|                               |                     |
|-------------------------------|---------------------|
| <b>Compatible with brands</b> | SRAM                |
| <b>Compatible with</b>        | SRAM XPLR           |
| <b>Part materials</b>         | Crivory EMS         |
| <b>Bearings material</b>      | Ceramic             |
| <b>Gears</b>                  | 12-speed            |
| <b>Pulley size</b>            | 12T                 |
| <b>Narrow wide</b>            | Tension pulley only |
| <b>Color name</b>             | Black               |

## ALUBOYS 11T | BDP-21 |



- » 11x11T CrMo derailleur pulleys
- » 7075 aluminium derailleur pulleys
- » Extra stiff for fast shifting
- » High quality sealed ball bearings

|                               |                                       |
|-------------------------------|---------------------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM             |
| <b>Part materials</b>         | 7075 T6 Aluminium                     |
| <b>Gears</b>                  | 9-speed, 10-speed, 11-speed, 12-speed |
| <b>Pulley size</b>            | 11T                                   |
| <b>Narrow wide</b>            | No                                    |
| <b>Weight (g)</b>             | 22                                    |
| <b>Color name</b>             | Grey                                  |

## ALUBOYS CERAMIC 11T | BDP-22 |



- » 11T Ceramic derailleur pulleys
- » High quality aluminium derailleur pulleys with ceramic bearings
- » Extra stiff for fast shifting
- » High quality ceramic bearings, extra smooth and durable

|                               |                                       |
|-------------------------------|---------------------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM             |
| <b>Part materials</b>         | 7075 T6 Aluminium                     |
| <b>Bearings material</b>      | Ceramic                               |
| <b>Gears</b>                  | 9-speed, 10-speed, 11-speed, 12-speed |
| <b>Pulley size</b>            | 11T                                   |
| <b>Narrow wide</b>            | No                                    |
| <b>Weight (g)</b>             | 22                                    |
| <b>Color name</b>             | Grey                                  |

**SINGLELINE | BCH-010 |**

- » Single speed chain
- » Closing link: SmartLink (BCH-01S)



|                          |              |
|--------------------------|--------------|
| <b>Amount of links</b>   | 114          |
| <b>Closing link type</b> | Smartlink    |
| <b>Gears</b>             | Single speed |
| <b>Part finish</b>       | Gray         |
| <b>Chain size</b>        | 1/2"x1/8"    |
| <b>Weight (g)</b>        | 359          |

**SINGLELINE | BCH-011 |**

- » Nickel coated Single speed chain
- » Closing link: SmartLink (BCH-01S)



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 114                   |
| <b>Closing link type</b> | Smartlink             |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x1/8"             |
| <b>Weight (g)</b>        | 397                   |

**E-POWERLINE | BCH-01E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes
- » Single speed/Internal gear hub compatible



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 136                   |
| <b>Closing link type</b> | Springlink            |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017     |
| <b>Chain size</b>        | 1/2"x1/8"             |
| <b>Weight (g)</b>        | 526                   |

**E-POWERLINE | BCH-01EN |**

- » A powerful chain for your E-bike
- » E-bike specific: this product complies to the NEN-EN 15194:2017 norm for E-bikes
- » Closing link included
- » 3/32" Single speed/internal gear hub compatible



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 136                   |
| <b>Closing link type</b> | Springlink            |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017     |
| <b>Chain size</b>        | 1/2"x3/32"            |
| <b>Weight (g)</b>        | 377                   |

**POWERLINE | BCH-80G |**

- » Closing link: SmartLink II (BCH-08)
- » 8-speed compatible



|                          |            |
|--------------------------|------------|
| <b>Amount of links</b>   | 114        |
| <b>Closing link type</b> | Smartlink  |
| <b>Gears</b>             | 8-speed    |
| <b>Part finish</b>       | Gray       |
| <b>Chain size</b>        | 1/2"x3/32" |
| <b>Weight (g)</b>        | 320        |

**POWERLINE | BCH-81 |**

- » Closing link: SmartLink II (BCH-08)
- » 8-speed compatible



|                          |                             |
|--------------------------|-----------------------------|
| <b>Amount of links</b>   | 114                         |
| <b>Closing link type</b> | Smartlink                   |
| <b>Gears</b>             | 8-speed                     |
| <b>Part finish</b>       | Gray, Nickel plating silver |
| <b>Chain size</b>        | 1/2"x3/32"                  |
| <b>Weight (g)</b>        | 320                         |

**POWERLINE | BCH-82 |**

- » Closing link: SmartLink II (BCH-08)
- » 8-speed compatible



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 114                   |
| <b>Closing link type</b> | Smartlink             |
| <b>Gears</b>             | 8-speed               |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x3/32"            |
| <b>Weight (g)</b>        | 320                   |

**E-POWERLINE | BCH-08E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 136                   |
| <b>Closing link type</b> | Smartlink             |
| <b>Gears</b>             | 8-speed               |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017     |
| <b>Chain size</b>        | 1/2"x3/32"            |
| <b>Weight (g)</b>        | 377                   |

**POWERLINE | BCH-90 |**

- » Closing link: SmartLink II (BCH-09)
- » 9-speed compatible



|                          |              |
|--------------------------|--------------|
| <b>Amount of links</b>   | 114          |
| <b>Closing link type</b> | Smartlink    |
| <b>Gears</b>             | 9-speed      |
| <b>Part finish</b>       | Gray         |
| <b>Chain size</b>        | 1/2"x11/128" |
| <b>Weight (g)</b>        | 292          |

**POWERLINE | BCH-91 |**

- » Closing link: SmartLink II (BCH-09)
- » 9-speed compatible



|                          |                             |
|--------------------------|-----------------------------|
| <b>Amount of links</b>   | 114                         |
| <b>Closing link type</b> | Smartlink                   |
| <b>Gears</b>             | 9-speed                     |
| <b>Part finish</b>       | Gray, Nickel plating silver |
| <b>Chain size</b>        | 1/2"x11/128"                |
| <b>Weight (g)</b>        | 292                         |

**POWERLINE | BCH-92 |**

- » Closing link: SmartLink II (BCH-09)
- » 9-speed compatible



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 114                   |
| <b>Closing link type</b> | Smartlink             |
| <b>Gears</b>             | 9-speed               |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x11/128"          |
| <b>Weight (g)</b>        | 292                   |

**E-POWERLINE | BCH-09E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes



|                          |                   |
|--------------------------|-------------------|
| <b>Amount of links</b>   | 136               |
| <b>Closing link type</b> | Smartlink         |
| <b>Gears</b>             | 9-speed           |
| <b>Part finish</b>       | Harden treatment  |
| <b>Complies with</b>     | NEN-EN 15194:2017 |
| <b>Chain size</b>        | 1/2"x11/128"      |
| <b>Weight (g)</b>        | 356               |

**POWERLINE | BCH-101 |**

- » Closing link: SmartLink II (BCH-10)
- » 10-speed compatible



|                          |                             |
|--------------------------|-----------------------------|
| <b>Amount of links</b>   | 114                         |
| <b>Closing link type</b> | Smartlink                   |
| <b>Gears</b>             | 10-speed                    |
| <b>Part finish</b>       | Gray, Nickel plating silver |
| <b>Chain size</b>        | 1/2"x11/128"                |
| <b>Weight (g)</b>        | 276                         |

**POWERLINE | BCH-102 |**

- » Closing link: SmartLink II (BCH-10)
- » 10-speed compatible



|                          |                       |
|--------------------------|-----------------------|
| <b>Amount of links</b>   | 114                   |
| <b>Closing link type</b> | Smartlink             |
| <b>Gears</b>             | 10-speed              |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x11/128"          |
| <b>Weight (g)</b>        | 276                   |

**E-POWERLINE | BCH-10E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes



|                          |                                         |
|--------------------------|-----------------------------------------|
| <b>Amount of links</b>   | 136                                     |
| <b>Closing link type</b> | Smartlink                               |
| <b>Gears</b>             | 10-speed                                |
| <b>Part finish</b>       | Harden treatment, Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017                       |
| <b>Chain size</b>        | 1/2"x11/128"                            |
| <b>Weight (g)</b>        | 328                                     |

**E-POWERLINE | BCH-11E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes

|                          |                                         |
|--------------------------|-----------------------------------------|
| <b>Amount of links</b>   | 136                                     |
| <b>Closing link type</b> | Smartlink                               |
| <b>Gears</b>             | 11-speed                                |
| <b>Part finish</b>       | Harden treatment, Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017                       |
| <b>Chain size</b>        | 1/2"x11/128"                            |
| <b>Weight (g)</b>        | 316                                     |

**POWERLINE | BCH-112 |**

- » Closing link: SmartLink (BCH-11S)
- » 11-speed compatible

|                               |                           |
|-------------------------------|---------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM |
| <b>Amount of links</b>        | 114                       |
| <b>Closing link type</b>      | Smartlink                 |
| <b>Gears</b>                  | 11-speed                  |
| <b>Part finish</b>            | Nickel plating silver     |
| <b>Chain size</b>             | 1/2"x11/128"              |
| <b>Weight (g)</b>             | 265                       |

**POWERLINE | BCH-122 |**

- » Closing link: SmartLink (BCH-12S)
- » 12-speed compatible

|                               |                           |
|-------------------------------|---------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM |
| <b>Amount of links</b>        | 126                       |
| <b>Closing link type</b>      | Smartlink                 |
| <b>Gears</b>                  | 12-speed                  |
| <b>Part finish</b>            | Nickel plating silver     |
| <b>Chain size</b>             | 1/2"x11/128"              |
| <b>Weight (g)</b>             | 275                       |

**E-POWERLINE E-BIKE 12 SPEED | BCH-12E |**

- » A powerful chain for your E-bike
- » Reinforced chain plates for E-bike use
- » Closing link included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes

|                          |                                         |
|--------------------------|-----------------------------------------|
| <b>Amount of links</b>   | 136                                     |
| <b>Closing link type</b> | Smartlink                               |
| <b>Gears</b>             | 12-speed                                |
| <b>Part finish</b>       | Harden treatment, Nickel plating silver |
| <b>Complies with</b>     | NEN-EN 15194:2017                       |
| <b>Chain size</b>        | 1/2"x11/128"                            |
| <b>Weight (g)</b>        | 426                                     |

**FLATLINE | BCH-14 |**

- » Universal 12S Flat top chain
- » 12-Speed flat top chain
- » Hardened High Carbon Steel
- » Compatible with Road, Gravel and MTB groupsets

|                               |                           |
|-------------------------------|---------------------------|
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM |
| <b>Amount of links</b>        | 126                       |
| <b>Closing link type</b>      | Smartlink                 |
| <b>Gears</b>                  | 12-speed                  |
| <b>Part finish</b>            | Nickel plating silver     |
| <b>Part materials</b>         | Carbon steel              |
| <b>Chain size</b>             | 1/2"x11/128"              |
| <b>Weight (g)</b>             | 279                       |

## SPRINGLINK | BCH-01 |



- » Closing link compatible with BBB SingleLine chains (BCH-010/011/01E)
- » Strong and secure closing link

|                          |                       |
|--------------------------|-----------------------|
| <b>Compatible with</b>   | BCH-010, BCH-11       |
| <b>Closing link type</b> | Springlink            |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x1/8"             |
| <b>Weight (g)</b>        | 5                     |

## SPRINGLINK E-BIKE | BCH-01EL |



- » Spare chain link for your bike chain
- » Compatible with our own E-powerline chain
- » Strong and reliable
- » Complies to all E-bike specific standards

|                          |                       |
|--------------------------|-----------------------|
| <b>Compatible with</b>   | BCH-01E               |
| <b>Closing link type</b> | Springlink            |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x1/8"             |
| <b>Weight (g)</b>        | 400                   |

## SPRINGLINK E-BIKE NARROW | BCH-01ENL |



- » Spare chain link for your bike chain
- » Compatible with our own E-powerline chain
- » Strong and reliable
- » Complies to all E-bike specific standards

|                          |                       |
|--------------------------|-----------------------|
| <b>Compatible with</b>   | BCH-01EN              |
| <b>Closing link type</b> | Springlink            |
| <b>Gears</b>             | Single speed          |
| <b>Part finish</b>       | Nickel plating silver |
| <b>Chain size</b>        | 1/2"x3/32"            |
| <b>Weight (g)</b>        | 3                     |

## SMARTLINK | BCH-01S |



- » Closing link compatible with BBB SingleLine chains (BCH-010/011)
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |              |
|--------------------------|--------------|
| <b>Closing link type</b> | Smartlink    |
| <b>Gears</b>             | Single speed |
| <b>Chain size</b>        | 1/2"x1/8"    |
| <b>Weight (g)</b>        | 3            |

## SMARTLINK II | BCH-08 |



- » Closing link compatible with all BBB 8-speed chains
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |           |
|--------------------------|-----------|
| <b>Closing link type</b> | Smartlink |
| <b>Gears</b>             | 8-speed   |
| <b>Weight (g)</b>        | 3         |

**SMARTLINK II | BCH-09S |**

- » Closing link compatible with all BBB 9-speed chains
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |           |
|--------------------------|-----------|
| <b>Closing link type</b> | Smartlink |
| <b>Gears</b>             | 9-speed   |
| <b>Weight (g)</b>        | 3         |

**SMARTLINK II | BCH-10 |**

- » Closing link compatible with all BBB 10-speed chains
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |           |
|--------------------------|-----------|
| <b>Closing link type</b> | Smartlink |
| <b>Gears</b>             | 10-speed  |
| <b>Weight (g)</b>        | 3         |

**SMARTLINK | BCH-11S |**

- » Closing link compatible with all BBB 11-speed chains
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |           |
|--------------------------|-----------|
| <b>Closing link type</b> | Smartlink |
| <b>Gears</b>             | 11-speed  |
| <b>Weight (g)</b>        | 3         |

**SMARTLINK | BCH-12S |**

- » Closing link compatible with all BBB 12-speed chains
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-link to open/close the smartlink

|                          |           |
|--------------------------|-----------|
| <b>Closing link type</b> | Smartlink |
| <b>Gears</b>             | 12-speed  |
| <b>Weight (g)</b>        | 3         |

**FLATLINK | BCH-14S |**

- » Closing link compatible with BCH-14 FlatLine
- » Strong and secure closing link
- » Use the BTL-77 LinkFix or BTL-213 Re-Link to open/Close the Flatlink
- » This closing link is not compatible with SRAM Flattop chains

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 3 |
|-------------------|---|



### BIOWAX 100ML | BCH-201 |

- » 100% plant based chain lube wax
- » Lubricant for all weather types that performs exceptionally well in cold and wet conditions
- » Reduces friction and offers long lasting protection against corrosion
- » Easy to use liquid wax that penetrates deeply between the links and provides a water and dirt-repellent protective layer
- » Made with 100% plant-based ingredients

|                      |             |
|----------------------|-------------|
| Type of lubricant    | Wax         |
| Suitable for weather | All weather |
| Weight (g)           | 115         |



### BIOEBIKELUBE 100ML | BCH-202 |

- » E-bike specific bio chain lube optimized to deliver long-term performance
- » Reduces friction and offers long lasting protection against corrosion
- » Thick lube offers better pressure resistance for high torque E-bike chains
- » All weather performance for year round use
- » Made with 100% plant-based ingredients
- » 100% biodegradable

|                      |             |
|----------------------|-------------|
| Type of lubricant    | Oil         |
| Suitable for weather | All weather |
| Weight (g)           | 120         |



### BIOEBIKELUBE 500ML | BCH-202W |

- » E-bike specific bio chain lube optimized to deliver long-term performance
- » Reduces friction and offers long lasting protection against corrosion
- » Thick lube offers better pressure resistance for high torque E-bike chains
- » All weather performance for year round use
- » Made with 100% plant-based ingredients
- » 100% biodegradable

|                      |             |
|----------------------|-------------|
| Type of lubricant    | Oil         |
| Suitable for weather | All weather |
| Weight (g)           | 507         |



### BIOLUBE 100ML | BCH-203 |

- » Bio-based bike chain lubricant that offers performance in all weather conditions
- » Reduces friction and protects against corrosion in all temperatures (-15 °C / 50 °C)
- » Natural oils provide smoother shifting and reduce drag
- » Penetrates deep in the chain links and makes your chain more quiet
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                      |             |
|----------------------|-------------|
| Type of lubricant    | Oil         |
| Suitable for weather | All weather |
| Weight (g)           | 120         |



### BIOWAX PRO 100ML | BCH-204 |

- » High-performance bike chain lubricant made from plant-based materials
- » The higher adhesive strength reduces friction even under high watt performances
- » Mixture of natural oils and wax for long lasting all weather performance
- » Performance boost with friction-reducing additives
- » Penetrates deep in the chain links and makes your chain more quiet
- » Made with over 80% plant-based materials

|                      |             |
|----------------------|-------------|
| Type of lubricant    | Oil         |
| Suitable for weather | All weather |
| Weight (g)           | 120         |



### DIRECTMOUNT SRAM 3 BOLT | BCR-110 |

*A direct mount chainring for Sram 3-Bolt systems*

- » SRAM 3-Bolt Interface
- » Narrow-Wide Tooth Profile
- » Lightweight CNC-machined aluminium
- » 3mm offset

|                               |                              |
|-------------------------------|------------------------------|
| <b>Compatible with brands</b> | SRAM                         |
| <b>Crankset type</b>          | Single                       |
| <b>Gears</b>                  | 10-speed, 11-speed, 12-speed |
| <b>Sizes</b>                  | 30T, 32T, 34T                |

NEW



### DIRECTMOUNT SRAM 8 BOLT | BCR-111 |

*A direct mount chainring for Sram 8-Bolt systems*

- » SRAM 8-Bolt Interface
- » Narrow-Wide Tooth Profile
- » Lightweight CNC-machined aluminium
- » 3mm offset

|                               |                              |
|-------------------------------|------------------------------|
| <b>Compatible with brands</b> | SRAM                         |
| <b>Crankset type</b>          | Single                       |
| <b>Gears</b>                  | 10-speed, 11-speed, 12-speed |
| <b>Sizes</b>                  | 30T, 32T, 34T                |

NEW



### DIRECTMOUNT SHIMANO | BCR-115 |

*A direct mount chainring for Sram 8-Bolt systems*

- » Shimano Direct Mount Interface
- » Narrow-Wide Tooth Profile
- » Lightweight CNC-machined aluminium
- » 3mm offset

|                               |                              |
|-------------------------------|------------------------------|
| <b>Compatible with brands</b> | Shimano                      |
| <b>Crankset type</b>          | Single                       |
| <b>Gears</b>                  | 10-speed, 11-speed, 12-speed |
| <b>Sizes</b>                  | 30T, 32T, 34T                |

NEW



### ROUNABOUT 4 | BCR-04 |

*MTB chainrings*

- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano, SRAM     |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 86, 104, 108      |
| <b>Sizes</b>                     | 42T, 44T, 46T     |

**ROUNABOUT 5 | BCR-01 |***MTB chainrings*

- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium



|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano, SRAM     |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 8-speed, 9-speed  |
| <b>Arm quantity</b>              | 5 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 94                |
| <b>Weight (g)</b>                | 250               |
| <b>Sizes</b>                     | 42T               |

**ROUNABOUT 4 | BCR-05 |***MTB chainrings*

- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium



|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano, SRAM     |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 45, 62, 80        |
| <b>Sizes</b>                     | 32T, 34T, 36T     |

**ROUNABOUT 4 | BCR-07 |***High end MTB chainring*

- » With special shifting pins
- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium



|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano, SRAM     |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 86, 105           |
| <b>Sizes</b>                     | 42T, 44T          |

**ROUNABOUT 4 | BCR-08 |***High end MTB chainring*

- » With special shifting pins
- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium



|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano, SRAM     |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 47                |
| <b>Sizes</b>                     | 32T               |

**ROADGEAR | BCR-11S |***Road chainrings*

» Compatible with: Shimano-up to 2009 and SRAM 9/10 speed

|                                  |                    |
|----------------------------------|--------------------|
| <b>Amount (pieces)</b>           | 1                  |
| <b>Compatible with brands</b>    | Shimano, SRAM      |
| <b>Part materials</b>            | 7075 T6 Aluminium  |
| <b>Crankset type</b>             | Double             |
| <b>Gears</b>                     | 10-speed, 9-speed  |
| <b>Arm quantity</b>              | 5 arm crankset     |
| <b>Bolt Circle Diameter (mm)</b> | 130                |
| <b>Weight (g)</b>                | 30, 250, 100, 150  |
| <b>Sizes</b>                     | 39T, 44T, 50T, 52T |

**ROADGEAR | BCR-14S |***Road chainrings*

» Compatible with Shimano  
» CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double, Triple    |
| <b>Gears</b>                     | 10-speed          |
| <b>Arm quantity</b>              | 5 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 130               |
| <b>Weight (g)</b>                | 44                |
| <b>Sizes</b>                     | 50T               |

**TRIPLEGEAR | BCR-16S |***Road chainrings*

» Compatible with Shimano  
» CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 10-speed          |
| <b>Arm quantity</b>              | 5 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 74                |
| <b>Weight (g)</b>                | 30                |
| <b>Sizes</b>                     | 30T               |

**ROADGEAR | BCR-21C |***Road chainrings*

» Compatible with Campagnolo  
» CNC machined 7075 T6 aluminium  
» Available in 10 sizes

|                                  |                               |
|----------------------------------|-------------------------------|
| <b>Amount (pieces)</b>           | 1                             |
| <b>Compatible with</b>           | Campagnolo 9/10 vitesses 2008 |
| <b>Compatible with brands</b>    | Campagnolo                    |
| <b>Part materials</b>            | 7075 T6 Aluminium             |
| <b>Crankset type</b>             | Double                        |
| <b>Gears</b>                     | 10-speed, 9-speed             |
| <b>Arm quantity</b>              | 5 arm crankset                |
| <b>Bolt Circle Diameter (mm)</b> | 135                           |
| <b>Weight (g)</b>                | 40                            |
| <b>Sizes</b>                     | 42T                           |

**ROADGEAR | BCR-22C |***Road chainrings*

- » Compatible with Campagnolo
- » CNC machined 7075 T6 aluminium



|                                  |                              |
|----------------------------------|------------------------------|
| <b>Amount (pieces)</b>           | 1                            |
| <b>Compatible with</b>           | Campagnolo 10/11 speed >2009 |
| <b>Compatible with brands</b>    | Campagnolo                   |
| <b>Part materials</b>            | 7075 T6 Aluminium            |
| <b>Crankset type</b>             | Double, Triple               |
| <b>Gears</b>                     | 10-speed, 11-speed           |
| <b>Arm quantity</b>              | 5 arm crankset               |
| <b>Bolt Circle Diameter (mm)</b> | 135                          |
| <b>Weight (g)</b>                | 250                          |
| <b>Sizes</b>                     | 42T, 53T                     |

**ROADGEAR | BCR-23C |***Road chainrings*

- » Compatible with Campagnolo
- » CNC machined 7075 T6 aluminium



|                                  |                                |
|----------------------------------|--------------------------------|
| <b>Amount (pieces)</b>           | 1                              |
| <b>Compatible with</b>           | Campagnolo 11 speed XPSS >2011 |
| <b>Compatible with brands</b>    | Campagnolo                     |
| <b>Part materials</b>            | 7075 T6 Aluminium              |
| <b>Crankset type</b>             | Double                         |
| <b>Gears</b>                     | 10-speed, 11-speed             |
| <b>Arm quantity</b>              | 5 arm crankset                 |
| <b>Bolt Circle Diameter (mm)</b> | 135                            |
| <b>Weight (g)</b>                | 250                            |
| <b>Sizes</b>                     | 42T                            |

**ELEVENGEAR | BCR-26S |***Road chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium



|                                  |                         |
|----------------------------------|-------------------------|
| <b>Amount (pieces)</b>           | 1                       |
| <b>Compatible with brands</b>    | Shimano                 |
| <b>Part materials</b>            | 7075 T6 Aluminium       |
| <b>Crankset type</b>             | Double                  |
| <b>Gears</b>                     | 11-speed                |
| <b>Arm quantity</b>              | 4 arm crankset          |
| <b>Bolt Circle Diameter (mm)</b> | 110                     |
| <b>Weight (g)</b>                | 125, 140, 171, 175, 186 |
| <b>Sizes</b>                     | 46T, 48T, 50T, 52T, 53T |

**ELEVENGEAR | BCR-27S |***Road chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium



|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double            |
| <b>Gears</b>                     | 11-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 110               |
| <b>Weight (g)</b>                | 32, 42, 48        |
| <b>Sizes</b>                     | 34T, 36T, 39T     |

**COMPACTGEAR | BCR-31 |***Road chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium
- » Available in 10 sizes

|                                  |                                             |
|----------------------------------|---------------------------------------------|
| <b>Amount (pieces)</b>           | 1                                           |
| <b>Compatible with brands</b>    | Shimano                                     |
| <b>Part materials</b>            | 7075 T6 Aluminium                           |
| <b>Crankset type</b>             | Compact                                     |
| <b>Gears</b>                     | 10-speed, 9-speed                           |
| <b>Arm quantity</b>              | 5 arm crankset                              |
| <b>Bolt Circle Diameter (mm)</b> | 110                                         |
| <b>Weight (g)</b>                | 30, 35, 40, 45, 55, 90, 95, 105             |
| <b>Sizes</b>                     | 34T, 36T, 38T, 39T, 42T, 46T, 48T, 50T, 52T |

**COMPACTGEAR | BCR-32C |***Road chainrings*

- » Compatible with Campagnolo
- » CNC machined 7075 T6 aluminium
- » Available in 10 sizes

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Campagnolo        |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Compact           |
| <b>Gears</b>                     | 10-speed, 9-speed |
| <b>Arm quantity</b>              | 5 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 110               |
| <b>Weight (g)</b>                | 109               |
| <b>Sizes</b>                     | 48T               |

**COMPACTGEAR | BCR-33C |***Road chainrings*

- » Compatible with Campagnolo
- » CNC machined 7075 T6 aluminium

|                                  |                    |
|----------------------------------|--------------------|
| <b>Compatible with brands</b>    | Campagnolo         |
| <b>Part materials</b>            | 7075 T6 Aluminium  |
| <b>Crankset type</b>             | Compact            |
| <b>Gears</b>                     | 10-speed, 11-speed |
| <b>Arm quantity</b>              | 5 arm crankset     |
| <b>Bolt Circle Diameter (mm)</b> | 110                |
| <b>Weight (g)</b>                | 105, 153           |
| <b>Sizes</b>                     | 42T, 52T           |

**COMPACTGEAR | BCR-36S |***Road chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Compact           |
| <b>Gears</b>                     | 10-speed          |
| <b>Arm quantity</b>              | 5 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 110               |
| <b>Weight (g)</b>                | 40                |
| <b>Sizes</b>                     | 38T               |



### COMPACTGEAR | BCR-37S |

#### Road chainrings

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                           |                   |
|---------------------------|-------------------|
| Amount (pieces)           | 1                 |
| Compatible with brands    | Shimano           |
| Part materials            | 7075 T6 Aluminium |
| Crankset type             | Compact           |
| Gears                     | 10-speed          |
| Arm quantity              | 5 arm crankset    |
| Bolt Circle Diameter (mm) | 110               |
| Weight (g)                | 40, 44, 46        |
| Sizes                     | 46T, 50T, 52T     |



### MTBGEAR | BCR-41X |

#### MTB chainrings

- » Compatible with SRAM
- » CNC machined 7075 T6 aluminium

|                           |                   |
|---------------------------|-------------------|
| Amount (pieces)           | 1                 |
| Compatible with brands    | SRAM              |
| Part materials            | 7075 T6 Aluminium |
| Crankset type             | Double            |
| Gears                     | 10-speed          |
| Arm quantity              | 4 arm crankset    |
| Bolt Circle Diameter (mm) | 120               |
| Weight (g)                | 250               |
| Sizes                     | 40T               |



### MTBGEAR | BCR-43X |

#### MTB chainrings

- » Compatible with SRAM
- » CNC machined 7075 T6 aluminium

|                           |                   |
|---------------------------|-------------------|
| Amount (pieces)           | 1                 |
| Compatible with brands    | SRAM              |
| Part materials            | 7075 T6 Aluminium |
| Crankset type             | Double            |
| Gears                     | 10-speed          |
| Arm quantity              | 4 arm crankset    |
| Bolt Circle Diameter (mm) | 104               |
| Weight (g)                | 80                |
| Sizes                     | 38T               |



### MTBGEAR | BCR-44 |

#### MTB chainrings

- » Narrow Wide tooth profiling ensures ultimate chain retention
- » Compatible with Shimano and SRAM
- » CNC machined 7075 T6 aluminium

|                           |                             |
|---------------------------|-----------------------------|
| Amount (pieces)           | 1                           |
| Compatible with brands    | Shimano, SRAM               |
| Part materials            | 7075 T6 Aluminium           |
| Crankset type             | Compact, Double, Triple     |
| Gears                     | 10-speed, 11-speed, 9-speed |
| Arm quantity              | 4 arm crankset              |
| Bolt Circle Diameter (mm) | 104                         |
| Weight (g)                | 35, 40, 47, 54              |
| Sizes                     | 30T, 32T, 34T, 36T          |

**NARROW  
WIDE  
PROFILE**

**MTBGEAR | BCR-45S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double            |
| <b>Gears</b>                     | 10-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 95                |
| <b>Sizes</b>                     | 42T               |

**MTBGEAR | BCR-46S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double            |
| <b>Gears</b>                     | 10-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 64                |
| <b>Weight (g)</b>                | 20, 25, 30        |
| <b>Sizes</b>                     | 24T, 26T, 28T     |

**MTBGEAR | BCR-47S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 96                |
| <b>Weight (g)</b>                | 74, 117           |
| <b>Sizes</b>                     | 38T, 42T          |

**MTBGEAR | BCR-48S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 96                |
| <b>Weight (g)</b>                | 43                |
| <b>Sizes</b>                     | 30T               |

**MTBGEAR | BCR-49S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 72, 95, 97        |
| <b>Sizes</b>                     | 38T, 40T, 42T     |

**MTBGEAR | BCR-50S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Triple            |
| <b>Gears</b>                     | 9-speed, 10-speed |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 104               |
| <b>Weight (g)</b>                | 51                |
| <b>Sizes</b>                     | 34T               |

**MTBGEAR | BCR-100S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double            |
| <b>Gears</b>                     | 11-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 96                |
| <b>Weight (g)</b>                | 37, 54, 82        |
| <b>Sizes</b>                     | 34T, 36T, 38T     |

**MTBGEAR | BCR-101S |***MTB chainrings*

- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Double            |
| <b>Gears</b>                     | 11-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 64                |
| <b>Weight (g)</b>                | 18                |
| <b>Sizes</b>                     | 24T               |

**MTBGEAR | BCR-105S |***MTB chainrings*

- » Narrow Wide tooth profiling ensures ultimate chain retention
- » Compatible with Shimano
- » CNC machined 7075 T6 aluminium

|                                  |                   |
|----------------------------------|-------------------|
| <b>Amount (pieces)</b>           | 1                 |
| <b>Compatible with brands</b>    | Shimano           |
| <b>Part materials</b>            | 7075 T6 Aluminium |
| <b>Crankset type</b>             | Single            |
| <b>Gears</b>                     | 11-speed          |
| <b>Arm quantity</b>              | 4 arm crankset    |
| <b>Bolt Circle Diameter (mm)</b> | 96                |
| <b>Weight (g)</b>                | 43, 45            |
| <b>Sizes</b>                     | 30T, 32T, 34T     |

**NARROW  
WIDE  
PROFILE**
**HEXSTARS | BCR-51 |***Chainring bolts*

- » Available in two colours



|                               |                           |
|-------------------------------|---------------------------|
| <b>Amount (pieces)</b>        | 5                         |
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM |
| <b>Part materials</b>         | 7075 T6 Aluminium         |
| <b>Arm quantity</b>           | 5 arm crankset            |
| <b>Weight (g)</b>             | 10                        |

**TRIPLESTARS | BCR-52 |***Chainring bolts*

- » Screws directly into the thread of the chainring



|                               |                           |
|-------------------------------|---------------------------|
| <b>Amount (pieces)</b>        | 5                         |
| <b>Compatible with brands</b> | Campagnolo, Shimano, SRAM |
| <b>Part materials</b>         | 7075 T6 Aluminium         |
| <b>Crankset type</b>          | Triple                    |
| <b>Arm quantity</b>           | 5 arm crankset            |
| <b>Weight (g)</b>             | 5                         |

**FOURSTARS | BCR-59S |***Allen chainring bolts set*

- » Compatible with Shimano



|                               |                   |
|-------------------------------|-------------------|
| <b>Amount (pieces)</b>        | 4                 |
| <b>Compatible with brands</b> | Shimano           |
| <b>Part materials</b>         | 7075 T6 Aluminium |
| <b>Crankset type</b>          | Double            |
| <b>Arm quantity</b>           | 4 arm crankset    |
| <b>Weight (g)</b>             | 8                 |

**SINGLESTARS | BCR-60 |***Allen chainring bolts set*

» Compatible with Shimano and SRAM



|                               |                   |
|-------------------------------|-------------------|
| <b>Amount (pieces)</b>        | 4                 |
| <b>Compatible with brands</b> | Shimano, SRAM     |
| <b>Part materials</b>         | 7075 T6 Aluminium |
| <b>Crankset type</b>          | Compact, Single   |
| <b>Arm quantity</b>           | 4 arm crankset    |
| <b>Weight (g)</b>             | 7                 |

**SINGLESTARS | BCR-60S |***Allen chainring bolts set*

» Screws directly into the thread of the chainring  
 » Compatible with Shimano and SRAM



|                               |                         |
|-------------------------------|-------------------------|
| <b>Amount (pieces)</b>        | 4                       |
| <b>Compatible with brands</b> | Shimano, SRAM           |
| <b>Part materials</b>         | 7075 T6 Aluminium       |
| <b>Crankset type</b>          | Compact, Double, Triple |
| <b>Arm quantity</b>           | 4 arm crankset          |
| <b>Weight (g)</b>             | 4                       |

**SHIMSTARS | BCR-61 |***5 piece custom bolt cap set to keep the original aesthetics of your crankset*

» Plastic caps are easily mounted onto the bolts  
 » Compatible with Shimano



|                               |                |
|-------------------------------|----------------|
| <b>Amount (pieces)</b>        | 5              |
| <b>Compatible with brands</b> | Shimano        |
| <b>Crankset type</b>          | Compact        |
| <b>Arm quantity</b>           | 5 arm crankset |
| <b>Weight (g)</b>             | 10             |

**SHIMSTARS | BCR-62 |***5 piece custom bolt cap set to keep the original aesthetics of your crankset*

» Plastic caps are easily mounted onto the bolts  
 » Compatible with Shimano



|                               |                |
|-------------------------------|----------------|
| <b>Amount (pieces)</b>        | 5              |
| <b>Compatible with brands</b> | Shimano        |
| <b>Crankset type</b>          | Double, Triple |
| <b>Arm quantity</b>           | 5 arm crankset |
| <b>Weight (g)</b>             | 8              |

**SHIMSTARS | BCR-63 |**

*4 piece custom bolt cap set to keep the original aesthetics of your crankset*



- » Plastic caps are easily mounted onto the bolts
- » Compatible with Shimano

|                               |                |
|-------------------------------|----------------|
| <b>Amount (pieces)</b>        | 4              |
| <b>Compatible with brands</b> | Shimano        |
| <b>Crankset type</b>          | Compact        |
| <b>Arm quantity</b>           | 4 arm crankset |
| <b>Weight (g)</b>             | 8              |

**E-BIKE SPROCKET | BCR-70E |**

*E-bike sprockets*



- » Compatible with Bosch Gen. 2 systems
- » Hardened steel for longer durability
- » Lockring included
- » E-bike specific: This product complies to the NEN-EN 15194:2017 regulations for e-bikes

|                        |                                                    |
|------------------------|----------------------------------------------------|
| <b>Amount (pieces)</b> | 1                                                  |
| <b>Compatible with</b> | Bosch Generation 2 systems                         |
| <b>Gears</b>           | 10-speed, 11-speed, 8-speed, 9-speed, Single speed |
| <b>Weight (g)</b>      | 24, 30, 42, 56, 64                                 |
| <b>Sizes</b>           | 14T, 15T, 17T, 19T, 20T                            |

**E-BIKEMOUNT | BCR-71E |**

*Chainring spider for Bosch gen. 3*



- » Compatible with 4-arm chainrings (BCD 104mm)
- » 52mm chainline
- » Durable steel spider

|                                  |                |
|----------------------------------|----------------|
| <b>Compatible with</b>           | Bosch gen. 3   |
| <b>Crankset type</b>             | Single         |
| <b>Arm quantity</b>              | 4 arm crankset |
| <b>Bolt Circle Diameter (mm)</b> | 104            |
| <b>Sizes</b>                     | Standard       |

**E-BIKEMOUNT | BCR-72E |**

*Chainring spider for Bosch gen. 4*



- » Compatible with 4-arm chainrings (BCD 104mm)
- » 52mm chainline
- » Durable steel spider

|                                  |                |
|----------------------------------|----------------|
| <b>Compatible with</b>           | Bosch gen. 4   |
| <b>Crankset type</b>             | Single         |
| <b>Arm quantity</b>              | 4 arm crankset |
| <b>Bolt Circle Diameter (mm)</b> | 104            |



### E-BIKEGEAR | BCR-75E |

4 arm E-bike chainring, BCD-104mm, for hub gear drivetrains.

- » Compatible with Bosch(gen. 3 and gen. 4), Shimano Steps and other E-bike systems in combination with a BCD 104mm spider.
- » Compatible with 1-8 speed (1/2"x3/32") chains
- » For hub gear drivetrains only
- » Made from hardened steel for an extra long lifetime
- » Chainring bolts not included (advised to use BCR-60)

|                                  |                                   |
|----------------------------------|-----------------------------------|
| <b>Compatible with</b>           | Hub gear drivetrains              |
| <b>Part materials</b>            | Carbon steel                      |
| <b>Crankset type</b>             | Single                            |
| <b>Gears</b>                     | Single speed, 7-speed, 8-speed    |
| <b>Arm quantity</b>              | 4 arm crankset                    |
| <b>Bolt Circle Diameter (mm)</b> | 104                               |
| <b>Sizes</b>                     | 36T, 38T, 40T, 42T, 44T, 46T, 48T |



### E-BIKEGEAR NARROWWIDE | BCR-76E |

4 arm E-bike chainring, BCD-104mm, for hub gear drivetrains.

- » Compatible with Bosch(gen. 3 and gen. 4), Shimano Steps and other E-bike systems in combination with a BCD 104mm spider.
- » Compatible with 9-12 speed chains
- » Made from hardened steel for an extra long lifetime
- » Chainring bolts not included (advised to use BCR-60)

|                                  |                                       |
|----------------------------------|---------------------------------------|
| <b>Compatible with</b>           | Deraileur drivetrains                 |
| <b>Part materials</b>            | Carbon steel                          |
| <b>Crankset type</b>             | Single                                |
| <b>Gears</b>                     | 9-speed, 10-speed, 11-speed, 12-speed |
| <b>Arm quantity</b>              | 4 arm crankset                        |
| <b>Bolt Circle Diameter (mm)</b> | 104                                   |
| <b>Weight (g)</b>                | 141, 159, 182, 216, 253               |
| <b>Sizes</b>                     | 34T, 36T, 38T, 42T, 44T               |

**NARROW  
WIDE  
PROFILE**



### CHAINWATCH | BCR-80A |

Chain drop protector

- » Almost invisible installed on the front derailleur
- » Compatible with chain rings within the range of 53-34T
- » Bolts and washers to fit various front derailleurs included

|                       |                   |
|-----------------------|-------------------|
| <b>Part materials</b> | 7075 T6 Aluminium |
| <b>Weight (g)</b>     | 4                 |

| CODE     | MODEL         | TEETH                                       | BRAND COMPATIBILITY | TYPE   | SPEED   | BCD | CRANKSET TYPE         | ARMS |
|----------|---------------|---------------------------------------------|---------------------|--------|---------|-----|-----------------------|------|
| BCR-01   | ROUNDAABOUT 5 | 42T                                         | SHIMANO/SRAM        | MTB    | 8/9     | 94  | TRIPLE                | 5    |
| BCR-02   | ROUNDAABOUT 5 | 32T                                         | SHIMANO/SRAM        | MTB    | 8/9     | 94  | TRIPLE                | 5    |
| BCR-04   | ROUNDAABOUT 4 | 46T, 44T, 42T                               | SHIMANO/SRAM        | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-05   | ROUNDAABOUT 4 | 36T, 34T, 32T                               | SHIMANO/SRAM        | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-07   | ROUNDAABOUT 4 | 44T, 42T                                    | SHIMANO/SRAM        | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-08   | ROUNDAABOUT 4 | 34T, 32T                                    | SHIMANO/SRAM        | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-11S  | ROADGEAR      | 52T, 50T, 44T, 42T, 39T                     | SHIMANO/SRAM        | ROAD   | 9/10    | 130 | DOUBLE                | 5    |
| BCR-12S  | ROADGEAR      | 46T, 44T, 42T, 39T                          | SHIMANO             | ROAD   | 10      | 130 | DOUBLE                | 5    |
| BCR-14S  | ROADGEAR      | 53T, 52T, 50T                               | SHIMANO             | ROAD   | 10      | 130 | DOUBLE/TRIPLE         | 5    |
| BCR-16S  | TRIPLEGEAR    | 30T                                         | SHIMANO             | ROAD   | 10      | 74  | TRIPLE                | 5    |
| BCR-21C  | ROADGEAR      | 42T                                         | CAMPAGNOLO          | ROAD   | 9/10    | 135 | DOUBLE                | 5    |
| BCR-22C  | ROADGEAR      | 53T, 42T                                    | CAMPAGNOLO          | ROAD   | 10/11   | 135 | DOUBLE                | 5    |
| BCR-23C  | ROADGEAR      | 42T                                         | CAMPAGNOLO          | ROAD   | 10/11   | 135 | DOUBLE                | 5    |
| BCR-26S  | ELEVENGEAR    | 53T, 52T, 50T, 48T, 46T                     | SHIMANO             | ROAD   | 11      | 110 | DOUBLE                | 4    |
| BCR-27S  | ELEVENGEAR    | 39T, 36T, 34T                               | SHIMANO             | ROAD   | 11      | 110 | DOUBLE                | 4    |
| BCR-31   | COMPACTGEAR   | 52T, 50T, 48T, 46T, 42T, 39T, 38T, 36T, 34T | SHIMANO             | ROAD   | 9/10    | 110 | COMPACT               | 5    |
| BCR-32C  | COMPACTGEAR   | 48T                                         | CAMPAGNOLO          | ROAD   | 9/10    | 110 | COMPACT               | 5    |
| BCR-33C  | COMPACTGEAR   | 52T, 42T                                    | CAMPAGNOLO          | ROAD   | 10/11   | 110 | COMPACT               | 5    |
| BCR-36S  | COMPACTGEAR   | 38T                                         | SHIMANO             | ROAD   | 10      | 110 | COMPACT               | 5    |
| BCR-37S  | COMPACTGEAR   | 52T, 50T, 46T                               | SHIMANO             | ROAD   | 10      | 110 | COMPACT               | 5    |
| BCR-41X  | MTBGEAR       | 40T                                         | SRAM                | MTB    | 10      | 120 | DOUBLE                | 4    |
| BCR-43X  | MTBGEAR       | 38T                                         | SRAM                | MTB    | 10      | 104 | DOUBLE                | 4    |
| BCR-44   | MTBGEAR       | 36T, 34T, 32T, 30T                          | SHIMANO/SRAM        | MTB    | 9/10/11 | 104 | DOUBLE/TRIPLE/COMPACT | 4    |
| BCR-45S  | MTBGEAR       | 42T, 40T, 38T                               | SHIMANO             | MTB    | 10      | 104 | DOUBLE                | 4    |
| BCR-46S  | MTBGEAR       | 28T, 26T, 24T                               | SHIMANO             | MTB    | 10      | 64  | DOUBLE                | 4    |
| BCR-47S  | MTBGEAR       | 42T, 40T, 38T                               | SHIMANO             | MTB    | 9/10    | 96  | TRIPLE                | 4    |
| BCR-48S  | MTBGEAR       | 30T                                         | SHIMANO             | MTB    | 9/10    | 96  | TRIPLE                | 4    |
| BCR-49S  | MTBGEAR       | 42T, 40T, 38T                               | SHIMANO             | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-50S  | MTBGEAR       | 34T                                         | SHIMANO             | MTB    | 9/10    | 104 | TRIPLE                | 4    |
| BCR-70E  | E-BIKE        | 20T, 19T, 17T, 16T, 15T, 14T                | BOSCH               | E-BIKE | 11      | -   | SINGLE                | -    |
| BCR-71E  | E-BIKE        | SPIDER                                      | BOSCH GEN. 3        | E-BIKE |         | 104 | SINGLE                | 4    |
| BCR-72E  | E-BIKE        | SPIDER                                      | BOSCH GEN. 4        | E-BIKE |         | 104 | SINGLE                | 4    |
| BCR-75E  | E-BIKE        | 36T, 38T, 40T, 42T, 44T, 46T, 48T           |                     | E-BIKE | 12      | 104 | SINGLE                | 4    |
| BCR-76E  | E-BIKE        | 34T, 36T, 38T, 42T, 44T                     |                     | E-BIKE | 12      | 104 | SINGLE                | 4    |
| BCR-100S | MTBGEAR       | 38T, 36T, 34T                               | SHIMANO             | MTB    | 11      | 96  | DOUBLE                | 4    |
| BCR-101S | MTBGEAR       | 24T                                         | SHIMANO             | MTB    | 11      | 64  | DOUBLE                | 4    |
| BCR-105S | MTBGEAR       | 34T, 32T, 30T                               | SHIMANO             | MTB    | 11      | 96  | DOUBLE/TRIPLE/COMPACT | 4    |

**TURNAROUND | BHP-01 |***A-head headset*

- » Cartridge type, industrial sealed bearings
- » RoundHead (BAP-02) included
- » 36° x 36° sealed bearings
- » 6061 T6 aluminium

**36° x 36°**

|                                    |                                  |
|------------------------------------|----------------------------------|
| Headset type                       | External Cup (EC) / Non-Threaded |
| Fork size (inch)                   | 1                                |
| Headtube upper/inner diameter (mm) | 30.2                             |
| Headtube lower/inner diameter (mm) | 30.2                             |
| Bearings material                  | CrMo                             |
| Cone spacer diameter (mm)          | 43.1                             |
| Cone spacer height (mm)            | 8                                |
| Crown race included                | Yes                              |
| Weight (g)                         | 250                              |

**TURNAROUND | BHP-02 |***A-head headset*

- » Cartridge type, industrial sealed bearings
- » RoundHead (BAP-02) included
- » 36° x 36° sealed bearings
- » 6061 T6 aluminium

**1.1/8"****36° x 36°**

|                                    |                                  |
|------------------------------------|----------------------------------|
| Headset type                       | External Cup (EC) / Non-Threaded |
| Fork size (inch)                   | 1.1/8                            |
| Headtube upper/inner diameter (mm) | 34                               |
| Headtube lower/inner diameter (mm) | 34                               |
| Bearings included                  | BHP-180                          |
| Bearings material                  | CrMo                             |
| Cone spacer diameter (mm)          | 47                               |
| Cone spacer height (mm)            | 8                                |
| Crown race included                | Yes                              |
| Weight (g)                         | 118                              |

**THREADAROUND | BHP-15 |***Threaded headset*

- » Cartridge type, industrial sealed bearings
- » 6061 T6 aluminium

**1"**

|                                    |                              |
|------------------------------------|------------------------------|
| Headset type                       | External Cup (EC) / Threaded |
| Fork size (inch)                   | 1                            |
| Headtube upper/inner diameter (mm) | 30.2                         |
| Headtube lower/inner diameter (mm) | 30.2                         |
| Bearings material                  | CrMo                         |
| Cone spacer diameter (mm)          | 45.8                         |
| Cone spacer height (mm)            | 8                            |
| Crown race included                | Yes                          |
| Weight (g)                         | 113                          |



**INTEGRATED | BHP-40 |***Integrated headset*

- » Bearing diameter: 1.1/8" - 41.8 mm
- » 45°x45° sealed bearings
- » Open crown for easy installation

|                                    |                 |
|------------------------------------|-----------------|
| Headset type                       | Integrated (IS) |
| Fork size (inch)                   | 1.1/8           |
| Headtube upper/inner diameter (mm) | 42              |
| Headtube lower/inner diameter (mm) | 42              |
| Bearings included                  | BHP-181         |
| Bearings material                  | CrMo            |
| Cone spacer diameter (mm)          | 46              |
| Cone spacer height (mm)            | 8               |
| Crown race included                | Yes             |
| Weight (g)                         | 75              |



45° x 45°

**INTEGRATED | BHP-41 |***Integrated headset*

- » Bearing diameter: 1.1/8" - 41.0 mm
- » 36°x45° sealed bearings
- » Open crown for easy installation

|                                    |                 |
|------------------------------------|-----------------|
| Headset type                       | Integrated (IS) |
| Fork size (inch)                   | 1.1/8           |
| Headtube upper/inner diameter (mm) | 41.2            |
| Headtube lower/inner diameter (mm) | 41.2            |
| Bearings included                  | BHP-182         |
| Bearings material                  | CrMo            |
| Cone spacer diameter (mm)          | 45              |
| Cone spacer height (mm)            | 15              |
| Crown race included                | Yes             |
| Weight (g)                         | 80              |



36° x 45°

**INTEGRATED | BHP-42 |***Integrated headset*

- » Bearing diameter: 1.1/8" - 41.8 mm
- » 45°x45° sealed bearings
- » Open crown for easy installation

|                                    |                 |
|------------------------------------|-----------------|
| Headset type                       | Integrated (IS) |
| Fork size (inch)                   | 1.1/8           |
| Headtube upper/inner diameter (mm) | 42              |
| Headtube lower/inner diameter (mm) | 42              |
| Bearings included                  | BHP-181         |
| Bearings material                  | CrMo            |
| Cone spacer diameter (mm)          | 46              |
| Cone spacer height (mm)            | 15              |
| Crown race included                | Yes             |
| Weight (g)                         | 84              |



45° x 45°



## INTEGRATED TAPERED | BHP-45 |

### Integrated tapered headset

- » Bearing diameter: 1.1/8" - 1.1/4" - 41.8 - 46.8 mm
- » 45°x45° sealed bearings
- » Open crown for easy installation

|                                    |                  |
|------------------------------------|------------------|
| Headset type                       | Integrated (IS)  |
| Fork size (inch)                   | 1.1/8 - 1.1/4    |
| Headtube upper/inner diameter (mm) | 42               |
| Headtube lower/inner diameter (mm) | 47               |
| Bearings included                  | BHP-181, BHP-183 |
| Bearings material                  | CrMo             |
| Cone spacer diameter (mm)          | 46               |
| Cone spacer height (mm)            | 15               |
| Crown race included                | Yes              |
| Weight (g)                         | 84               |



1.1/8"



CrMo



45° x 45°



## INTEGRATED TAPERED | BHP-46 |

### Integrated tapered headset

- » Bearing diameter: 1.1/8-1.5" - 41.8 - 51.8 mm
- » 36°x45° sealed lower bearing and 45°x45° sealed upper bearing
- » Open crown for easy installation

|                                    |                  |
|------------------------------------|------------------|
| Headset type                       | Integrated (IS)  |
| Fork size (inch)                   | 1.1/8 - 1.1/2    |
| Headtube upper/inner diameter (mm) | 42               |
| Headtube lower/inner diameter (mm) | 52               |
| Bearings included                  | BHP-181, BHP-185 |
| Bearings material                  | CrMo             |
| Cone spacer diameter (mm)          | 46               |
| Cone spacer height (mm)            | 8                |
| Crown race included                | Yes              |
| Weight (g)                         | 72               |



CrMo



36° x 45°



45° x 45°



## SEMI-INTEGRATED | BHP-50 |

### Semi-integrated headset

- » Inner bearing diameter: 1.1/8"
- » Open crown for easy installation

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Headset type                       | Zero Stack (ZS) / Semi-Integrated |
| Fork size (inch)                   | 1.1/8                             |
| Headtube upper/inner diameter (mm) | 41.4                              |
| Headtube lower/inner diameter (mm) | 41.4                              |
| Bearings material                  | Retainer ball bearing             |
| Cone spacer diameter (mm)          | 46                                |
| Cone spacer height (mm)            | 15                                |
| Crown race included                | Yes                               |
| Weight (g)                         | 105                               |



1.1/8"



CrMo



36° x 45°

**SEMI-INTEGRATED | BHP-51 |***Semi-integrated headset*

- » Bearing diameter: 1.1/8" - 41.0 mm
- » Open crown for easy installation

**36° x 45°**

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Headset type                       | Zero Stack (ZS) / Semi-Integrated |
| Fork size (inch)                   | 1.1/8                             |
| Headtube upper/inner diameter (mm) | 44                                |
| Headtube lower/inner diameter (mm) | 44                                |
| Bearings included                  | BHP-182                           |
| Bearings material                  | CrMo                              |
| Cone spacer diameter (mm)          | 50                                |
| Cone spacer height (mm)            | 8                                 |
| Crown race included                | Yes                               |
| Weight (g)                         | 85                                |

**SEMI-INTEGRATED TAPERED | BHP-53 |***Semi-integrated tapered headset*

- » Bearing diameter: 1.1/8" - 1.5" - 41.0 - 51.8 mm
- » Open crown for easy installation

**36° x 45°**

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Headset type                       | Zero Stack (ZS) / Semi-Integrated |
| Fork size (inch)                   | 1.1/8 - 1.1/2                     |
| Headtube upper/inner diameter (mm) | 44                                |
| Headtube lower/inner diameter (mm) | 44                                |
| Bearings included                  | BHP-182, BHP-185                  |
| Bearings material                  | CrMo                              |
| Cone spacer diameter (mm)          | 50                                |
| Cone spacer height (mm)            | 15                                |
| Crown race included                | Yes                               |
| Weight (g)                         | 130                               |

**SEMI-INTEGRATED TAPERED | BHP-54 |***Semi-integrated tapered headset*

- » Bearing diameter: 1.1/8-1.5" - 41.0-51.8 mm.
- » Open crown for easy installation

**36° x 45°**

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Headset type                       | Zero Stack (ZS) / Semi-Integrated |
| Fork size (inch)                   | 1.1/8 - 1.1/2                     |
| Headtube upper/inner diameter (mm) | 56                                |
| Headtube lower/inner diameter (mm) | 44                                |
| Bearings included                  | BHP-182, BHP-185                  |
| Bearings material                  | CrMo                              |
| Cone spacer diameter (mm)          | 50                                |
| Cone spacer height (mm)            | 15                                |
| Crown race included                | Yes                               |
| Weight (g)                         | 121                               |



## SEMI-INTEGRATED TAPERED | BHP-55 |

*Semi-integrated tapered headset*

- » Bearing diameter: 1.1/8-1.5" - 41.0-51.8 mm.
- » Open crown for easy installation



36° x 45°

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Headset type                       | Zero Stack (ZS) / Semi-Integrated |
| Fork size (inch)                   | 1.1/8 - 1.1/2                     |
| Headtube upper/inner diameter (mm) | 44                                |
| Headtube lower/inner diameter (mm) | 55                                |
| Bearings included                  | BHP-182, BHP-185                  |
| Bearings material                  | CrMo                              |
| Cone spacer diameter (mm)          | 50                                |
| Cone spacer height (mm)            | 15                                |
| Crown race included                | Yes                               |
| Weight (g)                         | 111                               |



## ROUNDHEAD | BAP-02 |

*Headset cap to upgrade your bike*

- » 6061 T6 aluminium
- » Steel bolt with anti-rust coating
- » 1.1/8" cap with 1.1/8" star nut



1.1/8"

|                  |        |
|------------------|--------|
| Fork size (inch) | 1.1/8  |
| Weight (g)       | 35, 22 |



## POWERHEAD | BAP-03 |

*Expander clamping mechanism equally divides the forces*

- » Expander type for safe and easy assembly
- » 40 mm plug for extra grip
- » Suitable for aluminium and carbon forks



1.1/8"

|                  |       |
|------------------|-------|
| Fork size (inch) | 1.1/8 |
| Weight (g)       | 58    |





ULTRASPACE | BHP-35 |

Ultra-lightweight UD carbon spacers

- » Unique design saves up to 38% on weight compared to ordinary carbon spacers
- » Set of 4 spacers: 5, 10, 15, 20 mm

|                  |       |
|------------------|-------|
| Fork size (inch) | 1.1/8 |
| Weight (g)       | 17    |



1.1/8"



LIGHTSPACE | BHP-36 |

Ultra-lightweight aluminium spacers

- » Unique design saves up to 38% on weight compared to ordinary aluminium spacers
- » Set of 4 spacers: 5, 10, 15, 20 mm

|                  |       |
|------------------|-------|
| Fork size (inch) | 1.1/8 |
| Weight (g)       | 25    |



1.1/8"



EXTENDER | BHP-20 |

Steerer tube extension for steel steerer tubes

- » Threaded and threadless headset compatible
- » RoundHead (BAP-02) included
- » Size: 28.6 - 25.4 mm

|                  |     |
|------------------|-----|
| Fork size (inch) | 1   |
| Weight (g)       | 220 |



1"



**EXTENDER | BHP-21 |***Steerer tube extension for steel steerer tubes*

- » Threaded and threadless headset compatible
- » RoundHead (BAP-02) included
- » Size: 28.6 - 25.4 mm

|                         |       |
|-------------------------|-------|
| <b>Fork size (inch)</b> | 1.1/8 |
| <b>Weight (g)</b>       | 254   |

**TUBEEXTEND | BHP-22 |***Aluminium steerer tube extension*

- » Total extension of 67 mm
- » RoundHead (BAP-02) included

|                         |       |
|-------------------------|-------|
| <b>Fork size (inch)</b> | 1.1/8 |
| <b>Weight (g)</b>       | 183   |

**OEM ALUSPACE | BHP-33OEM |***50 pack*

- » Diameter: 1.1/8\"

|                         |               |
|-------------------------|---------------|
| <b>Fork size (inch)</b> | 1.1/8         |
| <b>Weight (g)</b>       | 5, 10, 15, 19 |



**REPLACEMENT BEARINGS 20PCS, 1.1/8" | BHP-180 |**

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.1/8" - 41.5 x 6.5 mm.
- » 36°x36° sealed bearings.
- » MR043

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 20 |
|-------------------|----|

**REPLACEMENT BEARINGS 20PCS, 1.1/8" | BHP-181 |**

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.1/8" - 41.8 x 8 mm.
- » 45°x45° sealed bearings.
- » MR121

|                          |       |
|--------------------------|-------|
| <b>Fork size (inch)</b>  | 1.1/8 |
| <b>Bearings material</b> | CrMo  |
| <b>Weight (g)</b>        | 23    |

**REPLACEMENT BEARINGS 20PCS, 1.1/8" | BHP-182 |**

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.1/8" - 41 x 6.5 mm.
- » 36°x45° sealed bearings.
- » MR122

|                          |       |
|--------------------------|-------|
| <b>Fork size (inch)</b>  | 1.1/8 |
| <b>Bearings material</b> | CrMo  |
| <b>Weight (g)</b>        | 21    |



### REPLACEMENT BEARINGS 20PCS, 1.1/4" | BHP-183 |

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.1/4" - 46.8 x 7 mm.
- » 45°x45° sealed bearings.
- » MR168

|                          |       |
|--------------------------|-------|
| <b>Fork size (inch)</b>  | 1.1/4 |
| <b>Bearings material</b> | CrMo  |
| <b>Weight (g)</b>        | 27    |



### REPLACEMENT BEARINGS 20PCS, 1.3/8" | BHP-184 |

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.3/8" - 48.9 x 6.5 mm.
- » 36°x45° sealed bearings.
- » MR031

|                          |       |
|--------------------------|-------|
| <b>Fork size (inch)</b>  | 1.3/8 |
| <b>Bearings material</b> | CrMo  |
| <b>Weight (g)</b>        | 25    |




### REPLACEMENT BEARINGS 20PCS, 1.5" | BHP-185 |

*20 pcs. headset replacement bearings.*

- » Bearing diameter: 1.5" - 51.8 x 8 mm.
- » 36°x45° sealed bearings.
- » MR127

|                          |       |
|--------------------------|-------|
| <b>Fork size (inch)</b>  | 1.1/2 |
| <b>Bearings material</b> | CrMo  |
| <b>Weight (g)</b>        | 33    |



## 2. DETERMINE FORK

**ZERO STACK**



Steerer diameter

**45° x 36°**

Bearing angles

REPLACEMENT BEARINGS INFO



**BOTTOMFIT PF30 | BBO-09 |***High-end PF30 bottom bracket*

- » 3-piece threaded design
- » Self-aligning bearings increases durability
- » Chrome steel BB30 6806RS bearings
- » Fully CNC machined

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium |
| <b>Bearings material</b>             | CrMo                                |
| <b>Bracket Shell type</b>            | PF30 - Press fit 30                 |
| <b>Bracket Shell Diameter (mm)</b>   | 46                                  |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                            |
| <b>Bracket spindle diameter (mm)</b> | 30                                  |
| <b>Weight (g)</b>                    | 133                                 |

**BOTTOMPRESS PF30 MTB | BBO-05 |***Press Fit bottom bracket PF30 standard for MTB*

- » Chrome steel BB30 bearings
- » Cup diameter of 46 mm

|                                      |                             |
|--------------------------------------|-----------------------------|
| <b>Part materials</b>                | Glassfiber reinforced Nylon |
| <b>Bearings material</b>             | CrMo                        |
| <b>Bracket Shell type</b>            | PF30 - Press fit 30         |
| <b>Bracket Shell Diameter (mm)</b>   | 46                          |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                    |
| <b>Bracket spindle diameter (mm)</b> | 30                          |
| <b>Weight (g)</b>                    | 88                          |

**BOTTOMPRESS PF30 ROAD | BBO-01 |***Press Fit bottom bracket PF30 standard for road bikes*

- » Chrome steel BB30 bearings
- » Cup diameter of 46 mm

|                                      |                             |
|--------------------------------------|-----------------------------|
| <b>Part materials</b>                | Glassfiber reinforced Nylon |
| <b>Bearings material</b>             | CrMo                        |
| <b>Bracket Shell type</b>            | PF30 - Press fit 30         |
| <b>Bracket Shell Diameter (mm)</b>   | 46                          |
| <b>Bracket Shell width (mm)</b>      | 68                          |
| <b>Bracket spindle diameter (mm)</b> | 30                          |
| <b>Weight (g)</b>                    | 84                          |

**BOTTOMBEAR BB30 | BBO-19 |***Universal BB30 Bottom bracket set for 30mm spindles*

- » Chrome steel BB30 bearings
- » Inner diameter of 30 mm and outer diameter of 41,96 mm
- » Co-molded bearing shields
- » Wave washer included

|                                      |                      |
|--------------------------------------|----------------------|
| <b>Amount (pieces)</b>               | 2                    |
| <b>Bearings material</b>             | CrMo                 |
| <b>Bracket Shell type</b>            | BB30 - Direct fit 30 |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm             |
| <b>Bracket spindle diameter (mm)</b> | 30                   |
| <b>Weight (g)</b>                    | 63                   |

**BOTTOMFIT BB86/92 | BBO-29 |***High-end BB86/92 bottom bracket*

- » 3-piece threaded design
- » Self-aligning bearings increases durability
- » Chrome steel 24377RS bearings

|                                      |                                                              |
|--------------------------------------|--------------------------------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium                          |
| <b>Bearings material</b>             | CrMo                                                         |
| <b>Bracket Shell type</b>            | BB86 - Shimano press fit Road, BB92 - Shimano press fit Road |
| <b>Bracket Shell Diameter (mm)</b>   | 41                                                           |
| <b>Bracket Shell width (mm)</b>      | 86, 5mm, 89, 5mm, 92mm                                       |
| <b>Bracket spindle diameter (mm)</b> | 24                                                           |
| <b>Weight (g)</b>                    | 126                                                          |

**BOTTOMFIT BB86/92 GXP | BBO-29SR |***Universal BSA bottom bracket for 24/22mm (GXP) spindles*

- » 3-piece threaded design
- » Self-aligning bearings increases durability
- » Chrome steel 24377RS & 22378RSL/115 bearings

|                                      |                                                              |
|--------------------------------------|--------------------------------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium                          |
| <b>Bearings material</b>             | CrMo                                                         |
| <b>Bracket Shell type</b>            | BB86 - Shimano press fit Road, BB92 - Shimano press fit Road |
| <b>Bracket Shell Diameter (mm)</b>   | 41                                                           |
| <b>Bracket Shell width (mm)</b>      | 86, 5mm, 89, 5mm, 92mm                                       |
| <b>Bracket spindle diameter (mm)</b> | 24-22                                                        |
| <b>Weight (g)</b>                    | 133                                                          |

**BOTTOMPRESS BB92 | BBO-25 |***Press Fit bottom bracket for BB92 standard for MTB*

- » Chrome steel bearings
- » Cup diameter of 41 mm

|                                      |                               |
|--------------------------------------|-------------------------------|
| <b>Bearings material</b>             | CrMo                          |
| <b>Bracket Shell type</b>            | BB92 - Shimano press fit Road |
| <b>Bracket Shell Diameter (mm)</b>   | 41                            |
| <b>Bracket Shell width (mm)</b>      | 89, 5mm, 92mm                 |
| <b>Bracket spindle diameter (mm)</b> | 24                            |
| <b>Weight (g)</b>                    | 89                            |

**BOTTOMPRESS BB86 | BBO-21 |***Press Fit bottom bracket for BB86 standard for road bikes*

- » Chrome steel bearings
- » Cup diameter of 41 mm

|                                      |                               |
|--------------------------------------|-------------------------------|
| <b>Bearings material</b>             | CrMo                          |
| <b>Bracket Shell type</b>            | BB86 - Shimano press fit Road |
| <b>Bracket Shell Diameter (mm)</b>   | 41                            |
| <b>Bracket Shell width (mm)</b>      | 86, 5mm                       |
| <b>Bracket spindle diameter (mm)</b> | 24                            |
| <b>Weight (g)</b>                    | 86                            |

**BOTTOMBEAR BB90-95 | BBO-26 |***Press fit BB90-95 cartridge bearings*

- » Inner diameter of 24 mm and outer diameter of 37 mm
- » Spacers for adapting to BB95 included



|                                      |                                                         |
|--------------------------------------|---------------------------------------------------------|
| <b>Bearings material</b>             | CrMo                                                    |
| <b>Bracket Shell type</b>            | BB90 - Trek Direct fit Road, BB95 - Trek Direct fit MTB |
| <b>Bracket Shell Diameter (mm)</b>   | 37                                                      |
| <b>Bracket Shell width (mm)</b>      | 90mm, 95mm                                              |
| <b>Bracket spindle diameter (mm)</b> | 24                                                      |
| <b>Weight (g)</b>                    | 29                                                      |

**BOTTOMTHREAD BSA | BBO-39 |***Universal BSA bottom bracket for 24mm spindles*

- » Co-molded bearing shields
- » Chrome steel 24377RS bearings
- » Wave washers included
- » Fully CNC machined external cups



|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| <b>Part materials</b>                | 7075 T6 Aluminium, Glassfiber reinforced Nylon |
| <b>Bearings material</b>             | CrMo                                           |
| <b>Bracket Shell type</b>            | BSA - English Threaded                         |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                                       |
| <b>Bracket spindle diameter (mm)</b> | 24                                             |
| <b>Weight (g)</b>                    | 99                                             |

**BOTTOMTHREAD BSA DUB | BBO-38 |***Universal BSA DUB bottom bracket*

- » Co-molded bearing shields
- » Chrome steel 2940RV bearings
- » Wave washers included
- » Fully CNC machined external cups



|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium |
| <b>Bearings material</b>             | CrMo                                |
| <b>Bracket Shell type</b>            | BSA - English Threaded              |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                            |
| <b>Bracket spindle diameter (mm)</b> | 29                                  |
| <b>Weight (g)</b>                    | 98                                  |

**BOTTOMTHREAD BSA GXP | BBO-39SR |***BSA bottom bracket, GXP compatible*

- » Co-molded bearing shields
- » Chrome steel 24377RS & 22378RSL/115 bearings
- » Wave washers included
- » Fully CNC machined external cups



|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| <b>Part materials</b>                | 7075 T6 Aluminium, Glassfiber reinforced Nylon |
| <b>Bearings material</b>             | CrMo                                           |
| <b>Bracket Shell type</b>            | BSA - English Threaded                         |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                                       |
| <b>Bracket spindle diameter (mm)</b> | 24-22                                          |
| <b>Weight (g)</b>                    | 113                                            |

**BOTTOMFIT PF30-29 DUB | BBO-78 |***High-end PF30 bottom bracket for DUB crankstel*

- » Allows the installation of DUB cranksets into PF30 shells without adapters
- » 3-piece threaded design and self-aligning bearings increase durability
- » Fully CNC machined
- » Chrome steel 2940RV bearings
- » Wave washers included

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium |
| <b>Bearings material</b>             | CrMo                                |
| <b>Bracket Shell type</b>            | PF30 - Press fit 30                 |
| <b>Bracket Shell Diameter (mm)</b>   | 46                                  |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                            |
| <b>Bracket spindle diameter (mm)</b> | 29                                  |
| <b>Weight (g)</b>                    | 164                                 |

**BOTTOMFIT PF30-24 | BBO-79 |***PF30 threaded bottom bracket to fit 24mm spindle cranksets*

- » Allows the installation of 24 mm spindle cranksets into PF30 shells without adapters
- » Self-aligning bearings increases durability
- » Fully CNC machined 3-piece threaded design
- » Chrome steel 24377RS bearings
- » Wave washers included

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium |
| <b>Bearings material</b>             | CrMo                                |
| <b>Bracket Shell type</b>            | PF30 - Press fit 30                 |
| <b>Bracket Shell Diameter (mm)</b>   | 46                                  |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                            |
| <b>Bracket spindle diameter (mm)</b> | 24                                  |
| <b>Weight (g)</b>                    | 167                                 |

**BOTTOMFIT BB30-29 DUB | BBO-88 |***High-end BB30 bottom bracket for DUB crankstel*

- » Allows the installation of DUB cranksets into BB30 shells without adapters
- » Easy-to-install threaded design and self-aligning bearings increase durability
- » Fully CNC machined
- » Chrome steel 2940RV bearings
- » Wave washers included

|                                      |                      |
|--------------------------------------|----------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum     |
| <b>Bearings material</b>             | CrMo                 |
| <b>Bracket Shell type</b>            | BB30 - Direct fit 30 |
| <b>Bracket Shell Diameter (mm)</b>   | 42                   |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm             |
| <b>Bracket spindle diameter (mm)</b> | 29                   |
| <b>Weight (g)</b>                    | 136                  |

**BOTTOMFIT BB30-24 | BBO-89 |***BB30 threaded bottom bracket to fit 24mm spindle cranksets*

- » Allows the installation of 24 mm spindle cranksets into BB30 shells without adapters
- » Easy-to-install threaded design and self-aligning bearings increase durability
- » Fully CNC machined
- » Chrome steel 24377RS bearings
- » Wave washers included

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Part materials</b>                | 6061 T6 Aluminum, 7075 T6 Aluminium |
| <b>Bearings material</b>             | CrMo                                |
| <b>Bracket Shell type</b>            | BB30 - Direct fit 30                |
| <b>Bracket Shell Diameter (mm)</b>   | 42                                  |
| <b>Bracket Shell width (mm)</b>      | 68, 73mm                            |
| <b>Bracket spindle diameter (mm)</b> | 24                                  |
| <b>Weight (g)</b>                    | 157                                 |

**BOTTOMADAPT BB30/PF30 | BBO-16 |***30 mm to 24 mm reducer*

- » Allows the installation of 24 mm spindle crank sets into BB30 and PF30 shells (BB30 or PF30 BB required, not included)
- » Alloy spacer with plastic cover

|                                      |                                           |
|--------------------------------------|-------------------------------------------|
| <b>Bracket Shell type</b>            | BB30 - Direct fit 30, PF30 - Press fit 30 |
| <b>Bracket spindle diameter (mm)</b> | 24                                        |
| <b>Weight (g)</b>                    | 87                                        |

**BOTTOMADAPT BB386/392 EVO | BBO-17 |***30 mm to 24 mm reducer, for BB386/392 EVO*

- » Allows the installation of 24 mm spindle crank sets into a BB386 EVO shell (PF30/BB386 EVO BB required, not included)
- » Alloy spacer with plastic cover

|                                      |                        |
|--------------------------------------|------------------------|
| <b>Bracket Shell type</b>            | BB386, BB392           |
| <b>Bracket Shell width (mm)</b>      | 86, 5mm, 89, 5mm, 92mm |
| <b>Bracket spindle diameter (mm)</b> | 24                     |
| <b>Weight (g)</b>                    | 13                     |

**OEM BOTTOM BRACKET SHIM 0.5 - 30 | BBO-111 |***20 pcs. Bottom bracket spacers.*

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 37
- » Inner diameter (mm): 30
- » Thickness (mm): 0.5

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 1 |
|-------------------|---|

**OEM BOTTOM BRACKET SHIM 1 - 30 | BBO-112 |***20 pcs. Bottom bracket spacers.*

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 37
- » Inner diameter (mm): 30
- » Thickness (mm): 1

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 3 |
|-------------------|---|

**OEM BOTTOM BRACKET SHIM 2.5 - 30 | BBO-113 |***20 pcs. Bottom bracket spacers.*

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 37
- » Inner diameter (mm): 24
- » Thickness (mm): 2.5

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 3 |
|-------------------|---|

**SHIMSET | BBO-91 |***Bottom bracket spacer set to make every bottom bracket fit*

- » Bottom bracket spacer set
- » Use to adjust chainline or remove sideplay
- » Innerdiameter (mm): 24
- » Included: 2 x 2,5 mm, 4 x 1 mm en 4 x 0,5 mm

|                                      |    |
|--------------------------------------|----|
| <b>Bracket spindle diameter (mm)</b> | 24 |
| <b>Weight (g)</b>                    | 2  |

**OEM BOTTOM BRACKET SHIM 0.5 - 24 | BBO-121 |***20 pcs. Bottom bracket spacers.*

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 30.
- » Inner diameter (mm): 24
- » Thickness (mm): 0,5

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 1 |
|-------------------|---|

**OEM BOTTOM BRACKET SHIM 1 - 24 | BBO-122 |***20 pcs. Bottom bracket spacers.*

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 30.
- » Inner diameter (mm): 24
- » Thickness (mm): 1

|                   |   |
|-------------------|---|
| <b>Weight (g)</b> | 2 |
|-------------------|---|



### OEM BOTTOM BRACKET SHIM 2.5 - 24 | BBO-123 |

20 pcs. Bottom bracket spacers.

- » Use to adjust chainline or remove sideplay
- » Outer diameter (mm): 30
- » Inner diameter (mm): 24
- » Thickness (mm): 2,5

|            |   |
|------------|---|
| Weight (g) | 2 |
|------------|---|



### OEM WAVE WASHER 24 | BBO-125 |

20 pcs. Bottom bracket spacers.

- » Use to adjust chainline or remove sideplay
- » Recommended for cranksets without a pinch-bolt design.
- » Inner diameter (mm): 24
- » Thickness (mm): 1-2,5

|            |   |
|------------|---|
| Weight (g) | 1 |
|------------|---|



### OEM WAVE WASHER 30 | BBO-126 |

20 pcs. Bottom bracket spacers.

- » Use to adjust chainline or remove sideplay
- » Recommended for cranksets without a pinch-bolt design.
- » Inner diameter (mm): 30
- » Thickness (mm): 1-2,5

|            |   |
|------------|---|
| Weight (g) | 1 |
|------------|---|



### OEM BOTTOM BRACKET BEARING BB30 | BBO-102 |

20 pcs. Bottom bracket bearings.

- » Chrome steel BB30 6806R bearings.
- » Bearing diameter (mm): 42 x 7.
- » Inner diameter (mm): 30

|            |    |
|------------|----|
| Weight (g) | 23 |
|------------|----|



**OEM BOTTOM BRACKET BEARING | BBO-105 |**

*20 pcs. Bottom bracket bearings.*

- » Chrome steel 24377RS bearings.
- » Bearing dimensions (mm): 37 x 7.
- » Inner diameter (mm): 24

|                   |    |
|-------------------|----|
| <b>Weight (g)</b> | 23 |
|-------------------|----|











**OEM BOTTOM BRACKET BEARING DUB | BBO-103 |**

*20 pcs. Bottom bracket bearings*

- » Chrome steel DUB 2940RV bearings
- » Bearing diameter (mm): 40 x 6.8
- » Inner diameter (mm): 29

|                          |      |
|--------------------------|------|
| <b>Bearings material</b> | CrMo |
| <b>Weight (g)</b>        | 21   |

| 1. DETERMINE BB TYPE                                                                                                                            |              | 2. SELECT CRANKSET                                                                                                                                                                                          |                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| TYPE                                                                                                                                            |              | BIKE                                                                                                                                                                                                        |                                |
|  <p><b>SHELL INNER Ø</b></p> <p><b>FRAME SHELL WIDTH</b></p> | PF30         |                                                                                                                          | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 | BB30         |                                                                                                                          | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 | BB86 - BB92  |                                                                                                                           | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 | BSA THREADED |                                                                                                                            | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 |              | <b>24MM Ø SPINDLE</b> <ul style="list-style-type: none"> <li>• SHIMANO HOLLOWTECH II</li> <li>• FSA MEGA EXO</li> </ul>  | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 |              | <b>22 - 24MM Ø SPINDLE</b> <ul style="list-style-type: none"> <li>• SRAM/ TRUVATIV GXP</li> </ul>                        | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 |              | <b>29MM Ø SPINDLE</b> <ul style="list-style-type: none"> <li>• SRAM DUB</li> </ul>                                      | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 |              | <b>30MM Ø SPINDLE</b> <ul style="list-style-type: none"> <li>• FSA BB30/PF30</li> <li>• SRAM BB30/PF30</li> </ul>      | <div>ROAD</div> <div>MTB</div> |
|                                                                                                                                                 |              | BB90 - 95 - TREK                                                                                                                                                                                            | <div>ROAD</div> <div>MTB</div> |

24 MM REPLACEABLE BEARINGS  
BBO-105

29 MM REPLACEABLE BEARINGS  
BBO-103

30MM REPLACEABLE BEARINGS  
BBO-102

30MM REPLACEABLE BEARINGS  
BBO-102

**NEW!****INNERTUBE TPU ROAD/GRAVEL | BTI-201/211**

**Our ultra-light  
TPU tube is a  
must-have for any  
weight weenie**

Lower  
rolling resistance,  
thanks to the high  
grade TPU-material



Ultra light TPU  
material, only 26 gram

Ultra compact, easier  
fit in saddlebag or  
back pocket



CORECAP VALVE CAPS | BTI-165L |

CoreCap Limited - Winner of the iF Design Award 2026

- » No fuzzing around, Say goodbye to bending or breaking fragile Presta cores
- » Easily replaces traditional Presta valve cores and without the need for adapters
- » Compatible with all fully threaded presta valves with removable valve cores, including those on innertubes
- » Optimized Airflow, delivers up to 300% more airflow
- » Can also easily be used for e-bikes and urban bikes

|            |           |
|------------|-----------|
| Color name | Oil Slick |
|------------|-----------|



CORECAP VALVE CAPS | BTI-165 |

CoreCap set - Winner of the iF Design Award 2026

- » No fuzzing around, Say goodbye to bending or breaking fragile Presta cores
- » Easily replaces traditional Presta valve cores and without the need for adapters
- » Compatible with all fully threaded presta valves with removable valve cores, including those on innertubes
- » Optimized Airflow, delivers up to 300% more airflow
- » Can also easily be used for e-bikes and urban bikes

|                   |                                                                                                   |
|-------------------|---------------------------------------------------------------------------------------------------|
| Tube type         | Gravel, MTB, Road, Urban                                                                          |
| Wheel size (inch) | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 24/26, 26/28, 28, 29                                          |
| Removable valve   | Yes                                                                                               |
| Color name        | Copper, East side / Purple, Gold, Red, Blue, Black, Blasted Silver, Pink, Racing Green, Gun Metal |



CORECAP AL VALVE | BTI-166 |

CoreCap Tubeless valve set

- » No fuzzing around, say goodbye to bending, breaking, or replacing, fragile Presta cores
- » Easily replaces traditional Presta valve cores and without the need for adapters
- » Optimized Airflow, delivers up to 300% more airflow
- » No unscrewing of valve cores anymore

|                 |                  |
|-----------------|------------------|
| Removable valve | Yes              |
| Sizes           | 40mm, 60mm, 80mm |
| Color name      | Black, Copper    |





## TUBELESS VALVES | BTI-159 |

*Valves with removable core*

- » Brass valve shaft
- » Rubber squared base for a better seal
- » Rubber square base for a better seal

|                        |                  |
|------------------------|------------------|
| <b>Tube type</b>       | MTB, Road        |
| <b>Removable valve</b> | Yes              |
| <b>Weight (g)</b>      | 16, 28           |
| <b>Sizes</b>           | 48mm, 60mm, 80mm |
| <b>Color name</b>      | Black            |



## AL VALVE | BTI-160 |

*Full aluminum tubeless valve set*

- » Universal fit through the round shaped rubber that will seal-off every tubeless rim
- » With integrated tool to take out the valve core
- » Tire insert compatible due to its triple airway passage
- » Hex key fixation for easy (dis)assembly

|                        |            |
|------------------------|------------|
| <b>Removable valve</b> | Yes        |
| <b>Weight (g)</b>      | 9, 11      |
| <b>Sizes</b>           | 40mm, 60mm |
| <b>Color name</b>      | Black      |



## VALVEEXTENDER | BTI-97 |

*Aluminium valve extender*

- » Ideal for high profile carbon rims

|                   |           |
|-------------------|-----------|
| <b>Tube type</b>  | MTB, Road |
| <b>Weight (g)</b> | 13        |
| <b>Sizes</b>      | 50mm      |
| <b>Color name</b> | Black     |



VALVEEXTEND | BTI-99 |

Aluminium valve extender

- » For inner tubes with removable valve core
- » Ideal for deep section carbon wheels
- » Tool included

|            |            |
|------------|------------|
| Tube type  | MTB, Road  |
| Weight (g) | 10, 14     |
| Sizes      | 50mm, 80mm |
| Color name | Black      |



VALVECORE SET 4PCS | BTI-161 |

Set with four Presta valve cores

- » Comes with multifunctional valve core tool

|                 |        |
|-----------------|--------|
| Removable valve | Yes    |
| Weight (g)      | 7      |
| Color name      | Silver |



VALVECORE SET 50PCS | BTI-162 |

Workshop bottle with 50 pieces Presta valve cores

|                 |        |
|-----------------|--------|
| Removable valve | Yes    |
| Weight (g)      | 127    |
| Color name      | Silver |



**STEADYVALVE PATCHES | BTI-175 |***Valve silencing patch*

- » Keeps your valve silent and in place
- » Invisible on your rim
- » Durable material

|                          |                                                          |
|--------------------------|----------------------------------------------------------|
| <b>Tube type</b>         | Gravel, MTB, Road                                        |
| <b>Wheel size (inch)</b> | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 24/26, 26/28, 28, 29 |
| <b>Color name</b>        | Transparent                                              |

**RIMTAPE 700C | BTI-91 |***High-pressure rim tapes made of strong nylon material*

- » For road bikes
- » Elastic characteristics for a tight secure fit around your rims
- » With valve hole
- » 2 pieces per set

|                          |               |
|--------------------------|---------------|
| <b>Tube type</b>         | Road          |
| <b>Wheel size (inch)</b> | 28            |
| <b>Rimtape type</b>      | Elastic Nylon |
| <b>Tape Width (mm)</b>   | 16            |
| <b>Weight (g)</b>        | 32            |
| <b>Sizes</b>             | 16mm          |
| <b>Color name</b>        | Black         |

**RIMTAPE 28 | BTI-92 |***High-pressure rim tapes made of strong nylon material*

- » For 29" mountain bikes and 28" trekking bikes
- » Elastic characteristics for a tight secure fit around your rims
- » With valve hole
- » 2 pieces per set

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| <b>Tube type</b>         | MTB, Road                                                           |
| <b>Wheel size (inch)</b> | 28, 29                                                              |
| <b>Rimtape type</b>      | Elastic Nylon                                                       |
| <b>Tape Width (mm)</b>   | 18, 22, 25                                                          |
| <b>Weight (g)</b>        | 35, 43, 48                                                          |
| <b>Sizes</b>             | 28" x 18mm (18 - 622), 28" x 22mm (22 - 622), 28" x 25mm (25 - 622) |
| <b>Color name</b>        | Black                                                               |



**RIMTAPE 26 | BTI-93 |**

*High-pressure rim tapes made of strong nylon material*

- » For 26" mountain bikes
- » Elastic characteristics for a tight secure fit around your rims
- » With valve hole
- » 2 pieces per set

|                          |               |
|--------------------------|---------------|
| <b>Tube type</b>         | MTB           |
| <b>Wheel size (inch)</b> | 26            |
| <b>Rimtape type</b>      | Elastic Nylon |
| <b>Tape Width (mm)</b>   | 18            |
| <b>Weight (g)</b>        | 31            |
| <b>Color name</b>        | Black         |

**RIMTAPE 27.5 | BTI-94 |**

*High-pressure rim tapes made of strong nylon material*

- » For 27,5" mountain bikes
- » Elastic characteristics for a tight secure fit around your rims
- » With valve hole
- » 2 pieces per set

|                          |               |
|--------------------------|---------------|
| <b>Tube type</b>         | MTB           |
| <b>Wheel size (inch)</b> | 27.5          |
| <b>Rimtape type</b>      | Elastic Nylon |
| <b>Tape Width (mm)</b>   | 22, 25        |
| <b>Weight (g)</b>        | 40, 45        |
| <b>Sizes</b>             | 22mm, 25mm    |
| <b>Color name</b>        | Red           |

**RIMTAPE 700C - 10M | BTI-95 |**

*High-pressure adhesive rim tape*

- » 10 meter roll

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Tube type</b>         | Kids/Others, MTB, Road, Urban              |
| <b>Wheel size (inch)</b> | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| <b>Rimtape type</b>      | Adhesive tape                              |
| <b>Tape Width (mm)</b>   | 16, 18, 22, 25                             |
| <b>Weight (g)</b>        | 120, 127, 134, 149                         |
| <b>Sizes</b>             | 16mm, 18mm, 22mm, 25mm                     |
| <b>Color name</b>        | Red                                        |



RIMTAPE 700C - 45M | BTI-96 |

High-pressure adhesive rim tape

» 45 meter roll



|                   |                                            |
|-------------------|--------------------------------------------|
| Tube type         | Kids/Others, MTB, Road, Urban              |
| Wheel size (inch) | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| Rimtape type      | Adhesive tape                              |
| Tape Width (mm)   | 16, 18, 22, 25                             |
| Weight (g)        | 419, 425, 432, 441                         |
| Sizes             | 16mm, 18mm, 22mm, 25mm                     |
| Color name        | Red                                        |



RIMTAPE ADHESIVE 2M | BTI-98 |

High-pressure adhesive rim tape

» 2 meter roll

» 2 rolls per set



|                   |                                            |
|-------------------|--------------------------------------------|
| Tube type         | Kids/Others, MTB, Road, Urban              |
| Wheel size (inch) | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| Rimtape type      | Adhesive tape                              |
| Tape Width (mm)   | 16, 18, 22, 25                             |
| Weight (g)        | 27, 32, 43, 49                             |
| Sizes             | 16mm, 18mm, 22mm, 25mm                     |
| Color name        | White                                      |



TUBELESS RIMTAPE 4.5M | BTI-150 |

Adhesive rim tape for tubeless conversion

» 4.5 meter roll

» Available in 18, 22, 25, 28, 31 and 34mm width



|                   |                                            |
|-------------------|--------------------------------------------|
| Tube type         | MTB, Road                                  |
| Wheel size (inch) | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| Rimtape type      | Adhesive tape                              |
| Tape Width (mm)   | 18, 22, 25, 28, 31, 34                     |
| Weight (g)        | 129, 81, 171, 172, 170, 105                |
| Sizes             | 18mm, 22mm, 25mm, 28mm, 31mm, 34mm         |
| Color name        | Yellow                                     |

**TUBELESS RIMTAPE 10M | BTI-151 |**

*Adhesive rim tape for tubeless conversion*

- » 10 meter roll
- » Available in 18, 22, 25, 28, 31 and 34mm width

|                          |                                            |
|--------------------------|--------------------------------------------|
| <b>Tube type</b>         | MTB, Road                                  |
| <b>Wheel size (inch)</b> | 12.5, 16, 18, 20, 22, 24, 26, 27.5, 28, 29 |
| <b>Rimtape type</b>      | Adhesive tape                              |
| <b>Tape Width (mm)</b>   | 18, 22, 25, 28, 31, 34                     |
| <b>Weight (g)</b>        | 109, 211, 208, 140, 180, 101               |
| <b>Sizes</b>             | 18mm, 22mm, 25mm, 28mm, 31mm, 34mm         |
| <b>Color name</b>        | Yellow                                     |

**TUBELESS RIMTAPE 50M | BTI-152 |**

*Get your rim, tape it in!*

- » Adhesive tape for tubeless conversion
- » 50 meter roll of rimtape
- » Available in 18, 22, 25, 28, 31 and 24mm width



|                        |                                    |
|------------------------|------------------------------------|
| <b>Rimtape type</b>    | Adhesive tape                      |
| <b>Tape Width (mm)</b> | 18, 22, 25, 28, 31, 34             |
| <b>Sizes</b>           | 18mm, 22mm, 25mm, 28mm, 31mm, 34mm |
| <b>Color name</b>      | Yellow                             |

**BIOSEAL 80ML | BTI-180 |**

*Anti-puncture sealant for tubeless and innertube systems, seals up holes to 6 mm*

- » Contains natural latex and cellulose fibers from sugar beet
- » Last 2-7 months
- » 100% biodegradable within 28 days



|                   |       |
|-------------------|-------|
| <b>Color name</b> | White |
|-------------------|-------|

**BIOSEAL 500ML | BTI-181 |**

*Anti-puncture sealant for tubeless and innertube systems, seals up holes to 6 mm*

- » Contains natural latex and cellulose fibers from sugar beet
- » Last 2-7 months
- » 100% biodegradable within 28 days

|                   |       |
|-------------------|-------|
| <b>Color name</b> | White |
|-------------------|-------|

**BIOSEAL 5L | BTI-181W |**

*Anti-puncture sealant for tubeless and inner tube systems*

- » Contains natural latex and cellulose fibers from sugar beet
- » Long-lasting formula keeps you sealed for 2-7 months
- » 100% biodegradable within 28 days

|                   |       |
|-------------------|-------|
| <b>Color name</b> | White |
|-------------------|-------|

**SEALANT INJECTOR | BTI-190 |**

*Complete tubeless sealant injector set*

- » Easy and clean way to inject sealant into your wheel set-up
- » Plastic needle is ideal to remove old (still liquid) sealant without removing the tire
- » Kit includes: 60ml syringe, two hoses, valve core removal tool, hose-stoppers, plastic needle

|                   |             |
|-------------------|-------------|
| <b>Color name</b> | Transparent |
|-------------------|-------------|

| WHEEL SIZE | INCH (")           | ETRTO           | MM           | BBB CODE  | FV 33 | FV 48 | FV 60    | FV 80    | AV 33 | AV 40 | DV 30 | DV 40 | DV 60 BV |
|------------|--------------------|-----------------|--------------|-----------|-------|-------|----------|----------|-------|-------|-------|-------|----------|
| 12½"       | 12½ X 1,75/2,25    | 47/62 - 203     |              | BTI-01    | ⊗     |       |          |          | ⊗     |       |       |       | ⊗        |
| 16"        | 16 X 1,75/2,35     | 47/61 - 305     |              | BTI-11    | ⊗     |       |          |          | ⊗     |       |       |       |          |
| 18"        | 18 X 1,50/2,25     | 40/56 - 355     |              | BTI-18    | ⊗     |       |          |          |       |       |       |       |          |
|            | 20 X 1             | 23 - 451        |              | BTI-20    | ⊗     |       |          |          |       |       |       |       |          |
| 20"        | 20 X 1,75/2,35     | 47/61 - 406     |              | BTI-21    | ⊗     |       |          |          | ⊗     |       |       | ⊗     |          |
|            | 20 X 1 1/8 - 1 3/8 | 28/44 - 438/451 |              | BTI-22    | ⊗     |       |          |          |       |       |       |       |          |
|            | 24 X 1             | 23 - 540        |              | BTI-39    |       | ⊗     |          |          |       |       |       |       |          |
| 24"        | 24 X 1 3/8         | 32/40 - 540/541 |              | BTI-42    |       |       |          |          | ⊗     |       |       |       |          |
|            | 24 X 1,5/2,00      | 38/51 - 507     |              | BTI-43    |       |       |          |          |       | ⊗     |       |       |          |
|            | 24 X 2,00/2,40     | 51/61 - 507     |              | BTI-41    | ⊗     |       |          |          |       | ⊗     |       |       |          |
|            | 26 X 1             | 18/23 - 571     | 650 X 18/23C | BTI-60    |       | ⊗     |          |          |       |       |       |       |          |
|            | 26 X 1,5/1,75      | 40/47 - 559/584 |              | BTI-62    |       | ⊗     |          |          | ⊗     |       |       |       |          |
| 26"        | 26 X 1,75/2,35     | 47/61 - 559     |              | BTI-63    | ⊗     | ⊗     | ⊗        |          | ⊗     |       |       |       |          |
|            | 26 X 1,00/1,50     | 25/40 - 559     |              | BTI-65    | ⊗     |       |          |          |       |       |       |       |          |
|            | 26 X 2,75/3,00     | 70/76 - 559     |              | BTI-66    |       |       |          |          | ⊗     |       |       |       |          |
|            | 27.5 X 2,00/2,40   | 51/61 - 584     |              | BTI-68    | ⊗     | ⊗     |          |          |       | ⊗     |       |       |          |
| 27.5"      | 27.5 X 2,40/2,80   | 61/71 - 584     |              | BTI-68    |       | ⊗     |          |          |       |       |       |       |          |
|            | 27.5 X 2,80/3,00   | 71/76 - 584     |              | BTI-68    |       | ⊗     |          |          | ⊗     |       |       |       |          |
|            | 28 X 0,75/1,125    | 20/28 - 622/630 | 700 X 20/28C | BTI-71    | ⊗     | ⊗     | ⊗        |          |       |       |       |       |          |
|            | 28 X 0,75/1,125    | 20/28 - 622/630 | 700 X 20/28C | BTI-71D   |       | ⊗     |          |          |       |       |       |       |          |
|            | 28 X 0,75/1,125    | 20/28 - 622/630 | 700 X 20/28C | BTI-72SRC |       | ⊗     | ⊗        | ⊗        |       |       |       |       |          |
|            | 28 X 1/1,25        | 25/32 - 622     | 700 X 25/32C | BTI-201   |       |       | ⊗ (65MM) | ⊗ (85MM) |       |       |       |       |          |
| 28"        | 28 X 1,20/1,60     | 30/43 - 622/630 | 700 X 30/43C | BTI-82    | ⊗     | ⊗     |          |          | ⊗     |       |       | ⊗     |          |
|            |                    | 35/45 - 622/630 | 700 X 35/45C | BTI-82SRC |       | ⊗     | ⊗        |          |       | ⊗     |       | ⊗     |          |
|            | 28 X 1,25/1,70     | 32/45 - 622     | 700 X 32/45C | BTI-210   |       |       | ⊗ (65MM) | ⊗ (85MM) |       |       |       |       |          |
|            | 28 X 1 1/2         | 40-635          |              | BTI-83    |       |       |          |          |       |       |       | ⊗     |          |
|            | 28 X 1,75/1,95     | 47/50 - 622     |              | BTI-84    |       |       |          |          |       |       |       | ⊗     |          |
| 29"        | 29 X 1,9/2,3       | 50/56 - 622     |              | BTI-89    |       | ⊗     |          |          |       | ⊗     |       |       |          |
|            |                    |                 |              | BTI-89S   |       | ⊗     |          |          |       |       |       |       |          |
|            | 29X2,40/2,80       | 61/71 - 622     |              | BTI-89    |       | ⊗     |          |          |       |       |       |       |          |



PRESTA

Available in: 33 mm, 48 mm, 60 mm and 80mm lengths. R - Removable valve for use with extenders.



SCHRAEDER

Available in: 33 mm, 48 mm, 60 mm and 80 mm lengths.



DUNLOP

Available in: 31 mm and 40 mm lengths. BV - Bent Valve.



SuperLite innertubes with lightweight molded butyl rubber compound (BTI-72, BTI-73 and BTI-89S). Also available: with removable valve for valve extenders (FV 33R and FV 48R).

**BIODRIVETRRAIN CLEANER 500ML | BTL-250S |**

*Bio Drivetrain Cleaner is a plant-based degreaser.*

- » Can be used undiluted without any problems
- » 100% plant-based
- » 100% recycled PET packaging
- » 100% free from microplastics

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |

**BIODRIVETRRAIN CLEANER 1L | BTL-250 |**

*Bio Drivetrain Cleaner is a plant-based degreaser.*

- » Can be used undiluted without any problems
- » 100% plant-based
- » 100% recycled PET packaging
- » 100% free from microplastics

|                      |               |
|----------------------|---------------|
| <b>Bottle volume</b> | 1 L / 33.8 oz |
| <b>How to use?</b>   | Ready to use  |

**BIODRIVETRRAIN CLEANER 5L | BTL-250W |**

*Sustainable plant-based degreaser*

- » Can be used undiluted without any problems
- » Made with 100% plant-based ingredients
- » Packaging made from 100% recycled PET material
- » 100% free from microplastics

|                      |              |
|----------------------|--------------|
| <b>Bottle volume</b> | 5 L / 169 oz |
| <b>How to use?</b>   | Ready to use |

**BIOSUPERWASH 1L | BTL-251 |**

*Bio Superwash effortlessly cleans grease and dirt from your bike without the use of chemicals.*

- » Contains natural wax to protects the paint
- » Highly concentrated for smaller packaging
- » PH-neutral
- » 100% biodegradable within 28 days
- » 100% free from microplastics

|                      |                |
|----------------------|----------------|
| <b>Bottle volume</b> | 1 L / 33.8 oz  |
| <b>How to use?</b>   | Mix with water |

**BIOSUPERWASH 5L | BTL-251W |**

*Sustainable wash for bicycle cleaning*

- » Contains natural wax to protect the paint
- » Highly concentrated for smaller packaging solutions
- » PH-neutral
- » 100% biodegradable within 28 days
- » 100% free from microplastics

|                      |                |
|----------------------|----------------|
| <b>Bottle volume</b> | 5 L / 169 oz   |
| <b>How to use?</b>   | Mix with water |

**BIOREADYWASH TRIGGER | BTL-253 |**

*Bio-based ready to use bike wash*

- » Ready to use bike wash mixture
- » Easy to use spray nozzle
- » Effective against dust and dirt
- » 100% biodegradable within 28 days
- » Made with 100% plant-based material

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |

**BIOWAX 100ML | BCH-201 |**

*100% plant based chain lube wax*

- » Lubricant for all weather types that performs exceptionally well in cold and wet conditions
- » Reduces friction and offers long lasting protection against corrosion
- » Easy to use liquid wax that penetrates deeply between the links and provides a water and dirt-repellent protective layer
- » Made with 100% plant-based ingredients

|                             |                 |
|-----------------------------|-----------------|
| <b>Bottle volume</b>        | 100 ml / 3.4 oz |
| <b>Type of lubricant</b>    | Wax             |
| <b>Suitable for weather</b> | All weather     |
| <b>How to use?</b>          | Ready to use    |

**BIOEBIKELUBE 100ML | BCH-202 |**

*E-bike specific bio chain lube optimized to deliver long-term performance*

- » Reduces friction and offers long lasting protection against corrosion
- » Thick lube offers better pressure resistance for high torque E-bike chains
- » All weather performance for year round use
- » Made with 100% plant-based ingredients
- » 100% biodegradable

|                             |                 |
|-----------------------------|-----------------|
| <b>Bottle volume</b>        | 100 ml / 3.4 oz |
| <b>Type of lubricant</b>    | Oil             |
| <b>Suitable for weather</b> | All weather     |
| <b>How to use?</b>          | Ready to use    |



### BIOEBIKELUBE 500ML | BCH-202W |

*E-bike specific bio chain lube optimized to deliver long-term performance*

- » Reduces friction and offers long lasting protection against corrosion
- » Thick lube offers better pressure resistance for high torque E-bike chains
- » All weather performance for year round use
- » Made with 100% plant-based ingredients
- » 100% biodegradable

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Type of lubricant</b>    | Oil            |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



### BIOLUBE 100ML | BCH-203 |

*Bio-based bike chain lubricant that offers performance in all weather conditions*

- » Reduces friction and protects against corrosion in all temperatures (-15 °C / 50 °C)
- » Natural oils provide smoother shifting and reduce drag
- » Penetrates deep in the chain links and makes your chain more quiet
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                             |                 |
|-----------------------------|-----------------|
| <b>Bottle volume</b>        | 100 ml / 3.4 oz |
| <b>Type of lubricant</b>    | Oil             |
| <b>Suitable for weather</b> | All weather     |
| <b>How to use?</b>          | Ready to use    |



### BIOWAX PRO 100ML | BCH-204 |

*High-performance bike chain lubricant made from plant-based materials*

- » The higher adhesive strength reduces friction even under high watt performances
- » Mixture of natural oils and wax for long lasting all weather performance
- » Performance boost with friction-reducing additives
- » Penetrates deep in the chain links and makes your chain more quiet
- » Made with over 80% plant-based materials

|                             |                 |
|-----------------------------|-----------------|
| <b>Bottle volume</b>        | 100 ml / 3.4 oz |
| <b>Type of lubricant</b>    | Oil             |
| <b>Suitable for weather</b> | All weather     |
| <b>How to use?</b>          | Ready to use    |



### BIOBEARINGGREASE 50ML | BTL-261 |

*Bio-based bearing grease for a smooth and protected bike*

- » Low friction grease keeps high loaded bearings and axles run smooth
- » Resin free mix that easily attaches
- » Effective against water and dirt, providing high corrosion protection
- » All-weather performance from -20°C to 70°C for reliable use
- » Made with 100% plant-based ingredients

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 50 ml / 1.7 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



### BIO BEARING GREASE 500ML | BTL-261W |

*Bio-based bearing grease for a smooth and protected bike. Including workshop brush.*

- » Low friction grease keeps high loaded bearings and axles run smooth
- » Resin free mix that easily attaches
- » Effective against water and dirt, providing high corrosion protection
- » All-weather performance from -20°C to 70°C for reliable use
- » Made with 100% plant-based ingredients

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



### BIOPASTE 50ML | BTL-262 |

*Universal assembly paste to mount and protect bike parts*

- » Prevents squeaking and protects screw connections for smooth rides
- » Protects against corrosion and moisture for long-lasting performance
- » Prevents bike parts from different metals to cold weld together
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 50 ml / 1.7 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



### BIOPASTE 500ML | BTL-262W |

*Universal assembly paste to mount and protect bike parts. Including a workshop brush.*

- » Prevents squeaking and protects screw connections for smooth rides
- » Protects against corrosion and moisture for long-lasting performance
- » Prevents bike parts from different metals to cold weld together
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



### BIOCARBONPASTE 50ML | BTL-263 |

*Specific assembly paste for mounting carbon bike parts*

- » Fine structure paste for necessary grip on your components
- » Prevents damages and squeaking noises for smooth rides
- » Ideal for mounting carbon seatposts, stems and handlebars
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 50 ml / 1.7 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |

**BIOCARBONPASTE 500ML | BTL-263W |**

*Specific assembly paste for mounting carbon bike parts. Including a brush.*

- » Fine structure paste for necessary grip on your components
- » Prevents damages and squeaking noises for smooth rides
- » Ideal for mounting carbon seatposts, stems and handlebars
- » Made with 100% plant-based ingredients
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Type of lubricant</b>    | Paste          |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |

**NOFOG | BSG-100 |**

*100% plant based lens cleaner with anti-fog properties*

- » Comes as a spray can with pump
- » 100% biodegradable within 28 days
- » Produced in a 100% CO2 neutral facility
- » 100% recycled PET packaging
- » 100% free of microplastics

|                      |                 |
|----------------------|-----------------|
| <b>Bottle volume</b> | 100 ml / 3.4 oz |
| <b>How to use?</b>   | Ready to use    |

**BIOGLOSS 100ML | BTL-265 |**

*Bio-based frame wax for frame gloss and protection*

- » Ready to use frame protection
- » Easy to use spray nozzle
- » Effective against dust and dirt
- » Made with 100% plant-based material
- » Do not use on matt frames

|                             |                 |
|-----------------------------|-----------------|
| <b>Bottle volume</b>        | 100 ml / 3.4 oz |
| <b>Type of lubricant</b>    | Wax             |
| <b>Suitable for weather</b> | All weather     |
| <b>How to use?</b>          | Ready to use    |

**BIOSEAL 80ML | BTI-180 |**

*Anti-puncture sealant for tubeless and innertube systems, seals up holes to 6 mm*

- » Contains natural latex and cellulose fibers from sugar beet
- » Last 2-7 months
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 80 ml / 2.7 oz |
| <b>Type of lubricant</b>    | Wax            |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



**BIOSEAL 500ML | BTI-181 |**

*Anti-puncture sealant for tubeless and innertube systems, seals up holes to 6 mm*

- » Contains natural latex and cellulose fibers from sugar beet
- » Last 2-7 months
- » 100% biodegradable within 28 days

|                             |                |
|-----------------------------|----------------|
| <b>Bottle volume</b>        | 500 ml / 18 oz |
| <b>Type of lubricant</b>    | Wax            |
| <b>Suitable for weather</b> | All weather    |
| <b>How to use?</b>          | Ready to use   |



**BIOSEAL 5L | BTI-181W |**


*Anti-puncture sealant for tubeless and inner tube systems*

- » Contains natural latex and cellulose fibers from sugar beet
- » Long-lasting formula keeps you sealed for 2-7 months
- » 100% biodegradable within 28 days

|                      |              |
|----------------------|--------------|
| <b>Bottle volume</b> | 5 L / 169 oz |
| <b>How to use?</b>   | Ready to use |







# MARKETING

LOGO VARIATIONS  
BYNDER (NEW)  
INDEX

Our logo is a slashed version of 3 B's at full velocity.  
It's simple and clean, just as functional as the  
products we make. Use it in an elegant way to  
reflect the new direction of BBB Cycling.

Tag  
BBB Cycling

**BBB**  
cycling

Icon  
-



URL  
Landscape

**BBB.cycling**  
**.com**

URL  
Square

**BBB**  
**cycling**  
**.com**

Are you searching for marketing materials like; logos, pictures, videos and the guidelines around how to use these assets? There is no need to look any further. From now on all these things are available for you on our Bynder assets server. This online tool can easily be reached with only the use of a login and password.

On Bynder you will find assets like:

Advertisements

Catalog pdf files

Product images

Lifestyle images

Videos

Logos

Posters

Sponsor images

All kinds of necessary content can be transferred through Bynder. So, if you have any questions for additional content, we most likely will add this to Bynder for you.

## HOW TO ACCESS BYNDER

**STEP 1** Type the following address in your browser; <https://ponbike.bynder.com/login>

**STEP 2** Click on 'Register a new account' and choose for 'BBB Dealer request'

**STEP 3** We will receive your credentials request and will be sure to activate you as a user.

|                                   |    |                                               |    |                                                 |     |
|-----------------------------------|----|-----------------------------------------------|----|-------------------------------------------------|-----|
| Infinity Pro FLUX   BSG-85        | 15 | Rainshield   BBW-449                          | 51 | Sport Comfort 2.0   BSD-135 / BSD-136 / BSD-137 | 83  |
| Infinity Pro PH   BSG-85PH        | 15 | MultiShield   BBW-475                         | 51 | MultiDensity Relaxed   BSD-12 / BSD-13          | 83  |
| Infinity FLUX   BSG-84            | 16 | MultiShield trousers   BBW-474                | 51 | LadySport   BSD-67                              | 83  |
| Infinity PH   BSG-84PH            | 16 | BaseShield   BBW-148                          | 52 | SportPlus Active Leather   BSD-113 / BSD-114    | 84  |
| Valor Flux   BSG-81               | 17 | ColdGuard 27   BBW-457                        | 52 | ComfortPlus Relaxed Leather   BSD-103           | 84  |
| Valor PH   BSG-81PH               | 17 | Transition LS   BBW-501                       | 52 | ComfortPlus Upright Leather   BSD-107           | 84  |
| Arc FLUX   BSG-82                 | 18 | Windvest TriGuard   BBW-282                   | 53 | SoftShape Active   BSD-121 / BSD-122            | 85  |
| Arc PH   BSG-82PH                 | 18 | WindBlock 2.0 bib-tights   BBW-445            | 53 | SoftShape Relaxed   BSD-124                     | 85  |
| Chester Flux   BSG-74             | 19 | ColdShield 2.0 Bib-Tights   BBW-444           | 53 | SoftShape Relaxed anatomic   BSD-125            | 85  |
| Ridge   BSG-83                    | 19 | ColdShield Tights   BBW-355R                  | 54 | SoftShape Upright   BSD-127                     | 86  |
| Ridge PH   BSG-83PH               | 20 | Thermal Essence bib-tights   BBW-441          | 54 | SoftShape Upright anatomic   BSD-128            | 86  |
| Chester   BSG-69                  | 20 | Thermal Tights   BBW-440                      | 54 | SportPlus Active   BSD-111 / BSD-112            | 86  |
| Chester PH   BSG-69PH             | 21 | FIRHat   BBW-494                              | 55 | ComfortPlus Relaxed   BSD-102                   | 87  |
| Chester Narrow   BSG-73           | 21 | Underhelmet Cap WindBreak   BBW-298           | 55 | ComfortPlus Upright   BSD-106                   | 87  |
| Chester Narrow PH   BSG-73PH      | 22 | Thermal Cap   BBW-299                         | 55 | Diamond   BSD-162                               | 87  |
| Impulse   BSG-62                  | 22 | FullHead   BBW-100                            | 56 | SoftComfort Active GelFoam   BSD-95             | 88  |
| Impulse PH   BSG-62PH             | 23 | Thermal HeadBand   BBW-300                    | 56 | Meander Upright   BSD-94                        | 88  |
| Comet   BSG-75                    | 23 | Merino Tube   BBW-496                         | 56 | BaseDensity Active   BSD-86                     | 88  |
| Comet PH   BSG-75PH               | 24 | FIRNeck   BBW-492                             | 57 | BaseShape Relaxed   BSD-56                      | 89  |
| Town R   BSG-56RE                 | 24 | ComfortLegs   BBW-91                          | 57 | BaseShape Upright   BSD-26                      | 89  |
| Kids   BSG-54                     | 25 | ComfortArms   BBW-92                          | 57 | DrySeat   BSD-181                               | 89  |
| Impulse reader PH   BSG-64PH      | 25 | InnerShorts Pro   BUW-61                      | 58 | ComfortPost   BSP-41                            | 91  |
| Comet Reader   BSG-76             | 26 | InnerShorts   BUW-65                          | 58 | ActionPost   BSP-42                             | 91  |
| Comet Reader PH   BSG-76PH        | 26 | ComfortShort   BUW-67                         | 58 | CandlePost   BSP-44                             | 91  |
| Impulse Optic   BSG-71            | 27 | ComfortBrief   BUW-66                         | 59 | HandlePost   BSP-52                             | 92  |
| Impulse Optic PH   BSG-71PH       | 27 | MerinoLayer   BUW-21                          | 59 | LiftPost   BSP-51                               | 92  |
| Optic Set   BSG-72                | 28 | FIRLayer   BUW-20                             | 59 | DropControl Uni   BSP-56                        | 92  |
| NoFog   BSG-100                   | 28 | CoolLayer   BUW-07                            | 60 | DropControl Left   BSP-57                       | 93  |
| Aethon Mips® Air Node   BHE-16    | 31 | CoreLayer   BUW-25                            | 60 | ElitePost Z   BSP-16                            | 93  |
| Karma Mips® Air Node   BHE-14     | 31 | Merino WinterFeet   BSO-18                    | 61 | ElitePost   BSP-14                              | 93  |
| Karma FIDLOCK   BHE-15            | 32 | EcoFeet 18cm   BSO-21                         | 61 | SkyScraper   BSP-20                             | 94  |
| Maestro MIPS   BHE-10             | 32 | EcoFeet 3 pack, 18cm   BSO-22                 | 61 | TopPost   BSP-15                                | 94  |
| Maestro   BHE-09                  | 33 | CombiFeet 3 pack, 13cm   BSO-20               | 62 | CarrierClamp   BSP-99                           | 94  |
| Hawk MIPS   BHE-153               | 33 | ComfortSupport   BBW-75                       | 65 | CollarClamp   BSP-88                            | 95  |
| Hawk   BHE-151                    | 34 | HighSupport   BBW-73                          | 65 | LightStrangler   BSP-85                         | 95  |
| Dune MIPS 3.0 FIDLOCK   BHE-23    | 34 | Pave 2.0   BBW-74                             | 66 | TheStrangler   BSP-80                           | 95  |
| Kite 3.0 FIDLOCK   BHE-30         | 35 | CoolSupport   BBW-72                          | 66 | PostFix   BSP-97                                | 96  |
| Condor 2.0 MIPS   BHE-174         | 35 | Espoirs   BBW-71                              | 67 | LightLever   BSP-86                             | 96  |
| Condor 2.0   BHE-173              | 36 | TerraShield   BBW-76                          | 67 | SmoothLever   BSP-87                            | 96  |
| Nanga   BHE-54                    | 36 | Explorer connection   BBW-63                  | 68 | ShiftFix   BSP-90                               | 97  |
| Shore   BHE-59                    | 37 | ThermoDex   BWG-47                            | 69 | FrameFix   BSP-94                               | 97  |
| Nio LED MIPS FaceShield   BHE-189 | 39 | StormDex   BWG-48                             | 69 | NumberFix   BSP-95                              | 97  |
| Nio LED MIPS   BHE-188            | 39 | AquaDex neoprene   BWG-52                     | 70 | AeroFix   BSP-96                                | 98  |
| SideStreet MIPS   BHE-166         | 40 | Transit polartec   BWG-51                     | 70 | Enigma   BPD-38                                 | 101 |
| District Led Faceshield   BHE-163 | 40 | PufferShield Waterproof   BWG-41              | 71 | Decoder   BPD-37                                | 101 |
| District Led   BHE-162            | 41 | ColdShield   BWG-37                           | 71 | Decoder small   BPD-39                          | 101 |
| Grid LED   BHE-186                | 41 | AirShield Windproof   BWG-45                  | 72 | CoolRide   BPD-36                               | 102 |
| BackStreet LED ERT   BHE-185      | 42 | SubzeroShell   BWG-46                         | 72 | MountainHigh   BPD-32                           | 102 |
| Dice   BHE-180                    | 42 | SubZero 2 x 2   BWG-50                        | 73 | TrailRide   BPD-35                              | 102 |
| Wave   BHE-150                    | 43 | SubZero full fingers   BWG-49                 | 73 | TrailMount   BPD-71                             | 103 |
| Hero   BHE-172                    | 43 | RainShield   BWS-41                           | 75 | ForceMount   BPD-14                             | 103 |
| Essence   BBW-408                 | 46 | MultiFlex   BWS-27                            | 75 | TouchMount   BPD-74                             | 103 |
| DonnaEssence   BBW-409            | 46 | MultiFlex HV   BWS-27HV                       | 75 | DualChoice Trail   BPD-62                       | 104 |
| ComfortFit R   BBW-415            | 46 | ArcticDuty   BWS-28                           | 76 | DualChoice   BPD-61                             | 104 |
| DonnaFit R   BBW-413              | 47 | UltraWear zipperless ext   BWS-26             | 76 | DualChoice Classic 2.0   BPD-23B                | 104 |
| StratosFit   BBW-435              | 47 | HardWear   BWS-04                             | 76 | Click & Go   BPD-01                             | 105 |
| Omnium easy break   BBW-430       | 47 | AquaFlex   BWS-42                             | 77 | Rebel   BPD-51                                  | 105 |
| Omnium women 2.0   BBW-429        | 48 | WaterFlex   BWS-43                            | 77 | RoadClip   BPD-02A                              | 105 |
| Powerfit 2.0   BBW-428            | 48 | WaterFlex 3.0   BWS-23                        | 77 | RoadClip   BPD-02F                              | 106 |
| Powerfit 2.0   BBW-427            | 48 | Freeze   BWS-21                               | 78 | MultiClip   BPD-04A                             | 106 |
| Essence LS   BBW-420              | 49 | HeavyDuty OSS   BWS-02B                       | 78 | MultiClip   BPD-04F                             | 106 |
| Donna Essence LS   BBW-421        | 49 | TerraFlex   BWS-31                            | 78 | PowerClip   BPD-06A                             | 107 |
| Windshield   BBW-485              | 49 | RaceFlex zipperless   BWS-29                  | 79 | PowerClip   BPD-06F                             | 107 |
| Stormshield 3.0   BBW-482         | 50 | Echelon Pro   BSD-172 / BSD-173               | 82 | ErgoBase   BPD-47                               | 107 |
| Rainshield Parka   BBW-471        | 50 | Echelon   BSD-141 / BSD-142 / BSD-143         | 82 | ErgoRide   BPD-46                               | 108 |
| Rainshield explorer   BBW-450     | 50 | Echelon Comfort   BSD-156 / BSD-157 / BSD-158 | 82 | ErgoBase HP   BPD-49                            | 108 |

|                                   |     |                                                   |     |                                        |     |
|-----------------------------------|-----|---------------------------------------------------|-----|----------------------------------------|-----|
| EasyBase 2.0   BPD-48             | 108 | SteadyComfort   BHG-110                           | 134 | Spark 2.0 rear   BLS-152               | 159 |
| ComfortLight   BPD-43             | 109 | SteadyComfort   BHG-110OEM                        | 134 | Spark 2.0 front   BLS-151              | 159 |
| SteadyRest 2.0   BPD-45B          | 109 | SteadyActive   BHG-115                            | 134 | Spark 2.0 Combo   BLS-153              | 160 |
| SteadyRider   BPD-44              | 109 | SteadyActive   BHG-115OEM                         | 135 | Slide rear   BLS-236                   | 160 |
| ClassicRide 2.0   BPD-17B         | 110 | KingComfort   BHG-121                             | 135 | Slide front   BLS-235                  | 160 |
| Mount & Go 2.0   BPD-15B          | 110 | KingComfort Set   BHG-125                         | 135 | Slide Combo   BLS-237                  | 161 |
| BigFeet 2.0   BPD-16B             | 110 | Mamba   BHG-100                                   | 136 | Salute   BLS-145                       | 161 |
| FeetRest   BPD-90                 | 111 | Mamba   BHG-101                                   | 136 | Wireless Remote Control   BLS-178i     | 161 |
| Bike & Tight   BPD-30             | 111 | Mamba   BHG-102                                   | 136 | Wired Remote Control   BLS-179         | 162 |
| NoseTight   BPD-95                | 111 | Mamba Deluxe   BHG-106                            | 137 | CenterMount 2.0   BLS-195              | 162 |
| ActionStem   BHS-52               | 112 | Mamba Deluxe   BHG-107                            | 137 | HelmetMount 2.0   BLS-196              | 162 |
| Rider   BHS-09                    | 112 | ErgoFix   BHG-71                                  | 137 | StrapFix   BLS-194                     | 163 |
| RoadForce 31.8mm   BHS-08         | 112 | LeatherFix   BHG-16                               | 138 | GoMount   BLS-99                       | 163 |
| RoadForce 35mm   BHS-08OS         | 113 | LeatherFix   BHG-16N                              | 138 | CrownFix   BLS-193                     | 163 |
| Jumper 31.8mm   BHS-38Di2         | 113 | Boa   BHG-103                                     | 138 | E-Strike cable   BLS-245E              | 164 |
| Jumper 35mm   BHS-39              | 113 | Boa   BHG-104                                     | 139 | E-Strike cable   BLS-246E              | 164 |
| HighRise 25.4mm   BHS-24          | 114 | Boa   BHG-105                                     | 139 | USB-C cable   BLS-247                  | 164 |
| HighRise 31.8mm   BHS-25          | 114 | Python   BHG-95                                   | 139 | Spark 2.0 displaybox   BLS-151D        | 165 |
| DownForce   BHS-36                | 114 | Viper   BHG-97                                    | 140 | Spark 2.0 displaybox   BLS-152D        | 165 |
| TopRise   BHS-26                  | 115 | Cruiser   BHG-91                                  | 140 | RoadGuard   BFD-54                     | 173 |
| HighSix 25.4mm   BHS-28           | 115 | Cruiser   BHG-92                                  | 140 | DiscGuard Plus Set   BFD-66S           | 173 |
| HighSix 31.8mm   BHS-29           | 115 | Cruiser   BHG-93                                  | 141 | DiscGuard Plus Rear   BFD-66R          | 173 |
| HighSix 35mm   BHS-30             | 116 | FoamGrip   BHG-28                                 | 141 | DiscGuard Plus Front   BFD-66F         | 174 |
| HighFix 25.4mm   BHS-34           | 116 | FoamGrip   BHG-28G                                | 141 | DiscGuard set   BFD-65S                | 174 |
| HighFix 31.8mm   BHS-35           | 116 | FoamWave   BHG-32                                 | 142 | DiscGuard rear   BFD-65R               | 174 |
| StemFix   BHS-91                  | 117 | MultiFoam   BHG-27                                | 142 | DiscGuard front   BFD-65F              | 175 |
| GoFix   BHS-92                    | 117 | Exclusive   BHG-29                                | 142 | FullGuard rear   BFD-61R               | 175 |
| AeroPro JB   BHB-70JB             | 119 | Classic   BBE-07                                  | 143 | FullGuard front   BFD-61F              | 175 |
| AeroPro EB   BHB-70EB             | 119 | TrailMonkey   BBE-01                              | 143 | GrandProtect rear   BFD-16R            | 176 |
| AeroPro riser set   BHB-70RS      | 119 | LightCurved   BBE-18                              | 143 | GrandProtect front   BFD-16F           | 176 |
| AeroPro extender set   BHB-70ES   | 120 | Plug & Play   BBE-50                              | 143 | GrandProtect XL rear   BFD-16XLR       | 176 |
| AeroMax   BHB-60                  | 120 | CityKick   BKS-05                                 | 144 | GrandProtect XL front   BFD-16XLF      | 177 |
| AeroBase   BHB-52                 | 120 | ConnectKick 18   BKS-06                           | 144 | MTBProtector rear   BFD-13R            | 177 |
| AeroLight   BHB-58                | 121 | ConnectKick 40   BKS-07                           | 144 | MTBProtector front   BFD-13F           | 177 |
| AeroComfort   BHB-59              | 121 | UniKick clampmount   BKS-08                       | 144 | HighProtector rear   BFD-15R           | 178 |
| Horizon   BHB-09                  | 121 | SideKick   BKS-01                                 | 145 | HighProtector front   BFD-15F          | 178 |
| Ascension   BHB-11                | 122 | MultiKick   BKS-04                                | 145 | GravelCatcher   BFD-51                 | 178 |
| Ascension   BHB-11Di2             | 122 | QuickKick Kids   BKS-02K                          | 145 | RoadProtector rear   BFD-21R           | 179 |
| SkyBar   BHB-07                   | 122 | LightBlock   BQR-11                               | 146 | RoadProtector front   BFD-21F          | 179 |
| SkyBar 35mm   BHB-12              | 123 | WheelBlock   BQR-01                               | 146 | FatFender rear   BFD-35R               | 179 |
| Racer   BHB-35                    | 123 | WheelFixed   BQR-03                               | 146 | FatFender front   BFD-35F              | 180 |
| Graveller   BHB-36                | 123 | StrikeDuo 2100i Indicator   BLS-273i              | 151 | FlexFender   BFD-31                    | 180 |
| MultiBar   BHB-30                 | 124 | StrikeDuo 1400i Indicator   BLS-271i              | 151 | Mudcatcher XL   BFD-18                 | 180 |
| MultiBar OS   BHB-30OS            | 124 | NanoStrike 1000i Indicator   BLS-263i             | 151 | MudCatcher II   BFD-03                 | 181 |
| BarMount   BHB-91                 | 124 | NanoStrike 1000i Indicator Upside down   BLS-267i | 152 | CityGuard set   BFD-40                 | 181 |
| UniFix   BHB-90                   | 125 | NanoStrike 700i Indicator   BLS-262i              | 152 | RainProtectors set   BFD-25            | 181 |
| NanoRibbon Gel   BHT-19           | 126 | NanoStrike 500   BLS-261                          | 152 | RainWarriors   BFD-01                  | 182 |
| RaceRibbon ECO   BHT-01ECO        | 126 | Slice 600i   BLS-285i                             | 153 | RingFix Aero   BFD-91A                 | 182 |
| RaceRibbon   BHT-01               | 126 | Slice 300   BLS-281                               | 153 | MiniFix Aero   BFD-92                  | 182 |
| RaceRibbon   BHT-01OEM            | 127 | Stud 50   BLS-230                                 | 153 | RoadProtector front Bracket   BFD-21FB | 183 |
| RaceRibbon Gel   BHT-05           | 127 | Stud 33   BLS-143                                 | 154 | LightBridge   BFD-50B                  | 183 |
| RaceRibbon Carbon   BHT-04        | 127 | E-Strike Pro 2000   BLS-242E                      | 154 | BarBank   BMP-201                      | 185 |
| SpeedRibbon   BHT-12              | 128 | E-Strike Urban 600   BLS-241E                     | 154 | HighRoad   BMP-121                     | 185 |
| FlexRibbon Gel   BHT-14           | 128 | E-Signal STVZO   BLS-243E                         | 155 | DoubleShot   BMP-102                   | 185 |
| FlexRibbon Gel   BHT-14OEM        | 128 | StrikeDuo 2100i + SignalPro 250 Combo   BLS-277i  | 155 | SingleShot   BMP-101                   | 186 |
| UltraRibbon   BHT-15              | 129 | StrikeDuo 1400i + Signal 80 Combo   BLS-275i      | 155 | SingleShot MTB   BMP-103               | 186 |
| UltraRibbon Gel   BHT-15G         | 129 | NanoStrike 700i + Signal 80 Combo   BLS-266i      | 156 | EasyRoad   BMP-49                      | 186 |
| GravelRibbon Gel   BHT-16         | 129 | Slice 600i ModeSync combo   BLS-286i              | 156 | Samurai   BMP-50                       | 187 |
| ReflectRibbon Gel   BHT-17        | 130 | NanoStrike 500 + Slide 50 Combo   BLS-265         | 156 | WindWave   BMP-54                      | 187 |
| RoyalRibbon Gel   BHT-18          | 130 | Slice 300 + Signal 80 Combo   BLS-282             | 157 | WindRush S   BMP-55                    | 187 |
| Screw On Alu   BHT-97             | 130 | Stud 50 + Slide Combo   BLS-231                   | 157 | WindGun S   BMP-57                     | 188 |
| Screw On Alu Reflective   BHT-97R | 131 | Stud 33 + Salute Combo   BLS-144                  | 157 | Traveller Telescopic   BMP-53          | 188 |
| ScrewOn   BHT-96                  | 131 | Signal Radar   BLS-251                            | 158 | DualPressure   BMP-39                  | 188 |
| EndCaps   BHT-90S                 | 131 | SignalPro 250   BLS-168                           | 158 | AirShock   BMP-29                      | 189 |
| EndCaps   BHT-91S                 | 132 | SignalBrake 80   BLS-256                          | 158 | PressureGauge   BMP-90                 | 189 |
| EndCaps   BHT-92S                 | 132 | Signal 80   BLS-255                               | 159 | GadgetGauge   BMP-92                   | 189 |

|                                       |     |                                           |     |                                           |     |
|---------------------------------------|-----|-------------------------------------------|-----|-------------------------------------------|-----|
| AirPush   BMP-111                     | 190 | FuelPack   BSB-17                         | 213 | EasyFit Deluxe   BBB-14                   | 235 |
| AirPush   BMP-111D                    | 190 | RacePack   BSB-14                         | 213 | EasyFit Deluxe Display Box   BBB-14D      | 236 |
| AirSpeed   BMP-32                     | 190 | Compacted R   BSB-41RM                    | 214 | Loud & Clear   BBB-11                     | 236 |
| EasyAir   BMP-34                      | 191 | CurvePack S   BSB-13S                     | 214 | Loud & Clear Display Box   BBB-11D        | 236 |
| Co2 Blaster   BMP-33S                 | 191 | CurvePack M   BSB-13M                     | 214 | Loud & Clear Deluxe   BBB-15              | 237 |
| AirTank   BMP-35                      | 191 | CurvePack L   BSB-13L                     | 215 | Loud & Clear Deluxe Display Box   BBB-15D | 237 |
| AirTank Display Box   BMP-36D         | 192 | StorePack S   BSB-12S                     | 215 | PhoneLock   BSM-15                        | 238 |
| AirTank XL   BMP-38                   | 192 | StorePack M   BSB-12M                     | 215 | Guardian XL   BSM-11XL                    | 238 |
| AirTank XL Display Box   BMP-38D      | 192 | StorePack L   BSB-12L                     | 216 | Guardian L   BSM-11L                      | 238 |
| Airwave   BFP-20                      | 193 | SpeedPack S   BSB-33S                     | 216 | Guardian M   BSM-11M                      | 239 |
| AirBoost 2.0   BFP-28                 | 193 | SpeedPack M   BSB-33M                     | 216 | PhoneFix   BSM-91                         | 239 |
| AirSteel   BFP-27                     | 193 | SpeedPack L   BSB-33L                     | 217 | SpacerFix   BSM-92                        | 239 |
| AirSmart   BFP-42                     | 194 | EasyPack S   BSB-31S                      | 217 | FrontFix   BSM-94                         | 240 |
| AirSwitch HP/HV   BFP-41              | 194 | EasyPack M   BSB-31M                      | 217 | DashBoard 10   BCP-15W                    | 241 |
| HoseKit 3.0   BFP-97                  | 194 | EasyPack L   BSB-31L                      | 218 | DashBoard 10   BCP-06                     | 241 |
| DualHead 3.0   BFP-96                 | 195 | RollPack   BSB-45                         | 218 | DashBoard 7   BCP-05                      | 241 |
| DualHead 2.0   BFP-93                 | 195 | CarrierPack   BSB-137                     | 218 | AeroMount   BCP-97                        | 241 |
| ValveKit   BFP-90                     | 195 | FrontPack   BSB-139                       | 219 | MiddleMount   BCP-98                      | 242 |
| AirPipe   BFP-94                      | 196 | TrunkPack   BSB-134                       | 219 | StemMount   BCP-99                        | 242 |
| DunlopClip   BFP-95                   | 196 | CarrierPack   BSB-138                     | 219 | ErgoMount Duo   BCP-96                    | 242 |
| FlipHead Pro   BFP-99                 | 196 | PortoVault   BSB-132                      | 220 | CityView comfort   BBM-06                 | 243 |
| CompTank   BWB-01                     | 197 | RainCover   BSB-96                        | 220 | CityView   BBM-05                         | 243 |
| CompTank XL   BWB-05                  | 197 | CarrierCover   BSB-97                     | 220 | CityView   BBM-05OEM                      | 243 |
| AutoTank   BWB-11                     | 197 | SecureRack   BCA-90                       | 221 | DropView   BBM-03                         | 244 |
| AutoTank Mudcap autoclose   BWB-12    | 198 | CombiSet RacePack   BSB-55                | 221 | MultiView   BBM-04                        | 244 |
| AutoTank XL   BWB-15                  | 198 | CombiSet EasyPack   BSB-56                | 221 | E-view   BBM-01                           | 244 |
| AutoTank XL Mudcap autoclose   BWB-16 | 198 | CombiSet StorePack   BSB-57               | 222 | E-view clamp mount   BBM-02               | 245 |
| ThermoTank   BWB-52                   | 199 | CombiSet SpeedPack CO2   BSB-58           | 222 | MultiVis   BBP-71                         | 246 |
| ThermoTank reflective   BWB-53        | 199 | CombiSet RollPack CO2   BSB-59            | 222 | RollVis   BBP-72                          | 246 |
| HaloAttack side cage   BBC-46R        | 201 | CombiSet Tools & Tubes S   BSB-63         | 223 | StayGuard   BBP-12M                       | 246 |
| CarbonCage   BBC-55                   | 201 | CombiSet Tools & Tubes L   BSB-64         | 223 | StayGuard   BBP-12L                       | 246 |
| HaloCage Carbon   BBC-45              | 201 | SecureFold   BBL-73                       | 224 | StaySkin   BBP-21                         | 247 |
| DualCage 2.0 composite   BBC-42       | 202 | PowerFold   BBL-71                        | 224 | CarbonSkin   BBP-56                       | 247 |
| DualAttack 2.0 composite   BBC-43     | 202 | CodeFold   BBL-72                         | 224 | ClearSkin   BBP-57                        | 247 |
| SteelCage   BBC-51                    | 202 | Secure U   BBL-78                         | 225 | BikeSkin   BBP-50                         | 247 |
| FastCage   BBC-41                     | 203 | U-Vault 2.0   BBL-28B                     | 225 | BikeSkin   BBP-51                         | 248 |
| FlexCage   BBC-36                     | 203 | SecureChain   BBL-75                      | 225 | TubeSkin   BBP-60                         | 248 |
| EcoTank   BBC-01                      | 203 | CodeGuard Chain 5/100   BBL-105           | 226 | FrameSkin   BBP-61                        | 248 |
| FuelTank   BBC-03                     | 204 | KeyGuard Chain 5/100   BBL-115            | 226 | Indoor Trainer mat   BIC-01               | 249 |
| AdaptRail   BBC-120                   | 204 | QuickChain   BBL-67                       | 226 | Sweat catcher   BIC-11                    | 249 |
| StrapPlate   BBC-112                  | 204 | CodeGuard Cable 12/120   BBL-101          | 227 | Wheel block   BIC-21                      | 249 |
| DualMount   BBC-113                   | 205 | CodeGuard Cable 12/180   BBL-101B         | 227 | PuncturePlugger   BTL-185                 | 252 |
| StackRack   BBC-81                    | 205 | KeyGuard Cable 12/120   BBL-111           | 227 | BarPlugger   BTL-210                      | 252 |
| HaulerMount   BBC-111                 | 205 | KeyGuard Cable Cable 12/180   BBL-111B    | 228 | RoyalFold Basic   BTL-201                 | 252 |
| CageFix   BBC-110                     | 206 | CodeGuard Cable 15/120   BBL-102          | 228 | RoyalFold Chaintool   BTL-202             | 253 |
| Co2Hold   BBC-90                      | 206 | CodeGuard Cable 15/180   BBL-102B         | 228 | RoyalFold CO2 Inflator   BTL-203          | 253 |
| UniHold   BBC-95                      | 206 | KeyGuard Cable 15/120   BBL-112           | 229 | PrimeFold S   BTL-48S                     | 253 |
| BarrelPack M   BSB-151M               | 207 | KeyGuard Cable 15/180   BBL-112B          | 229 | PrimeFold M   BTL-48M                     | 254 |
| BarrelPack L   BSB-151L               | 207 | Guard series bracket   BBL-119            | 229 | PrimeFold L   BTL-48L                     | 254 |
| SealTank M   BSB-62M                  | 207 | QuickCode   BBL-66                        | 230 | Primefold XL   BTL-48XL                   | 254 |
| SealTank L   BSB-62L                  | 208 | QuickSafe   BBL-61                        | 230 | MaxiFold S   BTL-141S                     | 255 |
| SealMate M   BSB-65M                  | 208 | LoopSafe   BBL-55                         | 230 | MaxiFold M   BTL-141M                     | 255 |
| SealMate L   BSB-65L                  | 208 | CoilSafe   BBL-56                         | 231 | MaxiFold L   BTL-141L                     | 255 |
| SealPack M   BSB-61M                  | 209 | Zip-Ty   BBL-57                           | 231 | MaxiFold Tubeless   BTL-141TL             | 256 |
| SealPack L   BSB-61L                  | 209 | MiniSafe   BBL-52                         | 231 | MiniFold S   BTL-40S                      | 256 |
| Front Fellow   BSB-141                | 209 | MiniCase   BBL-53                         | 232 | TorxFold   BTL-143                        | 256 |
| Middle Mate   BSB-142                 | 210 | MiniCase XL   BBL-53XL                    | 232 | CassetteRemover set   BTL-194             | 258 |
| Seat SideKick   BSB-143               | 210 | CableTie   BBL-93                         | 232 | T-RexGrip   BTL-122                       | 258 |
| SeatSupply   BSB-146                  | 210 | ErgoSound   BBB-19                        | 233 | TurnTable   BTL-11                        | 258 |
| BagBrace   BSB-148                    | 211 | E Sound   BBB-18                          | 233 | TurnTable 11   BTL-11S                    | 258 |
| CornerCaddy   BSB-144                 | 211 | Noisy Plus   BBB-27                       | 233 | LockOut Campagnolo   BTL-12C              | 259 |
| BarBuddy   BSB-20                     | 211 | Noisy Plus Display Box   BBB-27D          | 234 | LockOut Shimano   BTL-12S                 | 259 |
| AdaptCase   BSB-147                   | 212 | Noisy   BBB-17                            | 234 | GuidePin   BTL-211                        | 259 |
| StackPack   BSB-145                   | 212 | Noisy Display Box   BBB-17D               | 234 | Nautilus II   BTL-05                      | 259 |
| CargoStraps   BSB-161S                | 212 | EasyFit Deluxe Plus   BBB-24              | 235 | ProfiConnect   BTL-55                     | 260 |
| TopTank   BSB-18                      | 213 | EasyFit Deluxe Plus Display Box   BBB-24D | 235 | Re-Link   BTL-213                         | 260 |

|                                    |     |                                                |     |                                                 |     |
|------------------------------------|-----|------------------------------------------------|-----|-------------------------------------------------|-----|
| LinkFix   BTL-77                   | 260 | ProfilLift   BTL-79                            | 277 | DiscStop Shimano   BBS-56T                      | 294 |
| ChainChecker   BTL-125             | 260 | PuncturePluggers   BTL-185                     | 277 | DiscStop HP Shimano   BBS-56                    | 294 |
| HandyHook   BTL-121                | 261 | CoreControl   BTL-207                          | 277 | DiscStop HP Sintered Shimano   BBS-56S          | 294 |
| BracketGrip T47   BTL-234          | 261 | PuncturePlugs   BTL-208                        | 277 | DiscStop Coolfin Shimano   BBS-561C             | 294 |
| BracketGrip   BTL-120              | 261 | EasyTire   BTL-78                              | 278 | DiscStop Coolfin spare pads Shimano   BBS-561CP | 295 |
| BracketGrip   BTL-116              | 261 | LeakFix   BTL-80                               | 278 | DiscStop HP Shimano   BBS-561                   | 295 |
| BracketGrip   BTL-27L              | 262 | LeakFix Display Box   BTL-80D                  | 278 | DiscStop HP Sintered Shimano   BBS-561S         | 295 |
| Bracketgrip DUB   BTL-193          | 262 | ThruGrip   BTL-123                             | 278 | DiscStop E-bike Shimano   BBS-561E              | 295 |
| CrankGrip   BTL-102                | 262 | ChainGrip   BTL-50                             | 279 | DiscStop HP SRAM   BBS-38                       | 296 |
| UltraGrip   BTL-38                 | 262 | ForkGrip   BTL-49                              | 279 | DiscStop HP Sintered SRAM   BBS-38S             | 296 |
| PullStar   BTL-20L                 | 263 | FrameSet   BTL-190                             | 279 | DiscStop Coolfin SRAM / Avid   BBS-39C          | 296 |
| MultiHook   BTL-24                 | 263 | BioReadyWash trigger   BTL-253                 | 279 | DiscStop Coolfin spare pads   BBS-39CP          | 296 |
| PowerPull   BTL-14                 | 263 | BioSuperWash 1L   BTL-251                      | 280 | DiscStop HP SRAM / Avid   BBS-39                | 297 |
| BoltGrip   BTL-32L                 | 263 | BioSuperWash 5L   BTL-251W                     | 280 | DiscStop HP Sintered SRAM / Avid   BBS-39S      | 297 |
| DualForce   BTL-101                | 264 | ToothBrush   BTL-17                            | 280 | DiscStop Avid   BBS-42T                         | 297 |
| Hi Torque L   BTL-10D              | 264 | Bright & Fresh   BTL-21                        | 280 | DiscStop HP Avid   BBS-42                       | 297 |
| NeedleDriver Hydraulic   BTL-160   | 264 | BioDrivetrain cleaner 500ML   BTL-250S         | 281 | DiscStop HP Sintered Avid   BBS-42S             | 298 |
| HoseCutter Hydraulic   BTL-161     | 264 | BioDrivetrain cleaner 1L   BTL-250             | 281 | DiscStop Avid   BBS-43T                         | 298 |
| PistonFix   BTL-115                | 265 | BioDrivetrain cleaner 5L   BTL-250W            | 281 | DiscStop HP Avid   BBS-43                       | 298 |
| DiscStraight   BTL-74              | 265 | Deadblow   BTL-187                             | 281 | DiscStop SRAM / Avid   BBS-441T                 | 298 |
| DiscDoctor   BTL-212               | 265 | SteererTube   BTL-188                          | 282 | DiscStop HP SRAM / Avid   BBS-441               | 299 |
| ProfiCut   BTL-54                  | 265 | MultiTube   BTL-189                            | 282 | DiscStop HP Sintered SRAM / Avid   BBS-441S     | 299 |
| FastCut   BTL-16                   | 266 | PadAlign   BTL-196                             | 282 | DiscStop HP Avid   BBS-442                      | 299 |
| CablePuller   BTL-195              | 266 | LeverAlign   BTL-197                           | 282 | DiscStop HP Sintered Avid   BBS-442S            | 299 |
| Cableguideset   BTL-184            | 266 | AllroundKit   BTL-91                           | 283 | DiscStop HP SRAM / Avid   BBS-443               | 300 |
| HighTorque   BTL-175               | 266 | Chain&Cassette set   BTL-225                   | 283 | DiscStop HP Sintered SRAM / Avid   BBS-443S     | 300 |
| PrecisionTorque   BTL-174          | 267 | BearingPress set   BTL-231                     | 283 | DiscStop HP Magura   BBS-30                     | 300 |
| TorqueSet Deluxe   BTL-173         | 267 | Bearing remover GXP/BB90   BTL-232             | 283 | DiscStop HP Magura   BBS-31                     | 300 |
| TorqueSet   BTL-73                 | 267 | Bearing remover DUB/BB30   BTL-233             | 284 | DiscStop HP Magura   BBS-33                     | 301 |
| TorqueTune   BTL-182               | 267 | BracketKit   BTL-95                            | 284 | DiscStop HP Magura   BBS-35                     | 301 |
| TorqueFix   BTL-119                | 268 | Tools & Tubes   BTL-18                         | 284 | DiscStop Coolfin Magura   BBS-36C               | 301 |
| EasyTorque   BTL-235               | 268 | SoftCase   BTL-181                             | 284 | DiscStop Coolfin spare pads Magura   BBS-36CP   | 301 |
| Hex T   BTL-45                     | 268 | WallMount Deluxe   BTL-150                     | 285 | DiscStop Magura   BBS-36T                       | 302 |
| Torx T   BTL-46                    | 268 | WallMount   BTL-93                             | 285 | DiscStop HP Magura   BBS-36                     | 302 |
| Hex T set   BTL-45S                | 269 | PedalParker   BTL-153                          | 285 | DiscStop HP Sintered Magura   BBS-36S           | 302 |
| ThreeStar   BTL-28                 | 269 | ParkingLot Swivel   BTL-127                    | 285 | DiscStop E-Bike Magura   BBS-36E                | 302 |
| TorxStar   BTL-28T                 | 269 | ParkingLot   BTL-126                           | 286 | DiscStop HP Magura   BBS-371                    | 303 |
| ComboStar   BTL-28C                | 269 | ParkingHook   BTL-26                           | 286 | DiscStop HP Sintered Magura   BBS-371S          | 303 |
| HexSet   BTL-118                   | 270 | SpindleStand   BTL-155                         | 286 | DiscStop E-bike Magura   BBS-371E               | 303 |
| Hexagon   BTL-13                   | 270 | ProfiMount   BTL-36                            | 286 | DiscStop HP Magura   BBS-372                    | 303 |
| DriveForce   BTL-104               | 270 | SteadyUP   BTL-156                             | 287 | DiscStop HP Sintered Magura   BBS-372S          | 304 |
| BracketPlug DUB   BTL-105D         | 270 | Pro Mechanic   BTL-236                         | 287 | DiscStop E-bike Magura   BBS-372E               | 304 |
| BracketPlug   BTL-105              | 271 | BioHandWash 500ml   BTL-259                    | 287 | DiscStop HP Campagnolo   BBS-79                 | 304 |
| LockPlug   BTL-106S                | 271 | BioBearingGrease 50ml   BTL-261                | 287 | DiscStop HP Formula   BBS-66                    | 304 |
| LockPlug   BTL-107S                | 271 | BioBearingGrease 500ml   BTL-261W              | 288 | DiscStop HP Sintered Formula   BBS-66S          | 305 |
| LockPlug   BTL-108C                | 271 | BioPaste 50ml   BTL-262                        | 288 | DiscStop Formula   BBS-67T                      | 305 |
| BracketPlug   BTL-109              | 272 | BioPaste 500ml   BTL-262W                      | 288 | DiscStop HP Formula   BBS-67                    | 305 |
| HexPlug   BTL-110                  | 272 | BioCarbonPaste 50ml   BTL-263                  | 288 | DiscStop HP Sintered Formula   BBS-67S          | 305 |
| HexPlug   BTL-111                  | 272 | BioCarbonPaste 500ml   BTL-263W                | 289 | DiscStop HP Formula   BBS-68                    | 306 |
| DirectPlug Shimano XTR   BTL-199   | 272 | BioGloss 100ml   BTL-265                       | 289 | DiscStop HP Sintered Formula   BBS-68S          | 306 |
| DirectPlug Bosch gen.3/4   BTL-200 | 273 | DiscStop HP Shimano   BBS-50                   | 290 | DiscStop HP Tektro   BBS-75                     | 306 |
| LockOut   BTL-128E                 | 273 | DiscStop HP Shimano   BBS-52                   | 290 | DiscStop Tektro   BBS-76T                       | 306 |
| CupOut   BTL-113                   | 273 | DiscStop HP Sintered Shimano   BBS-52S         | 290 | DiscStop HP Tektro   BBS-76                     | 307 |
| CupOut   BTL-114                   | 273 | DiscStop Shimano   BBS-53T                     | 290 | DiscStop HP Tektro   BBS-77                     | 307 |
| HeadFix   BTL-56                   | 274 | DiscStop HP Shimano   BBS-53                   | 291 | DiscStop E-Bike Tektro   BBS-78E                | 307 |
| ConeSet   BTL-25S                  | 274 | DiscStop E-Bike Shimano   BBS-53E              | 291 | DiscStop HP Hayes   BBS-48                      | 307 |
| ConeFix   BTL-25                   | 274 | DiscStop Shimano   BBS-54T                     | 291 | DiscStop HP Hayes   BBS-492                     | 308 |
| ProTune   BTL-183                  | 274 | DiscStop HP Shimano   BBS-54                   | 291 | DiscStop HP Hope   BBS-58                       | 308 |
| ProTune set   BTL-183S             | 275 | DiscStop HP Sintered Shimano   BBS-54S         | 292 | DiscStop HP Hope   BBS-591                      | 308 |
| Turner II   BTL-15                 | 275 | DiscStop Coolfin Shimano   BBS-55C             | 292 | DiscStop HP   BBS-80                            | 308 |
| SpokeHolder   BTL-214              | 275 | DiscStop Coolfin spare pads Shimano   BBS-55CP | 292 | DiscStop HP Sintered   BBS-80S                  | 309 |
| TensionGauge   BTL-186             | 275 | DiscStop HP Shimano   BBS-55                   | 292 | DiscStop HP   BBS-81                            | 309 |
| EasyLift   BTL-81                  | 276 | DiscStop HP Sintered Shimano   BBS-55S         | 293 | DiscStop HP   BBS-87                            | 309 |
| EasyLift Display Box   BTL-81D     | 276 | DiscStop E-bike Shimano   BBS-55E              | 293 | DiscStop HP Sintered   BBS-87S                  | 309 |
| SmartLift   BTL-82                 | 276 | DiscStop Coolfin Shimano   BBS-56C             | 293 | DiscStop E-Bike   BBS-82E                       | 310 |
| SmartLift Displybox 24   BTL-82D   | 276 | DiscStop Coolfin spare pads Shimano   BBS-56CP | 293 | DiscStop E-Bike   BBS-83E                       | 310 |

|                                                 |     |                                            |     |                                          |     |
|-------------------------------------------------|-----|--------------------------------------------|-----|------------------------------------------|-----|
| BleedKit   BBS-101                              | 310 | CableStop   BCB-97                         | 330 | FittingKit   BCB-282                     | 343 |
| BleedKit SRAM   BBS-102                         | 310 | Adjuster   BCB-96                          | 330 | RollerBoys 10T   BDP-01                  | 344 |
| BleedKit Shim. Comp   BBS-103                   | 311 | CableConnect   BCB-98                      | 330 | RollerBoys Ceramic 10T   BDP-11          | 344 |
| PowerStop   BBS-111 / -112 / -113 / -114 / -115 | 311 | CableCap Kit   BCB-99                      | 331 | RollerBoys 11T   BDP-02                  | 344 |
| CenterStop   BBS-121                            | 311 | Workshop SpeedWire   BCB-31                | 331 | RollerBoys Ceramic 11T   BDP-12          | 344 |
| CenterBlock   BBS-131                           | 311 | Workshop SpeedWire   BCB-31L               | 331 | RollerBoys 11T sr   BDP-05               | 345 |
| CenterBlock   BBS-132                           | 312 | Workshop SpeedWire C   BCB-32C             | 331 | RollerBoys 12T sr   BDP-06               | 345 |
| 6-bolt shimset   BBS-130                        | 312 | Workshop SpeedWire Teflon   BCB-35         | 331 | RollerBoys Ceramic 12T nw sr   BDP-16    | 345 |
| CenterFit   BBS-90                              | 312 | Workshop SpeedWire Polished   BCB-36       | 332 | RollerBoys 11T-13T   BDP-08              | 345 |
| PowerMount   BBS-91                             | 312 | Workshop BrakeWire MTB   BCB-41F           | 332 | RollerBoys Ceramic 11T-13T   BDP-18      | 346 |
| PowerMount   BBS-92                             | 313 | Workshop BrakeWire MTB   BCB-41R           | 332 | RollerBoys 13T-13T   BDP-09              | 346 |
| PowerMount   BBS-93F                            | 313 | Workshop BrakeWire MTB   BCB-41L           | 332 | RollerBoys Ceramic 13T   BDP-19          | 346 |
| PowerMount   BBS-93R                            | 313 | Workshop BrakeWire Road   BCB-43SF         | 332 | RollerBoys 12T-14T sr   BDP-07           | 346 |
| PowerMount   BBS-94F                            | 313 | Workshop BrakeWire Road   BCB-43SR         | 333 | RollerBoys Ceramic 12T-14T sr   BDP-17   | 347 |
| PowerMount   BBS-94R                            | 314 | Workshop BrakeWire Polished Road   BCB-47R | 333 | RollerBoys 12T sr   BDP-10               | 347 |
| PowerMount   BBS-95F                            | 314 | Workshop BrakeWire Road C   BCB-42CR       | 333 | RollerBoys 12T SR XPLR   BDP-10X         | 347 |
| PowerMount   BBS-95R                            | 314 | Workshop StopLine LC   BCB-50LC            | 333 | RollerBoys Ceramic 12T sr   BDP-20       | 347 |
| PowerMount   BBS-96F                            | 314 | Workshop BrakeWire Teflon MTB   BCB-45M    | 333 | RollerBoys Ceramic 12T SR XPLR   BDP-20X | 348 |
| PowerMount   BBS-96R                            | 315 | Workshop StopLine LC   BCB-50WLC           | 334 | AluBoys 11T   BDP-21                     | 348 |
| PowerMount   BBS-97F                            | 315 | Workshop BrakeWire Teflon Road   BCB-46R   | 334 | AluBoys Ceramic 11T   BDP-22             | 348 |
| PowerMount   BBS-97R                            | 315 | Workshop StopLine   BCB-51                 | 334 | SingleLine   BCH-010                     | 349 |
| PowerMount   BBS-98F                            | 315 | Workshop StopLine   BCB-51G                | 334 | SingleLine   BCH-011                     | 349 |
| PowerMount   BBS-98R                            | 316 | Workshop StopLine   BCB-51W                | 334 | E-PowerLine   BCH-01E                    | 349 |
| PowerMount   BBS-99                             | 316 | Workshop ShiftLine   BCB-52                | 335 | E-PowerLine   BCH-01EN                   | 349 |
| CantiStop   BBS-08                              | 321 | Workshop ShiftLine   BCB-52G               | 335 | PowerLine   BCH-80G                      | 349 |
| CantiStop   BBS-07                              | 321 | Workshop ShiftLine   BCB-52W               | 335 | PowerLine   BCH-81                       | 350 |
| CantiStop Deluxe   BBS-18T                      | 321 | Workshop ShiftLine LC   BCB-53LC           | 335 | PowerLine   BCH-82                       | 350 |
| VeeStop   BBS-04                                | 321 | Workshop ShiftLine   BCB-54                | 335 | E-PowerLine   BCH-08E                    | 350 |
| VeeStop   BBS-05                                | 322 | CableEnd Workshop   BCB-150                | 336 | PowerLine   BCH-90                       | 350 |
| VeeStop   BBS-06                                | 322 | CableEnd AL Workshop   BCB-151             | 336 | PowerLine   BCH-91                       | 350 |
| TriStop   BBS-14T                               | 322 | CableEnd S-AL Workshop   BCB-152           | 336 | PowerLine   BCH-92                       | 351 |
| TriStop   BBS-15T                               | 322 | CableEnd N-AL Workshop   BCB-153           | 336 | E-PowerLine   BCH-09E                    | 351 |
| TriStop   BBS-16                                | 323 | CableStop Workshop   BCB-154               | 336 | PowerLine   BCH-101                      | 351 |
| TriStop   BBS-16T                               | 323 | CableEnd Workshop   BCB-160                | 337 | PowerLine   BCH-102                      | 351 |
| EStop   BBS-04E                                 | 323 | CableEnd AL Workshop   BCB-161             | 337 | E-PowerLine   BCH-10E                    | 351 |
| HydroStop   BBS-09E                             | 323 | CableEnd S-AL Workshop   BCB-162           | 337 | E-PowerLine   BCH-11E                    | 352 |
| HydroStop   BBS-09                              | 324 | CableEnd N-AL Workshop   BCB-163           | 337 | PowerLine   BCH-112                      | 352 |
| RoadStop Deluxe   BBS-01D                       | 324 | CableStop Workshop   BCB-164               | 337 | PowerLine   BCH-122                      | 352 |
| RoadStop   BBS-02                               | 324 | CableDonut Workshop   BCB-170              | 338 | E-Powerline E-bike 12 speed   BCH-12E    | 352 |
| RoadStop   BBS-03A                              | 324 | CableWrap Workshop   BCB-171               | 338 | FlatLine   BCH-14                        | 352 |
| TechStop   BBS-27                               | 325 | CableWrap Workshop   BCB-172               | 338 | SpringLink   BCH-01                      | 353 |
| TechStop   BBS-27T                              | 325 | CableWrap Workshop   BCB-175               | 338 | SpringLink E-bike   BCH-01EL             | 353 |
| UltraStop   BBS-28HP                            | 325 | CableConnect Workshop   BCB-173            | 338 | SpringLink E-bike narrow   BCH-01ENL     | 353 |
| CarbStop   BBS-29                               | 325 | BrakeBarrel Workshop   BCB-174             | 339 | SmartLink   BCH-01S                      | 353 |
| SpeedWire Polished   BCB-13                     | 326 | Mechanical Spareparts Box   BCB-190        | 339 | SmartLink II   BCH-08                    | 353 |
| SpeedWire Polished C   BCB-13C                  | 326 | Hydroline Workshop   BCB-200               | 339 | SmartLink II   BCH-09S  S                | 354 |
| SpeedWire Teflon   BCB-10                       | 326 | Hydroline Workshop   BCB-201               | 339 | SmartLink II   BCH-10  S                 | 354 |
| SpeedWire Teflon C   BCB-10C                    | 326 | Hose Barb Workshop   BCB-210               | 339 | SmartLink   BCH-11S                      | 354 |
| SpeedWire   BCB-11                              | 326 | Hose Barb Workshop   BCB-211               | 340 | SmartLink   BCH-12S                      | 354 |
| SpeedWire C   BCB-12C                           | 327 | Hose Barb Workshop   BCB-212               | 340 | FlatLink   BCH-14S                       | 354 |
| ShiftLine LC   BCB-15                           | 327 | Hose Barb Workshop   BCB-213               | 340 | BioWax 100ml   BCH-201                   | 355 |
| BrakeWire Polished Road   BCB-23R               | 327 | Compression Olive Workshop   BCB-220       | 340 | BioEbikeLube 100ml   BCH-202             | 355 |
| BrakeWire Polished Road C   BCB-23C             | 327 | Compression Olive Workshop   BCB-221       | 340 | BioEbikeLube 500ml   BCH-202W            | 355 |
| Brakewire Teflon MTB   BCB-20M                  | 327 | Compression Olive Workshop   BCB-222       | 341 | BioLube 100ml   BCH-203                  | 355 |
| BrakeWire Teflon Road   BCB-20R                 | 328 | Compression Nut Workshop   BCB-230         | 341 | BioWax Pro 100ml   BCH-204               | 355 |
| BrakeWire Teflon Road C   BCB-20C               | 328 | Compression Nut Workshop   BCB-231         | 341 | DirectMount Sram 3 bolt   BCR-110        | 356 |
| Brakewire MTB   BCB-21M                         | 328 | Compression Nut Workshop   BCB-232         | 341 | DirectMount Sram 8 bolt   BCR-111        | 356 |
| BrakeWire Road   BCB-21R                        | 328 | Banjo Workshop   BCB-240                   | 341 | DirectMount Shimano   BCR-115            | 356 |
| BrakeWire Road C   BCB-22C                      | 328 | Banjo Workshop   BCB-241                   | 342 | RoundAbout 4   BCR-04                    | 356 |
| StopLine LC   BCB-25                            | 329 | Banjo Workshop   BCB-242                   | 342 | RoundAbout 5   BCR-01                    | 357 |
| CableWrap   BCB-90B                             | 329 | Banjo Nut Workshop   BCB-250               | 342 | RoundAbout 4   BCR-05                    | 357 |
| CableWrap   BCB-90D                             | 329 | Copper O-ring Workshop   BCB-251           | 342 | RoundAbout 4   BCR-07                    | 357 |
| VeePipe   BCB-91                                | 329 | PadPin Workshop   BCB-260                  | 342 | RoundAbout 4   BCR-08                    | 357 |
| Adjuster   BCB-93                               | 329 | PadPin Workshop   BCB-261                  | 343 | RoadGear   BCR-11S                       | 358 |
| HydroGuide   BCB-94                             | 330 | Hydraulic Spareparts Box   BCB-290         | 343 | RoadGear   BCR-14S                       | 358 |
| LineAdjuster   BCB-95                           | 330 | FittingKit   BCB-280                       | 343 | TripleGear   BCR-16S                     | 358 |

|                                              |     |                                            |     |                                 |     |
|----------------------------------------------|-----|--------------------------------------------|-----|---------------------------------|-----|
| RoadGear   BCR-21C                           | 358 | BottomBear BB30   BBO-19                   | 380 | BioCarbonPaste 50ml   BTL-263   | 402 |
| RoadGear   BCR-22C                           | 359 | BottomFit BB86/92   BBO-29                 | 381 | BioCarbonPaste 500ml   BTL-263W | 403 |
| RoadGear   BCR-23C                           | 359 | BottomFit BB86/92 GXP   BBO-29SR           | 381 | NoFog   BSG-100                 | 403 |
| ElevenGear   BCR-26S                         | 359 | BottomPress BB92   BBO-25                  | 381 | BioGloss 100ml   BTL-265        | 403 |
| ElevenGear   BCR-27S                         | 359 | BottomPress BB86   BBO-21                  | 381 | BioSeal 80ml   BTI-180          | 403 |
| CompactGear   BCR-31                         | 360 | BottomBear BB90-95   BBO-26                | 382 | BioSeal 500ml   BTI-181         | 404 |
| CompactGear   BCR-32C                        | 360 | BottomThread BSA   BBO-39                  | 382 | BioSeal 5L   BTI-181W           | 404 |
| CompactGear   BCR-33C                        | 360 | BottomThread BSA DUB   BBO-38              | 382 |                                 |     |
| CompactGear   BCR-36S                        | 360 | BottomThread BSA GXP   BBO-39SR            | 382 |                                 |     |
| CompactGear   BCR-37S                        | 361 | BottomFit PF30-29 DUB   BBO-78             | 383 |                                 |     |
| MTBgear   BCR-41X                            | 361 | BottomFit PF30-24   BBO-79                 | 383 |                                 |     |
| MTBgear   BCR-43X                            | 361 | BottomFit BB30-29 DUB   BBO-88             | 383 |                                 |     |
| MTBgear   BCR-44                             | 361 | BottomFit BB30-24   BBO-89                 | 383 |                                 |     |
| MTBgear   BCR-45S                            | 362 | BottomAdapt BB30/PF30   BBO-16             | 384 |                                 |     |
| MTBgear   BCR-46S                            | 362 | BottomAdapt BB386/392 EVO   BBO-17         | 384 |                                 |     |
| MTBgear   BCR-47S                            | 362 | OEM bottom bracket Shim 0.5 - 30   BBO-111 | 384 |                                 |     |
| MTBgear   BCR-48S                            | 362 | OEM bottom bracket Shim 1 - 30   BBO-112   | 384 |                                 |     |
| MTBgear   BCR-49S                            | 363 | OEM bottom bracket Shim 2.5 - 30   BBO-113 | 385 |                                 |     |
| MTBgear   BCR-50S                            | 363 | ShimSet   BBO-91                           | 385 |                                 |     |
| MTBgear   BCR-100S                           | 363 | OEM bottom bracket Shim 0.5 - 24   BBO-121 | 385 |                                 |     |
| MTBgear   BCR-101S                           | 363 | OEM bottom bracket Shim 1 - 24   BBO-122   | 385 |                                 |     |
| MTBgear   BCR-105S                           | 364 | OEM bottom bracket Shim 2.5 - 24   BBO-123 | 386 |                                 |     |
| HexStars   BCR-51                            | 364 | OEM Wave Washer 24   BBO-125               | 386 |                                 |     |
| TripleStars   BCR-52                         | 364 | OEM Wave Washer 30   BBO-126               | 386 |                                 |     |
| FourStars   BCR-59S                          | 364 | OEM bottom bracket bearing BB30   BBO-102  | 386 |                                 |     |
| SingleStars   BCR-60                         | 365 | OEM bottom bracket bearing   BBO-105       | 387 |                                 |     |
| SingleStars   BCR-60S                        | 365 | OEM bottom bracket bearing DUB   BBO-103   | 387 |                                 |     |
| ShimStars   BCR-61                           | 365 | CoreCap valve caps   BTI-165L              | 390 |                                 |     |
| ShimStars   BCR-62                           | 365 | CoreCap valve caps   BTI-165               | 390 |                                 |     |
| ShimStars   BCR-63                           | 366 | CoreCap AL Valve   BTI-166                 | 390 |                                 |     |
| E-Bike Sprocket   BCR-70E                    | 366 | Tubeless Valves   BTI-159                  | 391 |                                 |     |
| E-bikeMount   BCR-71E                        | 366 | AL Valve   BTI-160                         | 391 |                                 |     |
| E-bikeMount   BCR-72E                        | 366 | ValveExtender   BTI-97                     | 391 |                                 |     |
| E-bikeGear   BCR-75E                         | 367 | ValveExtend   BTI-99                       | 392 |                                 |     |
| E-bikeGear NarrowWide   BCR-76E              | 367 | ValveCore set 4pcs   BTI-161               | 392 |                                 |     |
| ChainWatch   BCR-80A                         | 367 | ValveCore set 50pcs   BTI-162              | 392 |                                 |     |
| TurnAround   BHP-01                          | 369 | SteadyValve Patches   BTI-175              | 393 |                                 |     |
| TurnAround   BHP-02                          | 369 | RimTape 700C   BTI-91                      | 393 |                                 |     |
| ThreadAround   BHP-15                        | 369 | RimTape 28   BTI-92                        | 393 |                                 |     |
| Integrated   BHP-40                          | 370 | RimTape 26   BTI-93                        | 394 |                                 |     |
| Integrated   BHP-41                          | 370 | RimTape 27.5   BTI-94                      | 394 |                                 |     |
| Integrated   BHP-42                          | 370 | RimTape 700C - 10m   BTI-95                | 394 |                                 |     |
| Integrated Tapered   BHP-45                  | 371 | RimTape 700C - 45m   BTI-96                | 395 |                                 |     |
| Integrated Tapered   BHP-46                  | 371 | RimTape Adhesive 2m   BTI-98               | 395 |                                 |     |
| Semi-Integrated   BHP-50                     | 371 | Tubeless Rimtape 4.5m   BTI-150            | 395 |                                 |     |
| Semi-Integrated   BHP-51                     | 372 | Tubeless Rimtape 10m   BTI-151             | 396 |                                 |     |
| Semi-Integrated Tapered   BHP-53             | 372 | Tubeless Rimtape 50m   BTI-152             | 396 |                                 |     |
| Semi-Integrated Tapered   BHP-54             | 372 | BioSeal 80ml   BTI-180                     | 396 |                                 |     |
| Semi-Integrated Tapered   BHP-55             | 373 | BioSeal 500ml   BTI-181                    | 397 |                                 |     |
| RoundHead   BAP-02                           | 373 | BioSeal 5L   BTI-181W                      | 397 |                                 |     |
| PowerHead   BAP-03                           | 373 | Sealant Injector   BTI-190                 | 397 |                                 |     |
| UltraSpace   BHP-35                          | 374 | BioDrivetrain cleaner 500ML   BTL-250S     | 399 |                                 |     |
| LightSpace   BHP-36                          | 374 | BioDrivetrain cleaner 1L   BTL-250         | 399 |                                 |     |
| Extender   BHP-20                            | 374 | BioDrivetrain cleaner 5L   BTL-250W        | 399 |                                 |     |
| Extender   BHP-21                            | 375 | BioSuperWash 1L   BTL-251                  | 399 |                                 |     |
| TubeExtend   BHP-22                          | 375 | BioSuperWash 5L   BTL-251W                 | 400 |                                 |     |
| OEM AluSpace   BHP-33OEM                     | 375 | BioReadyWash trigger   BTL-253             | 400 |                                 |     |
| Replacement Bearings 20pcs, 1.1/8"   BHP-180 | 376 | BioWax 100ml   BCH-201                     | 400 |                                 |     |
| Replacement Bearings 20pcs, 1.1/8"   BHP-181 | 376 | BioEbikeLube 100ml   BCH-202               | 400 |                                 |     |
| Replacement Bearings 20pcs, 1.1/8"   BHP-182 | 376 | BioEbikeLube 500ml   BCH-202W              | 401 |                                 |     |
| Replacement Bearings 20pcs, 1.1/4"   BHP-183 | 377 | BioLube 100ml   BCH-203                    | 401 |                                 |     |
| Replacement Bearings 20pcs, 1.3/8"   BHP-184 | 377 | BioWax Pro 100ml   BCH-204                 | 401 |                                 |     |
| Replacement Bearings 20pcs, 1.5"   BHP-185   | 377 | BioBearingGrease 50ml   BTL-261            | 401 |                                 |     |
| BottomFit PF30   BBO-09                      | 380 | BioBearingGrease 500ml   BTL-261W          | 402 |                                 |     |
| BottomPress PF30 MTB   BBO-05                | 380 | BioPaste 50ml   BTL-262                    | 402 |                                 |     |
| BottomPress PF30 Road   BBO-01               | 380 | BioPaste 500ml   BTL-262W                  | 402 |                                 |     |







**Design**

BBB Cycling

**Publisher**


BBB Cycling / COPYRIGHT © BBB Cycling. All rights reserved and subject to any price changes. No part of this publication may be copied or used in any form without permission from the publisher. BBB Cycling reserves the right to change all product specifications without notice.

**BBB Cycling**

information@bbbcycling.com  
www.bbbcycling.com

## BBB Cycling

BBB Cycling is there for every cyclist. We are out there on each and every ride, bringing fun to cycling, and making sure cyclists are spending more time on their bikes together with their friends. Riding your bike is something special. It makes you feel carefree and lets you enjoy the moment. It's exactly this feeling that we treasure and want to elevate with our products. Products designed in the Netherlands and that received more than 100 product and innovation awards. Items that will surprise you with their price-quality level and the always present smart adjustment. With this kind of products we are serving the needs of cycling enthusiasts from all over the world and are proud to be 'Part of your Ride'.



**Scan the QR code and discover our dealer app!** Explore our extensive range of bicycle accessories on your mobile or desktop. Download the app now!

**BBB**  
cycling